HB 1045 2022 Legislature

1 2 An act relating to West Villages Improvement District, 3 Sarasota County; amending chapter 2004-456, Laws of Florida, as amended; revising the boundaries of the 4 5 district; requiring a referendum; providing an 6 effective date. 7 8 Be It Enacted by the Legislature of the State of Florida: 9 Section 17 of chapter 2004-456, Laws of 10 11 Florida, as amended by chapters 2006-355, 2007-307, and 2008-284, Laws of Florida, is amended to read: 12 Section 17. Territorial boundaries.-13 (1) The territorial boundaries of the district shall be as 14 15 follows, to wit: 16 LANDS LOCATED IN TOWNSHIP 39 SOUTH, RANGE 20 EAST, 17 18 SARASOTA COUNTY, FLORIDA: 19 20 That part of Section 21, lying Southwesterly of County 21 Road No. 777 (West River Road). 22 All that part of Section 28, lying West of lands 23 described in official Records Book 2008060371, Public 24 Records of Sarasota County, Florida, (County Road 25 No.777 West River Road).

Page 1 of 64

HB 1045 2022 Legislature

26	All of Section 29, less and except the following:
27	Right-of-way for U.S. Highway No. 41 (State Road No.
28	<u>45).</u>
29	All of Section 30 less and except the following:
30	Right-of-way for U. S. Highway No. 41 (State Road No.
31	45); That portion conveyed to Florida Power and Light
32	Company consisting of approximately 4.66 acres in the
33	SW 1/4 as described in Official Record Book 1036, Page
34	802, Public Records of Sarasota County, Florida; That
35	portion lying West of lands described in Official
36	Record Book 1036, Page 802, South of the westerly
37	extension of the North line of said lands described in
38	Official Records Book 1036, Page 802 and North of the
39	northerly Right of Way line of U.S. Highway No. 41.
40	All of Section 31 less and except the following:
41	Right-of-way of U.S. Highway 41 (State Road No. 45).
42	All of Section 32 less and except the following:
43	Right-of-way of U.S. Highway No. 41 (State Road No.
44	45) That portion conveyed in Official Record Book
45	1571, Page 2172 of the Public Records of Sarasota
46	County, Florida, (College).
47	That Portion of Section 33 lying North of U.S. Highway
48	No. 41 (State Road No.45) and West of County Road #777
49	(West River Road); also, that portion of Section 33,
50	lying South of U.S. Highway No. 41 (State Road No.

Page 2 of 64

HB 1045 2022 Legislature

51	45). LESS AND EXCEPT: That portion described in
52	Official Records Book 1571, Page 2172 of the Public
53	Records of Sarasota County, Florida, (College); That
54	portion described in Official Records Book 2389, Page
55	529, of the Public Records of Sarasota County,
56	Florida, (Sarasota County Fire Station).
57	All that part of Section 34 described as follows: The
58	North Half of the Northwest Quarter of the Southwest
59	Quarter lying South of U.S. Highway #41 (State Road
60	#45) and West of the right of way of County Road #777
61	(as realigned) in Official Records Book 2679 at Pages
62	2750-2574, LESS AND EXCEPT: That portion described in
63	Official Records Instrument #2010051294, of the Public
64	Records of Sarasota County, Florida; That portion
65	described as follows:
66	Commence at the Southeast Corner of the Southwest 1/4
67	of Section 34, Township 39 South, Range 20 East,
68	Sarasota County, Florida; thence N89°24'59"W, along
69	the South line of the Southwest 1/4 of said Section
70	34, a distance of 204.95 feet to a point on the
71	baseline of survey, as shown on the Sarasota County
72	Right-of-Way Map for River Road (Project No. 95790),
73	same being a point on a curve to the left having a
74	radius of 5729.58 feet, a central angle of 05°13'19",
75	a chord bearing of N16°30'08"W, and a chord length of

Page 3 of 64

HB 1045 2022 Legislature

522.02	Properties thence along said base-line of Survey,
and th	ne arc of said curve, an arc length of 522.20
feet;	thence S70°53'13"W, perpendicular to said
baseli	ne of Survey, a distance of 110.00 feet to the
Wester	rly Right-of-Way Line of South River Road per
Offici	al Records Book 2679, Page 2750, Public Records
of Sar	asota County, Florida, same being a point on a
curve	to the left having a radius of 5619.32 feet, a
centra	al angle of 15°31'30", a chord bearing of
N26°52	2'28"W, and a chord length of 1517.98 feet;
thence	e along said Westerly Right-of-Way Line the
follow	ring four (4) courses: (1) along the arc of said
curve	an arc length of 1522.64 feet; (2) thence
<u>s55°21</u>	.' 4 7"W, a distance of 20.00 feet to a point or
a curv	ve to the left having a radius of 5599.32 feet,
centra	al angle of 02°00'54", a chord bearing of
<u>N35°38</u>	8'40"W, and a chord length of 196.90 feet; (3)
thence	along the arc of said curve an arc length of
196.91	feet; (4) thence N36°39'07"W, a distance of
71.08	feet to the South line of the Northwest $1/4$ of
the No	ortheast 1/4 of the Southwest 1/4 of Section 34,
thence	N89°37'27"W, along the South line of said
Northw	est 1/4 of the Northeast 1/4 of the Southwest
<u>1/4 of</u>	Section 34, a distance of 4.10 feet to the

Page 4 of 64

HB 1045 2022 Legislature

101	the North 1/4 of the Northwest 1/4 of the Southwest
102	1/4 of Section 34, Township 39 South, Range 20 East,
103	Sarasota County, Florida; thence N89°37'27"W, along
104	the South line of the North $1/4$ of the Northwest $1/4$
105	of the Southwest 1/4 of said Section 34, a distance of
106	108.43 feet; thence N36°45'48"W, a distance of 427.04
107	feet to the Southerly Right-of-Way Line of U.S.
108	Highway No. 41 (State Road No.45), per Florida
109	Department of Transportation Right-of-Way Map Section
110	17010-2508, same being a point on a curve to the left
111	having a radius of 3031.73 feet, a central angle of
112	01°56'33", a chord bearing of N81°26'05"E, and a chord
113	length of 102.78 feet; thence along said South-erly
114	Right-of-Way Line of U.S. Highway No. 41 (State Road
115	No. 45) and the arc of said curve an arc length of
116	102.78 feet to the intersection of said Southerly
117	Right-of-Way Line of U.S. Highway No. 41 (State Road
118	No. 45) and the Westerly Right-of-Way Line of South
119	River Road per Official Records Book 2695, Page 1438,
120	Public Records of Sarasota County, Florida; thence
121	S36°39'07"E, along said Westerly Right-of-Way Line of
122	South River Road, a distance of 439.57 feet to a point
123	on the West line of the Northwest 1/4 of the Northeast
124	1/4 of the Southwest 1/4 of Section 34; thence
125	S00°09'58"W, along said West line of the Northwest 1/4

Page 5 of 64

HB 1045 2022 Legislature

126	of the Northeast 1/4 of the Southwest 1/4 of Section
127	34, a distance of 5.47 feet to the Point of Beginning.
128	All that part of the NE 1/4 of the SW 1/4 of Section
129	34, lying easterly of right of way for County Road
130	#777 (as realigned) as per Official Records Book 2679,
131	at Pages 2750-2754, Less lands described in Official
132	Records Instrument Number 1999111833 of the Public
133	Records of Sarasota County, Florida; Also all that
134	part of the West Half of the SE 1/4 of Section 34,
135	lying westerly of maintained right of way for South
136	River Road (Old River Road), and northerly of lands
137	described in Official Records Instrument Number
138	1999111833, of the Public Records of Sarasota County,
139	Florida, (Right of way for County Road #777).
140	All that part of the North Half of the Southwest
141	quarter of the Northwest Quarter of Section 34 lying
142	(West of lands described in Official Records
143	Instrument Number 2008060371, of the Public Records of
144	Sarasota County, Florida, River Road County Road No.
145	<u>777).</u>
146	All that portion of the Southeast Quarter of Section
147	34, lying West of the Myakka River, South of the South
148	line of lands described in Official Record Instrument
149	No. 2000002794, Public Records of Sarasota County,
150	Florida (River Road Office Park, Inc.), and easterly

Page 6 of 64

HB 1045 2022 Legislature

151	of the maintained right of way line of a paved road
152	running from River Road to the South line of the
153	Northeast Quarter of said Section 34 (Old River Road),
154	less and except the following: That portion described
155	in Official Record Instrument No. 1999111833, of the
156	Public Records of Sarasota Florida (Right of Way for
157	County Road No. 777).
158	All of Section 35 lying West of the Myakka River.
159	
160	LANDS LOCATED IN TOWNSHIP 40 SOUTH, RANGE 20 EAST,
161	SARASOTA COUNTY, FLORIDA:
162	All of Section 3, less and except the following: That
163	portion conveyed in Order of Taking recorded in
164	Official Record Book 2679, Page 2750-2754, of the
165	Public Records of Sarasota County, Florida (County
166	Road No 777); The maintained right-of-way of County
167	Road No. 777 (South River Road).
168	All of Section 4.
169	All of Section 5.
170	All of Section 6.
171	All of Section 7.
172	All of Section 8.
173	All of Section 9.
174	All of Section 10, less and except the following: The
175	maintained right-of-way for County Road No. 777 (South

Page 7 of 64

CODING: Words $\frac{\text{stricken}}{\text{stricken}}$ are deletions; words $\frac{\text{underlined}}{\text{ore additions}}$.

HB 1045 2022 Legislature

176	River Road).
177	All of section 15, less and except the following: The
178	maintained right-of-way for County Road #777 South
179	River Road); Right-of-way Conveyed in Official Record
180	Instrument Number 2000163556, of the Public Records of
181	Sarasota County, Florida; Parcel 202, as described in
182	Official Record Instrument #2008060371, described as
183	follows:
184	Commence at the Southwest Corner of Section 15,
185	Township 40 South, Range 20 East, Sarasota County,
186	Florida; thence S89°21'19"E, along the South Line of
187	said Section 15, a distance of 49.10 feet, to a point
188	on the baseline of survey as shown on the unrecorded
189	Sarasota County Maintained Right-of-Way Map for River
190	Road; thence N45°58'14"E, along said baseline of
191	survey, a distance of 3284.46 feet, thence
192	S44°01'46"E, perpendicular to said baseline of survey,
193	a distance of 39.75 feet to the Point of Beginning;
194	thence N45°58'39"E, a distance of 102.13 feet; to a
195	point on a curve to the left having a radius of 706.58
196	feet, a central angle of 45°29'01", a chord bearing of
197	N23°13'07"E, and a chord length of 546.30 feet; thence
198	along the arc of said curve an arc length of 560.91
199	feet; thence N00°28'37"E, a distance of 615.74 feet;
200	thence S89°31'23"E, a distance of 178.13 feet; thence

Page 8 of 64

HB 1045 2022 Legislature

201	S60°22'18"E, a distance of 188.25 feet; thence
202	S32°42'31"E, a distance of 144.47 feet, to a point on
203	a curve to the left having a radius of 150.00 feet, a
204	central angle of 65°32'10", a chord bearing of
205	S12°01'25"E, and a chord length of 162.37 feet; thence
206	along the arc of said curve an arc length of 171.57
207	feet; to a point on a curve to the right having a
208	radius of 50.00 feet, a central angle of 48°24'34", a
209	chord bearing of S20°35'14"E, and a chord length of
210	41.00 feet; thence along the arc of said curve an arc
211	length of 42.25 feet; to a point on a curve to the
212	left having a radius of 55.00 feet, a central angle of
213	53°04'13", a chord bearing of S22°55'03"E, and a chord
214	length of 49.14 feet; thence along the arc of said
215	curve an arc length of 50.94 feet; to a point on a
216	curve to the right having a radius of 50.00 feet, a
217	central angle of 69°28'55", a chord bearing of S14°42'
218	42"E, and a chord length of 56.99 feet; thence along
219	the arc of said curve an arc length of 60.63 feet;
220	thence S20° 01' 46''W, a distance of 165.04 feet;
221	thence S09°45'21"E, a distance of 198.48 feet; thence
222	S10°32'59''W, a distance of 77.82 feet; thence
223	S24°01'29''W, a distance of 246.18 feet; thence
224	S16°16'56''W, a distance of 52.07 feet; thence
225	S35°57'16"E, a distance of 117.85 feet; thence

Page 9 of 64

HB 1045 2022 Legislature

226	S87°27'37''W, a distance of 86.98 feet; thence
227	S45°58'19''W, a distance of 25.22 feet; thence
228	S05°31'58''W, a distance of 149.54 feet; thence
229	S45°58'39''W, a distance of 223.39 feet; thence
230	N44°01'21''W, a distance of 622.74 feet, to the Point
231	of Beginning.
232	All of section 17.
233	All of section 18.
234	All of section 19, less and except parcel 301, as
235	described in Official Record Instrument #2008060371,
236	of the Public Records of Sarasota County, Florida.
237	All of section 20, less and except the following:
238	Maintained right-of-way for County Road #777 (South
239	River Road); Right of way conveyed for County Road
240	#777, described in Official Record Instrument
241	#2008060371, of the Public Records of Sarasota County,
242	<u>Florida.</u>
243	All of Section 21, less and except the following:
244	Maintained right-of-way for County Road #777 (South
245	River Road); The SW 1/4 of the SE 1/4; The North 50
246	feet of the South 380 feet of the SW 1/4 lying East of
247	County Road #777 (South River Road); Right-of-way
248	conveyed in Official Record Book 2097, Page 396, of
249	the Public Records of Sarasota County, Florida
250	(Winchester Boulevard); Right-of-way conveyed in

Page 10 of 64

HB 1045 2022 Legislature

251	Official Records Instrument Number 2000163556 of the
252	Public Records of Sarasota County, Florida; Parcels
253	101.A, 101.B, 101.C and 201, described in Official
254	Record Instrument #2008060371, of the Public Records
255	of Sarasota County, Florida.
256	
257	Overall area of lands = 12,444.0475 Acres or 542062710
258	Square Feet.
259	That part of Section 21, lying Southwesterly of County
260	Road No. 777 (West River Road). All that part of
261	Section 28, lying West of County Road No. 777 (West
262	River Road). All of Section 29, less and except the
263	following: Right-of-way for U. S. Highway No. 41
264	(State Road No. 45). All of Section 30, less and
265	except the following: Right-of-way for U. S. Highway
266	No. 41 (State Road No. 45); That portion conveyed to
267	Florida Power and Light Company consisting of
268	approximately 4.66 acres in the SW1/4 as described in
269	Official Record Book 1036, Page 802, Public Records of
270	Sarasota County, Florida; That portion lying West of
271	lands described in Official Record Book 1036, Page
272	802, South of the westerly extension of the North line
273	of said lands described in Official Records Book 1036,
274	Page 802, and North of the northerly Right of Way line
275	of U.S. Highway No. 41. All of Section 31, less and

Page 11 of 64

HB 1045 2022 Legislature

except the following: Right-of-way of U. S. Highway
No. 41 (State Road No. 45). All of Section 32, less
and except the following: Right-of-way of U. S.
Highway No. 41 (State Road No. 45); That portion
conveyed in Official Record Book 2785, Page 634 of the
Public Records of Sarasota County, Florida, (Sarasota
County Hospital Board); That portion conveyed in
Official Record Book 1571, Page 2172 of the Public
Records of Sarasota County, Florida, (Manatee
Community College); Right-of-way for Pine Street
Extension as recorded in Official Record Book 2536,
pages 811-974 of The Public Records of Sarasota
County, Florida; That portion conveyed in Official
Record Book 2785, Page 641 of the Public Records of
Sarasota County, Florida, (120' wide perpetual Non-
Exclusive easement); That portion lying South of lands
conveyed in Official Record Book 1571, Page 2172 and
East of lands described in Official Record Book 2785,
Page 641, Public Records of Sarasota County, Florida.
That portion of Section 33, lying North of U.S.
Highway No. 41 (State Road No.45) and West of County
Road #777 (West River Road); also that portion of
Section 33, lying South of U.S. Highway No. 41 (State
Road No. 45), West of a 200 ft. wide access easement
described in Official Records Book 2389, Page 528,

Page 12 of 64

HB 1045 2022 Legislature

Public Records of Sarasota County, Florida, and North
of lands conveyed in Official Records Book 1571, Page
2172, Public Records of Sarasota County, Florida; also
that portion of Section 33, lying South of U.S.
Highway No. 41 (State Road No. 45), described as
follows: COMMENCE at the East Quarter Corner of
Section 33, Township 39 South, Range 20 East, Sarasota
County Florida; thence S.00°16'02"W., along the East
line of said Section 33, a distance of 289.08 feet to
a point on the Southerly Right of Way Line of U.S.
Highway No. 41, (State Road No. 45) per Florida
Department of Transportation Right of Way Map Section
17010-2508, same being a point on a curve to the right
having a radius of 3011.73 feet, a central angle of
24°58'49", a chord bearing of N.66°51'56"W., and a
chord length of 1032.71 feet; thence along the arc of
said curve and said Southerly Right of Way of U.S. No.
41, an arc length of 1313.08 feet to the point of
tangency of said curve; thence N.54°22'31"W., along
said southerly Right of Way, a distance of 66.57 feet
to the POINT OF BEGINNING, same being the Northwest
corner of Lands described in Official Records
Instrument No.1998166153, per Public Records of
Sarasota County, Florida; thence along the Westerly
line of said Lands described in Official Records

Page 13 of 64

HB 1045 2022 Legislature

Instrument No.1998166153 the following three (3)
courses and distances; (1) S.35°37'26"W., a distance
of 161.93 feet to the point of curvature of a curve to
the right having a radius of 559.97 feet, a central
angle of 29°49'56", a chord bearing of S.50°32'24"W.,
and a chord length of 288.28 feet; (2) thence along
the arc of said curve an arc length of 291.56 feet to
the end of said curve; (3) thence S.00°01'27"W., a
distance of 1074.23 feet; thence N.48°24'50"W.,
leaving said Westerly Line, a distance of 2914.38 feet
to the Northeast corner of Lands described as Manatee
Community College per Official Records Book 1571, Page
2172, same being the point of curvature of a curve to
the left having a radius of 4577.37 feet, a central
angle of 06°20'23", a chord bearing of N.60°40'02"W.,
and a chord length of 506.22 feet; thence along the
arc of said curve and Northerly Line of Lands
described as Manatee Community College, an arc length
of 506.48 feet to the end of said curve, same being
the Southeast corner of lands described in Official
Records Book 2389, Page 529, Public Records of
Sarasota County, Florida; thence N.65°18'18"E., along
the Easterly Line of said lands, a distance of 188.09
feet; thence continue N.00°00'19"W., along said
Easterly Line, a distance of 144.96 feet to the

Page 14 of 64

HB 1045 2022 Legislature

Northeast corner of said Lands; thence N.65°21'46"W
along the Northerly Line of said Lands, a distance of
400.68 feet to the Northwest corner of said Lands,
same being a point on the Easterly Line of a 200 foot
wide access Easement per Official Records Book 1571,
Pages 2172 through 2175 and Official Records Book
2389, Pages 528 through 530, Public Records of
Sarasota County, Florida; thence N.00°30'25"E., along
the Easterly Line of said 200 foot wide access
Easement, a distance of 786.89 feet to the Southerly
Right of Way of U.S. No. 41, same being a point on a
curve to the right having a radius of 5597.58 feet, a
central angle of 03°08'33", a chord bearing of
S.69°13'16"E., and a chord length of 306.97 feet;
thence along the arc of said curve an arc length of
307.01 feet to the end of said curve; thence continue
along said Southerly Right of Way Line the following
fourteen (14) courses and distances; (1)
S.22°19'13"W., a distance of 10.00 feet to the point
of curvature of a curve to the right having a radius
of 5587.58 feet, a central angle of 00°45'15", a chord
bearing of S.67°16'21"E., and a chord length of 73.55
feet; (2) thence along the arc of said curve an arc
length of 73.55 feet; (3) thence N.23°06'16"E., a
distance of 10.00 feet to the point of curvature of a

Page 15 of 64

376

377

378

379

380

381

382

383

384

385

386 387

388

389

390

391

392

393

394

395

396

397

398

399

400

HB 1045 2022 Legislature

```
the right having a radius of 5597.58 feet, a
             of 08°17'44", a chord bearing
S.62°44'52"E.,
              and a chord length of 809.74 feet; (4)
thence along the arc of said curve an arc length of
810.45 feet; (5) thence S.31°08'57"W., a distance of
10.00 feet to the point of curvature of a curve to the
right having a radius of 5587.58 feet, a central angle
of 00°45'12", a chord bearing of S.58°13'22"E., and a
chord length of 73.47 feet; (6) thence along the arc
of said curve an arc length of 73.47 feet; (7) thence
N.32°24'25"E., a distance of 10.00 feet to the point
of curvature of a curve to the right having a radius
of 5597.58 feet, a central angle of 03°28'13", a chord
bearing of S.56°06'38"E., and a chord length of 338.98
feet; (8) thence along the arc of said curve an arc
length of 339.03 feet to the end of said curve; thence
(9) S.56°35'34"E.; a distance of 155.08 feet; (10)
thence S.54°22'31"E., a distance of 1102.52 feet; (11)
thence S.54°20'43"E., a distance of 199.02 feet;
thence S.48°43'03"E., a distance of 100.71 feet;
thence S.54°22'31"E., a distance of 447.75 feet to the
POINT OF BEGINNING. That portion of the North Half of
the Southwest Quarter of the Northwest Quarter
Section 34, lying West of River Road (County Road No.
```

Page 16 of 64

HB 1045 2022 Legislature

777); also that portion of the Southeast Quarter of	
Section 34, lying West of the Myakka River, South of	
the South line of lands described in Official Record	
Instrument No. 2000002794, Public Records of Sarasota	}-
County, Florida (River Road Office Park, Inc.), and	
easterly of the maintained right of way line of a	
paved road running from River Road to the South line	
of the Northeast Quarter of said Section 34, (Old	
River Road), less and except the following: That	
portion described in Official Record Instrument No.	
1999111833, Public Records of Sarasota County,	
Florida, (Right of Way for County Road No. 777). All	
of Section 35 lying West of the Myakka River. Also, a	}-
portion of Sections 32, 33 and 34, Township 39 South,	_
Range 20 East, Sarasota County, Florida, being more	
particularly described as follows: BEGIN at the	
Southeast corner of Section 32, Township 39 South,	
Range 20 East; thence N.89°04'43"W., along the South	
line of said Section 32, a distance of 410.14 feet to)
the Southeast corner of the lands described in	
Official Records Book 2785 at Page 634, of the Public	-
Records of Sarasota County, Florida; thence	
N.00°30'25"E., along the East line of said lands	
described in Official Records Book and Page, same	
being the West line of a 120.00 foot wide Perpetual	

Page 17 of 64

HB 1045 2022 Legislature

Non-exclusive Easement per Official Records Book 2785
at Page 641, a distance of 1400.76 feet to a point on
the westerly extension of the southerly boundary line
of lands described in Official Records Book 1571 at
Page 2172, of the Public Records of Sarasota County,
Florida; thence along the westerly extension and
boundary of said lands described in Official Records
Book 1571, at Page 2172 the following two (2) courses:
(1) S.89°29'35"E., a distance of 1960.21 feet; (2)
thence N.00°30'25"E., a distance of 2062.70 feet to
the Northeast corner of said lands; thence
S.48°24'50"E., a distance of 2914.38 feet to the
Southwest corner of lands described in Official
Records Instrument 1998166154, of the Public Records
Sarasota County, Florida; thence along the boundary of
said lands described in Official Records Instrument
1998166154 the following three (3) courses: (1)
8.89°58'33"E., a distance 676.50 feet; (2) thence
N.00°01'27"E., a distance of 752.33 feet; (3) thence
N.28°06'22"E., a distance of 362.06 feet to a point on
the southerly right of way line of U.S. Highway No.
41, as per Florida Department of Transportation Right
of Way Map, Section 17010-2508, said point being on a
curve concave to the northeast and having a radius of
3011.73 feet, a central angle of 14°28'18", a chord

Page 18 of 64

HB 1045 2022 Legislature

bearing of S.72°07'12"E. and a chord distance of
758.67 feet; thence in an easterly direction, along
the arc of said curve, an arc distance of 760.69 feet
to a point on the West line of Section 34, Township 39
South, Range 20 East, Sarasota County, Florida; thence
S.00°16'02"W., along the West line of said Section 34,
and leaving said southerly right of way line, a
distance of 379.82 feet; thence S.89°37'27"E., a
distance of 1329.90 feet to a point on the westerly
right of way line of County Road #777 (South River
Road) as per Florida Department of Transportation
Right of Way Map, Section 17550-2601; thence along
said westerly right of way line, the following six (6)
courses; (1) S.00°07'30"W., a distance of 5.48 feet;
(2) thence S.89°23'52"E., a distance of 9.74 feet; (3)
thence S.36°39'07"E., a distance of 64.18 feet to the
point of curvature of a circular curve to the right,
having a radius of 5599.32 feet, a central angle of
02°00'54", a chord bearing of S.35°38'40"E. and a
chord distance of 196.90 feet; (4) thence
southeasterly, along the arc of said curve, an arc
distance of 196.91 feet to the end of said curve; (5)
thence N.55°21'47"E., radial to the last described
curve, a distance of 20.00 feet to a point on a curve
concentric with the last described curve and having a

Page 19 of 64

HB 1045 2022 Legislature

476 5619.32 feet, a central angle of 15°31'30", bearing of S.26°52'28"E, and a chord 477 478 (6) thence in a southerly direction 479 along the arc of said curve, an arc distance of 480 1522.64 feet to the Northeast corner of lands described in Official Records Instrument 2000002794, 481 482 of the Public Records Sarasota County, Florida; thence 483 S.78°41'04"W., along the northerly line of said lands 484 described in Official Records Instrument 2000002794, a 485 distance of 2240.20 feet to the Southeast corner of Section 33, Township 39 South, Range 20 East, Sarasota 486 487 County, Florida; thence N.89°39'52"W., along the South 488 line of said Section 33, a distance of 5318.90 feet to 489 the POINT OF BEGINNING. 490 491 LANDS LOCATED IN TOWNSHIP 40 SOUTH, RANCE 20 EAST, 492 SARASOTA COUNTY, FLORIDA: 493 494 495 portion conveyed in Order of Taking recorded in 496 Official Record Book 2679, Page 2750-2754, of the 497 Public Records of Sarasota County, Florida (County 498 Road No 777); That portion conveyed in Official 499 Instrument No. 2000002794 of the Public Records of 500 Sarasota County, Florida, (River Road Office Park,

Page 20 of 64

HB 1045 2022 Legislature

Inc.); The maintained right-of-way of County Road No.
777 (South River Road). All of Section 4, Less and
except the following: That portion described in
Official Record Instrument No. 2000002794, of the
Public Records of Sarasota County, Florida, (River
Road Office Park, Inc.). All of Section 5, less and
except the following: Right-of-way conveyed for Pine
Street Extension recorded in Official Record Book
2536, Page 811-974, of the Public Records of Sarasota
County, Florida. All of Section 6, less and except the
following: Right-of-way conveyed for Pine Street
Extension recorded in Official Record Book 2536, Page
811-974, of the Public Records of Sarasota County,
Florida. All of Section 7, less and except the
following: Right-of-way conveyed for Pine Street
Extension recorded in Official Record Book 2536, Page
811-974, of the Public Records of Sarasota County,
Florida. All of Section 8. All of Section 9. All of
Section 10, less and except the following: The
maintained right-of-way for County Road No. 777 (South
River Road) ALL OF THE ABOVE ARE SUBJECT TO EASEMENTS-
OF RECORD, OR OTHERWISE, USED FOR DRAINAGE, UTILITIES
AND/OR INCRESS AND ECRESS.
The above described property contains a total of

Page 21 of 64

HB 1045 2022 Legislature

526	8193.7478 acres more or less.
527	delegation and the second and the se
528	(2) The territorial limits of West Villages
529	Improvement District shall also embrace and include
530	those parcels of land described as follows:
531	enose pareers or raina described as rorrows.
532	LANDS LOCATED IN TOWNSHIP 39 SOUTH, RANGE 20 EAST,
533	
	SARASOTA COUNTY, FLORIDA:
534	
535	All that part of Section 21, as lies Southwesterly of
536	County Road # 777 (West River Road). All that part of
537	Section 28 lying West of County Road # 777 (West River
538	Road). All that part of Section 32, described as
539	follows:
540	
541	Commence at the Northeast corner of said Section 32;
542	thence S.00E30'23"W., along the easterly line of the
543	Northeast 1/4 of said Section 32, a distance of
544	2658.68 feet to the southeast corner of said Northeast
545	1/4; thence N.89E23'27"W. a distance of 290.00 feet to
546	the POINT OF BEGINNING; thence N.00E30'23"E., parallel
547	with the easterly line of said Section 32, a distance
548	of 2497.34 feet to the southerly right-of-way of U.S.
549	Highway 41, being a point on a curve to the left the
	center of which lies S.06E30'20"W., a radial distance
550	Center of which fies 5.00b30 20 W., a faular distance

Page 22 of 64

HB 1045 2022 Legislature

551	of 5603.58 feet; thence along the arc in a westerly
552	direction, passing through a central angle of
553	01E13'57", a distance of 120.53 feet; thence
554	S.00E30'23"W., a distance of 5165.77 feet; thence
555	S.89E05'08"E., a distance of 120.00 feet; thence
556	N.00E30'23"E., a distance of 2657.98 feet to the POINT
557	OF BEGINNING.
558	
559	All that part of Section 33, described as follows:
560	Commence at the NW corner of Section 33, Township 39
561	South, Range 20 East, Sarasota Florida; run thence S.O
562	degrees 30'44"W. along the westerly line of said
563	Section 33, 105.39' to the centerline of U.S. 41;
564	thence continue S.O degrees 30'44"W. along said
565	westerly line 1372.36'; thence S.89 degrees 29'16"E.
566	along the northerly line of Tract, 810' to the POINT
567	OF BEGINNING of said centerline of said 200 foot wide
568	Tract; thence N.O degrees 30'44"E., parallel to the
569	said westerly line of Section 33, 1078.74' to the
570	southerly right-of-way line of U.S. 41 (right-of-way
571	being 100 feet from centerline at this point) for a
572	POINT OF TERMINATION.
573	
574	All that part of Section 34 described as follows: The
575	North Half of the Northwest Quarter of the Southwest
	D 20 (04

Page 23 of 64

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

HB 1045 2022 Legislature

Quarter lying South of U.S. Highway #41 (State of the right of way of County Road (as realigned) in Official Records Book 2679 at Pages 2750-2574, LESS the following described lands: East 200' (as measured along the South Right-of-Way of Tamiami Trail, or arc distance) of the West 392.7 feet measured along the South Right-of-Way of said Tamiami Trail, arc distance; on the following described property: That portion of the Northwest 1/4 of the Northwest 1/4 of the Southwest 1/4 of Section 34, Township 39 South, Range 20 East, Sarasota County, Florida, lying South of Tamiami Trail and being more particularly described as follows: Begin at the West 1/4 of section corner of Section 34, Township 39 South, Range 20 East and run South on the section line 196.71 feet to the South Right-of-Way line of the Tamiami Trail for a Point of Beginning: thence continue S.89E58'00"E 659 feet; thence N.00E00'20" W South Right-of-Way of Tamiami Trail; thence in a Northwesterly direction along the curve of said Tamiami Trail a distance of 662.5 feet to the Point of Beginning. Said above lands being more particularly described and surveyed as follows: Commence at the West quarter corner of said Section 34, thence South along the

Page 24 of 64

HB 1045 2022 Legislature

Westerly section line of said Section 34, a distance
of 668.85 feet; thence S.89E58'00"E. a distance of
190.40 feet to the Point of Beginning of this
description. Thence N.00E00'00"E. a distance of 350.24
feet to a point on the Southerly Right-of-Way line of
Tamiami Trail also known as STATE ROAD No. 45. and
U.S. 41 as per Florida Department of Transportation
Right-of-Way maps Section No. 17010-2508 (204' Right-
of-Way) said point also being on the arc of a circular
curve to the left whose radius point bears
N.06E36'51"E., thence along the arc of said curve in
an easterly direction through a central angle of
03E48'13", having a radius distance of 3011.73 feet,
an arc distance of 199.93 feet; thence South leaving
said Right-of-Way line a distance of 333.93 feet;
thence N.89E58'00"W. a distance of 199.22 feet to the
Point of Beginning; The NE 1/4 of the SW 1/4, lying
easterly of right of way for County Road #777 (as
realigned) as per Official Records Book 2679, at Pages
2750-2754, Less the NW $1/4$ of the NE $1/4$ of the SW
1/4, Also Less lands described in Official Records
Instrument Number 1999111833; That part of the West
Half of the SE 1/4, lying westerly of maintained right
of way for South River Road (Old River Road), and
northerly of lands described in Official Records

Page 25 of 64

HB 1045 2022 Legislature

626	Instrument Number 1999111833.
627	
628	IN TOWNSHIP 40 SOUTH, RANCE 20 EAST, SARASOTA COUNTY,
629	FLORIDA:
630	
631	All of Section 15, less and except the following: The
632	maintained right-of-way for County Road #777 (South
633	River Road); Right-of-way conveyed in Official Records
634	Instrument Number 2000163556.
635	
636	All of Section 17, less and except the following:
637	Right-of-way conveyed for Pine Street Extension
638	recorded in Official Record Book 2536, Page 811-974,
639	of the Public Records of Sarasota County, Florida.
640	
641	All of Section 18, less and except the following:
642	Right-of-way conveyed for Pine Street Extension
643	recorded in Official Record Book 2536, Page 811-974,
644	of the Public Records of Sarasota County, Florida.
645	
646	All of Section 19, less and except the following:
647	Right-of-way conveyed for Pine Street Extension
648	recorded in Official Record Book 2536, Pages 811-974,
649	of the Public Records of Sarasota County, Florida.
650	

Page 26 of 64

HB 1045 2022 Legislature

651	All of Section 20, less and except the following:
652	Right-of-way conveyed for Pine Street Extension
653	recorded in Official Record Book 2536, Pages 811-974,
654	of the Public Records of Sarasota County, Florida;
655	Maintained right-of-way for County Road #777 (South
656	River Road).
657	
658	All of Section 21, less and except the following:
659	Maintained right-of-way for County Road #777 (South
660	River Road); The SW 1/4 of the SE 1/4; The North 50
661	feet of the South 380 feet of the SW 1/4 lying East of
662	County Road #777 (South River Road); Right-of-way
663	conveyed in Official Record Book 2097, Page 396, of
664	the Public Records of Sarasota County, Florida; Right-
665	of-way conveyed in Official Records Instrument Number
666	2000163556.
667	
668	Parcel Contains 3739.9714 Acres more or less.
669	
670	(3) The territorial limits of the West Villages
671	Improvement District shall also embrace and include
672	those parcels of land described as follows:
673	
674	PARCEL 1:
675	

Page 27 of 64

HB 1045 2022 Legislature

676	A portion of the Southwest 1/4 of Section 34, Township
677	39 South, Range 20 East and portions of Section 3 &
678	Section 4, Township 40 South, Range 20 East, Sarasota
679	County, Florida, more particularly described as
680	follows:
681	
682	Beginning at the Northwest corner of aforesaid Section
683	3, Township 40 South, Range 20 East, thence
684	N89°35'02"W, a distance of 50.00 feet; thence
685	800°24'58"W, parallel with the West line of the
686	Northwest 1/4 of said Section 3, a distance of 2691.22
687	feet to a point bearing N89°21'22"W, a distance of
688	50.00 feet from the Southwest corner of said Northwest
689	1/4 of Section 3; thence S00°25'01"W, parallel with
690	the West line of the Southwest 1/4 of said Section 3,
691	a distance of 672.83 feet; thence S89°20'28"E, a
692	distance of 50.00 feet to the Southwest corner, of the
693	North 1/2, of the North 1/2 of the Southwest 1/4, of
694	said Section 3; thence S89°20'28"E, along the South
695	line of said North $1/2$, of the North $1/2$, of said
696	Southwest 1/4 of Section 3, a distance of 2583.87 feet
697	to the West Maintained Right-of-Way Line of County
698	Road 777 (River Road); thence NOO°32'56"E, along said
699	Right-of-Way line parallel with the East line of said
700	Southwest 1/4 of Section 3, a distance of 673.52 feet

Page 28 of 64

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718 719

720

721722

723

724

725

HB 1045 2022 Legislature

intersection with the South line of the of said Section 3, bearing N89°21'22"W, distance of 62.53 feet, from the Southeast corner said Northwest 1/4, thence N89°21'22"W, along the South line of said Northwest 1/4 a distance of 69.77 feet to the Westerly Right-of-Way Line of County Road 777 (River Road), per Florida Department of Transportation Right-of-Way Map, Section 17550-2601; thence North along said Westerly Right-of-Way Line the following 3 courses, N00°28'09"E, a distance of 1273.47 feet to the point of curvature of a curve to the left, having: a radius of 5619.58 feet, a central angle of 14°38'51", a chord bearing of NO6°51'16"W and a chord length of 1432.72 feet, thence along the arc of said curve, an arc length of 1436.63 feet, to a point on the South line of the Southwest 1/4 of Section 34, Township 39 South, Range 20 East, bearing N89°25'06"W, a distance of 204.95 feet, from the thence continuing Northerly, along said curve to the left, having: a radius of 5619.58 feet, a central angle of 04°55'56", a chord bearing of N16°38'40"W and chord length of 483.61 feet, along the arc of an arc length of 483.76 feet, thence S78°41'00"W, leaving said Right-of-Way Line, a

Page 29 of 64

HB 1045 2022 Legislature

726	distance of 2240.41 feet to the Point of Beginning.
727	
728	PARCEL 2:
729	
730	A tract of land in Section 32, Township 39 South,
731	Range 20 East, Sarasota County, Florida, described as
732	follows:
733	
734	Commence at the Northeast corner of said Section 32,
735	thence S00°30'23"W along the Easterly line of the
736	Northeast 1/4 of said section a distance of 2658.68
737	feet to the Southeast corner of said Northeast 1/4;
738	thence N89°23'27"W, a distance of 410.00 feet; thence
739	800°30'23"W, parallel with the West line of the parcel
740	described in O.R. Book 1571, Page 2172, a distance of
741	1026.52 feet to the Point of Beginning; thence
742	continue along said line S00°30'23"W a distance of
743	1630.82 feet; thence N89°05'08"W, a distance of
744	1944.78 feet; thence N60°12'47"W, a distance of
745	1430.04 feet to the Easterly Right-of-Way of proposed
746	Pine Street Extension to a point on a curve to the
747	right, having: a radius of 2734.79 feet and a central
748	angle of 04°04'25"; the center of which lies
749	S60°12'47"E; (the following two courses are along the
750	Right-of-Way of proposed Pine Street Extension) thence

Page 30 of 64

HB 1045 2022 Legislature

751	along the arc of said curve, and arc length of 194.44
752	feet to the end of said curve; thence N33°51'40"E, a
753	distance of 1554.98 feet; thence S89°29'37"E, a
754	distance of 2052.27 feet; thence S43°18'08"W, a
755	distance of 463.99 feet; thence S44°41'45"E, a
756	distance of 293.64 feet; thence S89°29'37"E, a
757	distance of 290.65 feet to the Point of Beginning.
758	
759	PARCEL 3:
760	
761	That part of the Northwest 1/4 of the Northeast 1/4 of
762	the Southwest 1/4 lying South of U.S. Highway No. 41
763	and East of West River Road, and also that part of the
764	Southwest 1/4 of the Southeast 1/4 of the Northwest
765	1/4 lying South of U.S. Highway 41, Section 34,
766	Township 39 South, Range 20 East, Sarasota County,
767	Florida, less any reservations, conveyances or grants
768	for Right-of-Way purposes for State Road 777 or U.S.
769	Highway No. 41.
770	
771	That portion of land lying in Sarasota County,
772	Florida, South and East of the centerline of a creek,
773	on the following described property:
774	
775	A part of the Northeast 1/4 of the Northwest 1/4 of

Page 31 of 64

HB 1045 2022 Legislature

776	the Southwest 1/4 of Section 34, Township 39 South,
777	Range 20 East, described as follows:
778	
779	Starting at the centerline of the Intersection of two
780	roads designated as being U.S. 41 a/k/a/ State Route
781	45, and State Route 777, respectively, and proceeding
782	Easterly along centerline of U.S. 41, 318.2 feet,
783	thence South 54.06 feet to the edge of Right-of-Way of
784	said road to the Point of Beginning; thence Southerly
785	313.7 feet more or less to the Right-of-Way of State
786	Road 777; thence Northwesterly along the Right-of-Way
787	of State Road 777, 314.85 feet more or less to
788	intersect the Right-of-Way of road U.S. 41; thence
789	Easterly along the Right-of-Way of U.S. 41, 242 feet
790	more or less to the Point of Beginning, less Road
791	Right-of-Way.
792	
793	Less that real property described as:
794	
795	That portion of the Northwest 1/4 of the Northeast 1/4
796	of Section 34, Township 39 South, Range 20 East,
797	Sarasota County, Florida, more particularly described
798	as follows:
799	
800	Begin at the intersection of the East existing Right-

Page 32 of 64

CODING: Words $\frac{\text{stricken}}{\text{stricken}}$ are deletions; words $\frac{\text{underlined}}{\text{ore additions}}$.

HB 1045 2022 Legislature

of-Way line of County Road 777, (River Road) (per
Project 17060-2502) and the South existing Right-of-
Way Line of U.S. 41 (State road 45/Tamiami Trail) (per
project 17010-2508) and the beginning of a curve
concave Northerly; thence along said South existing
Right-of-Way Line on the arc of said curve having a
radius of 3031.73 feet, a central angle of 01°34'27",
an arc length of 83.29 feet, the chord for which bears
N75°41'59"E to the end of said curve; thence
\$46°02'32"W, 51.43 feet; thence \$36°40'52"E, 92.00
feet; thence \$42°00'48"E 150.65 feet; thence
\$36°40'52"E 148.51 feet; to the beginning of a curve
concave Southwesterly; thence along the arc of said
curve having a radius of 5829.58 feet, a central angle
of 01°04'50" an arc length of 109.95 feet, the chord
for which bears \$36°08'26"E of the South line of the
Northwest 1/4 of the Northeast 1/4 of the Southwest
1/4 of said Section 34 and the end of said curve;
thence along said line N89°25'37"W, 47.56 feet to the
East Maintained Right-of-Way Line of said County Road
777; thence along said Maintained Right-of-Way Line
the following three courses, N35°44'19"W, 27.70 feet;
N32°22'22"W, 178.74 feet; N42°09'34"W, 157.11 feet to
the end of said courses and to the East existing
Right-of-Way Line of said County Road 777, thence

Page 33 of 64

HB 1045 2022 Legislature

826	along said existing Right-of-Way Line N36°40'52"W,
827	147.48 feet to the Point of Beginning, as per Florida
828	Department of Transportation Right-of-Way Map for
829	County Road 777 (River Road).
830	
831	PARCEL 4:
832	
833	A portion of the grantor's tract, as described in O.R.
834	2180, Page 1597, Public Records of Sarasota County,
835	Florida, lying in Section 19, Township 40 South, Range
836	20 East, being more particularly described as follows:
837	
838	Begin at the Southeast corner of Section 19, Township
839	40 South, Range 20 East, Sarasota County, Florida;
840	thence the following nineteen (19) courses: (1)
841	N89°07'29"W, along the South boundary of the Southeast
842	1/4 of said Section, a distance of 38.98 feet; (2)
843	N15°40'44"W, a distance of 138.86 feet, to a point of
844	curve; (3) along the arc of a curve to the left,
845	concave to the Southwest, radius 2860.00 feet, central
846	angle 006°18'09", arc length 314.60 feet, chord
847	bearing N03°47'11"W, a distance of 314.44 feet; (4)
848	leaving said curve, S83°03'44"W, a distance of 242.00
849	feet; (5) N32°03'29"W, a distance of 270.86 feet; (6)
850	N01°59'24"W, a distance of 281.31 feet; (7)

Page 34 of 64

851

852

853

854 855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

HB 1045 2022 Legislature

```
N75°00'00"E, a distance of 279.00
N15°00'00"W, a distance
                       of 282.00
N17°51'45"W, a distance of 100.12 feet;
N15°00'00"W, a distance of 157.95 feet, to a point of
curve; (11) along the arc of a curve to the right,
concave to the East, radius 2650.00 feet, central
angle 026°10'26", arc length 1210.57 feet, chord
bearing N01°54'47"W, a distance of 1200.07 feet; (12)
leaving said curve, N20°23'44"E, a distance of 106.75
feet, to a point of curve; (13) along the arc of a
curve to the right, concave to the Southeast, radius
2635.00 feet, central angle 004°43'54", arc length
217.61 feet, chord bearing N15°49'54"E, a distance of
217.55 feet; (14) leaving said curve, N18°11'51"E, a
distance of 808.10 feet to the East boundary of the
Northeast 1/4 of said Section; (15) S00°51'03"E, along
said boundary, a distance of 842.61 feet; (16)
$18°11'54"W, a distance of 11.63 feet, to a point of
concave to the East, radius 2360.00 feet, central
angle 033°11'51", arc length 1367.39 feet, chord
bearing S01°35'55"W, a distance of 1348.35 feet, to a
         tangency; (18) S15°00'00"E, a distance of
              the East boundary of the Southeast 1/4
of said Section; (19) S00°52'09"E, along said
```

Page 35 of 64

HB 1045 2022 Legislature

```
876
          boundary, a distance of 1352.83 feet to the
877
          Beginning.
878
879
          PARCEL 5:
880
881
          A portion of the grantor's tract, as described in O.R.
882
          2180, Page 1597, Public Records of Sarasota County,
          Florida, lying in Section 20, Township 40 South, Range
883
884
          20 East, being more particularly described as follows;
885
886
          Begin at the Southwest corner of Section 20, Township
887
          40 South, Range 20 East, Sarasota County, Florida;
888
          thence the following five (5) courses: (1)
          N00°52'09"W, along the West boundary of the Southwest
889
890
          1/4 of said Section, a distance of 1352.83 feet; (2)
          S15°00'00"E, a distance of 452.83 feet, to a point of
891
892
          curve; (3) along the arc of a curve to the right,
893
          concave to the Southwest, radius 3140.00 feet, central
894
                             arc length 839.57
          bearing S07°20'25"E, a distance of 837.07 feet; (4)
895
896
          leaving said curve, S38°46'04W, a distance of 111.55
897
          feet to the South boundary of the said Southwest 1/4;
898
          (5) N89°10'49"W, along said boundary 133.79 feet
899
          the Point of Beginning.
900
```

Page 36 of 64

HB 1045 2022 Legislature

	Dogo 27 of 64
925	151.99 feet; (6) S23°54'29"W, a distance of 100.50
924	point of tangency; (5) S18°11'51"W, a distance of
923	bearing S11°28'38"W, a distance of 489.11 feet, to a
922	angle 013°26'25", arc length 490.23 feet, chord
921	concave to the Northwest, radius 2089.86 feet, central
920	feet, (4) along the arc of a curve to the right,
919	leaving said curve, S07°08'50"E, a distance of 110.71
918	bearing S01°27'13"E, a distance of 231.93 feet; (3)
917	angle 006°25'24", arc length 232.05 feet, chord
916	concave to the Southwest, radius 2069.86 feet, central
915	a curve; (2) along the arc of a curve to the right,
914	888°41'36"E, a distance of 332.15 feet, to a point on
913	following nineteen (19) courses: (1) continue
912	329.23 feet to the Point of Beginning; thence the
911	of the Northwest 1/4 of said Section, a distance of
910	Florida; thence S88°41'36"E, along the North boundary
909	Township 40 South, Range 20 East, Sarasota County,
908	Commence at the Northwest corner of Section 20,
907	
906	20 East, being more particularly described as follows:
905	Florida, lying in Section 20, Township 40 South, Range
904	2180, Page 1597, Public Records of Sarasota County,
	A portion of the grantor's tract, as described in O.R.
902	A portion of the granteria tract as described in O.B.
	FARCEL 0:
901	PARCEL 6:

Page 37 of 64

HB 1045 2022 Legislature

```
926
                 (7) S18°11'51"W, a distance of 876.00 feet;
927
                         distance of
                                      490.15
928
          S20°25'44"E, a distance of 267.53 feet;
          $72°51'21"W, a distance of 509.98 feet; (11)
929
930
          886°28'35"W, a distance of 264.80 feet; (12)
931
          $18°11'54"W, a distance of 58.91 feet to the West
          boundary of said Northwest 1/4; (13) N00°51'03"W,
932
933
          along said boundary, a distance of 842.61 feet; (14)
          N18°11'51"E, a distance of 837.43 feet, to a point of
934
935
          curve; (15) along the arc of a curve to the left,
936
          concave to the Northwest, radius 1774.86 feet, central
937
          angle 004°26'25" arc length 137.55 feet, chord bearing
938
          N15°58'38"E, a distance of 137.51 feet; (16) leaving
          said curve, N23°12'22"W, a distance of 112.00 feet;
939
940
          (17) N09°15'26"E, a distance of 89.52 feet; (18)
941
          N24°37'42"E, a distance of 95.15 feet, to a point of
942
                 (19) along the arc of a curve to the left,
943
          concave to the Southwest, radius 1739.86 feet, central
944
          bearing N00°31'23"W, a distance of 320.26 feet to the
945
946
          Point of Beginning.
947
948
          PARCEL 7:
949
950
                    of the grantor's tract, as described in O.R.
```

Page 38 of 64

HB 1045 2022 Legislature

951	2180, Page 1597, Public Records of Sarasota County,
952	Florida, lying in Section 17, Township 40 South, Range
953	20 East, being more particularly described as follows:
954	
955	Commence at the Southwest corner of Section 17,
956	Township 40 South, Range 20 East, Sarasota County,
957	Florida; thence S88°41'36"E, along the South boundary
958	of the Southwest 1/4 of said Section, a distance of
959	329.23 feet to a point on a curve, and the Point of
960	Beginning; thence the following twenty eight (28)
961	courses: (1) along the arc of a curve to the left,
962	concave to the Southwest, radius 1739.86 feet, central
963	angle 003°50'15", arc length 116.53 feet, chord
964	bearing N07°43'24"W, a distance of 116.51 feet; (2)
965	leaving said curve, N09°38'31"W, a distance of 707.19
966	feet, to a point of curve; (3) along the arc of a
967	curve to the right, concave to the East, radius
968	2079.86 feet, central angle 027°23'07", arc length
969	994.09 feet, chord bearing N04°03'03"E, a distance of
970	984.66 feet; (4) leaving said curve, N29°30'38"E, a
971	distance of 104.42 feet; (5) N18°35'52"E, a distance
972	of 755.00 feet; (6) N64°19'55"W, a distance of 259.98
973	feet; (7) N07°15'30"W, a distance of 363.19 feet; (8)
974	N24°30'14"E, a distance of 246.76 feet; (9)
975	N65°13'52"E, a distance of 110.00 feet; (10)

Page 39 of 64

HB 1045 2022 Legislature

```
976
           N24°46'08"W, a distance of 861.00 feet;
 977
           S79°49'39"W. a
                           distance of 69.15
 978
           boundary of the Northwest 1/4 of said Section;
 979
           N00°43'52"E, along said boundary, a distance of 893.19
 980
           feet, to a point of curve; (13) along the arc of
 981
           curve to the left, concave to the Northeast, radius
 982
           7504.44 feet, central angle 006°06'31", arc length
 983
           800.08 feet, chord bearing S21°42'53"E, a distance of
 984
           799.70 feet, to a point of tangency; (14) S24°46'08"E,
           a distance of 426.04 feet; (15) S41°28'05"E, a
 985
 986
           distance of 104.40 feet; (16) S24°46'08"E, a distance
 987
           of 532.70 feet, to a point of curve; (17) along the
 988
           arc of a curve to the right, concave to the Southwest,
 989
           radius 1046.47 feet, central angle 043°22'00", arc
 990
           length 792.07 feet, chord bearing $03°05'09"E, a
 991
           distance of 773.29 feet; (18) leaving said curve,
 992
            $18°35'52"W, a distance of 300.12 feet; (19)
            $35°17'49"\, a distance of 104.40 feet; (20)
 993
 994
 995
                  (21) along the arc of a curve to the left,
 996
            concave to the East, radius 1774.86 feet, central
 997
           angle 028°14'23", arc length 874.78 feet, chord
           bearing S04°28'41"W, a distance of 865.95 feet; (22)
 998
 999
                   said curve, S09°38'31"E, a distance
            feet; (23) S67°25'27"E, a distance of 485.80 feet;
1000
```

Page 40 of 64

HB 1045 2022 Legislature

1001	(24) S09°38'31"E, a distance of 226.00 feet; (25)
1002	880°21'29"W, a distance of 386.00 feet; (26)
1003	S09°38'31"E, a distance of 144.03 feet, to a point of
1004	curve; (27) along the arc of a curve to the right,
1005	concave to the Southwest, radius 2069.86 feet, central
1006	angle 004°58'33", are length 179.76 feet, chord
1007	bearing S07°09'15"E, a distance of 179.70 feet, to the
1008	South boundary of the Southwest 1/4 of said Section;
1009	(28) leaving said curve, N88°41'36"W, along said
1010	boundary, a distance of 332.15 feet to the Point of
1011	Beginning.
1012	
1013	PARCEL 8:
1014	
1015	A portion of the grantor's tract, as described in O.R.
1016	2180, Page 1597, Public Records of Sarasota County,
1017	Florida, lying in Section 18, Township 40 South, Range
1018	20 East, being more particularly described as follows:
1019	
1020	Commence at the Northeast corner of Section 18,
1021	Township 40 South, Range 20 East, Sarasota County,
1022	Florida; thence S00°43'52"W, along the East boundary
1023	of the Northeast 1/4 of said Section, a distance of
1023	of the Northeader 1,1 of Bara Beetron, a arbeanee of
1023	330.52 feet to the Point of Beginning; thence the

Page 41 of 64

HB 1045 2022 Legislature

1026	along said boundary a distance of 893.19 feet; (2)
1027	879°49'39"W, a distance of 112.69 feet; (3)
1028	N21°36'42"W, a distance of 834.79 feet; (4)
1029	N71°23'45"E, a distance of 176.00 feet; (5) along the
1030	arc of a curve to the right, concave to the Northeast,
1031	radius 7779.44 feet, central angle 003°11'12", arc
1032	length 432.68 feet, chord bearing N17°00'39"W, a
1033	distance of 432.62 feet, to the North boundary of said
1034	Northeast 1/4; (6) leaving said curve, S89°38'43"E,
1035	along said boundary, a distance of 286.18 feet; (7)
1036	along the arc of a curve to the left, concave to the
1037	Northeast, radius 7504.44 feet, central angle
1038	002°38'56", arc length 346.95 feet, chord bearing
1039	S17°20'09"E, a distance of 346.92 feet to the Point of
1040	Beginning.
1041	
1042	PARCEL 9:
1043	
1044	A portion of the grantor's tract, as described in O.R.
1045	2180, Page 1597, Public Records of Sarasota County,
1046	Florida, lying in Section 7, Township 40 South, Range
1047	20 East, being more particularly described as follows:
1048	
1049	Commence at the Southeast corner of Section 7,
1050	Township 40 South, Range 20 East, Sarasota County,

Page 42 of 64

HB 1045 2022 Legislature

Florida; thence N89°38'43"W, along the South bo	undary
of the Southeast 1/4 of said Section, a distance	e of
107.59 feet to the Point of Beginning; thence t	he
following twenty five (25) courses: (1) continu	.e
N89°38'43"W, along said boundary a distance of	286.18
feet to a point on a curve; (2) along the arc o	f a
curve to the right, concave to the Northeast, r	adius
7779.44 feet, central angle 006°30'12", arc len	gth
883.00 feet, chord bearing N12°09'57"W, a dista	nce of
882.53 feet; (3) leaving said curve, S81°05'09"	₩, a
distance of 118.00 feet; (4) N19°11'26"W, a dis	tance
of 695.64 feet; (5) N07°43'44"W, a distance of	461.01
feet; (6) N43°38'04"E, a distance of 271.28 fee	t; (7)
N08°06'06"W, a distance of 66.19 feet, to a poi	nt of
curve; (8) along the arc of a curve to the righ	.t,
concave to the East, radius 5904.58 feet, centr	al
angle 017°12'29", arc length 1773.37 feet, chor	'd
bearing N00°30'09"E, a distance of 1766.71 feet	; (9)
leaving said curve, N38°57'01"W, a distance of	208.91
feet; (10) N20°10'15"W, a distance of 212.74 fe	et;
(11) N14°53'58"E, a distance of 245.57 feet; (1	2)
\$75°35'37"E, a distance of 306.00 feet, to a po	int of
curve; (13) along the arc of a curve to the rig	ht,
concave to the Southeast, radius 5859.58 feet,	central
angle 006°28'38", arc length 662.42 feet, chord	.

Page 43 of 64

HB 1045 2022 Legislature

bearing N17°38'42"E, a distance of 662.06 feet, to a
point of tangency; (14) N20°53'01" E, a distance of
202.24 feet; to the North boundary of the Northeast
1/4 of said Section; (15) S89°50'37"E, along said
boundary, a distance of 288.69 feet; (16)
\$20°53'01"W, a distance of 304.41 feet, to a point of
curve; (17) along the arc of a curve to the left,
concave to the Southeast, radius 5589.58 feet, central
angle 009°49'02", arc length 957.73 feet, chord
bearing S15°58'30"W, a distance of 956.56 feet; (18)
leaving said curve, S78°56'01" E, a distance of 15.00
feet; (19) S10°48'41"W, a distance of 49.62 feet; (20)
N79°26'37"W, a distance of 30.00 feet, to a point of
curve; (21) along the arc of a curve to the left,
concave to the East, radius 5604.58 feet, central
angle 018°39'29", arc length 1825.10 feet, chord
bearing S01°13'39"W, a distance of 1817.05 feet, to a
point of tangency; (22) S08°06'06" E, a distance of
1265.86 feet, to a point of curve; (23) along the arc
of a curve to the left, concave to the East, radius
7514.44 feet, central angle 001°06'45", arc length
145.90 feet, chord bearing S08°39'28"E, a distance of
145.90 feet; (24) leaving said curve, S15°23'52"E, a
distance of 98.80 feet, to a point of curve; (25)
along the arc of a curve to the left, concave to the

Page 44 of 64

HB 1045 2022 Legislature

1101	Northeast, radius 7504.44 feet, central angle
1102	006°02'50", are length 792.05 feet, chord bearing
1103	S12°59'16"E, a distance of 791.68 feet, to the Point
1104	of Beginning.
1105	
1106	PARCEL 10:
1107	
1108	A portion of the grantor's tract, as described in O.R.
1109	2180, Page 1597, Public Records of Sarasota County,
1110	Florida, lying in Section 5, Township 40 South, Range
1111	20 East, being more particularly described as follows:
1112	
1113	Commence at the Southwest corner of Section 5,
1114	Township 40 South, Range 20 East, Sarasota County,
1115	Florida; thence N00°16'50"E, along the West boundary
1116	of the Southwest 1/4 of said Section, a distance of
1117	279.24 feet to the Point of Beginning; thence the
1118	following thirty two (32) courses: (1) continue
1119	N00°16'50"E, along said boundary, a distance of 824.11
1120	feet; (2) N20°53'01"E, a distance of 42.90 feet; (3)
1121	N31°07'04"W, a distance of 28.98 feet to said west
1122	boundary; (4) N00°16'50"E, along said boundary, a
1123	distance of 623.35 feet; (5) N62°12'11"E, a distance
1124	of 71.47 feet; (6) S77°06'59"E, a distance of 186.82
1125	feet; (7) N20°53'01"E, a distance of 789.00 feet; (8)

Page 45 of 64

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

11361137

1138

1139

1140

1141

1142

1143

1144

1145

1146

1147

1148

1149

1150

HB 1045 2022 Legislature

```
N26°35'39"E, a distance of 100.50 feet;
N20°53'01"E, a distance of 425.81 feet,
curve; (10) along the arc of a curve to the left,
concave to the Northwest, radius 5579.58 feet, central
angle 011°44'31", arc length 1143.45 feet, chord
bearing N15°00'46"E, a distance of 1141.45 feet; (11)
leaving said curve, N17°23'11"E, a distance of 98.66
feet, to a point of curve; (12) along the arc of a
curve to the left, concave to the West, radius 5594.58
feet, central angle 001°03'18", arc length 103.01
feet, chord bearing N07°36'51"E, a distance of 103.01
feet, to a point of tangency; (13) N07°05'12"E, a
distance of 703.92 feet, to a point of curve; (14)
along the arc of a curve to the right, concave to the
East, radius 2999.79 feet, central angle 005°56'35",
arc length 311.15 feet, chord bearing N10°03'29"E, a
distance of 311.01 feet to the North boundary of the
Northwest 1/4 of said Section; (15) leaving said
                   along said boundary
271.65 feet, to a point on a curve; (16) along the arc
of a curve to the left, concave to the Southeast,
radius 2734.79 feet, central angle 007°08'18", arc
length 340.72 feet, chord bearing $10°39'21"W, a
        of 340.50 feet, to a point of tangency; (17)
S07°05'12"W, a distance of 703.92 feet, to a point
```

Page 46 of 64

HB 1045 2022 Legislature

curve; (18) along the arc of a curve to the right,
concave to the West, radius 5859.58 feet, central
angle 003°21'18", arc length 343.11 feet, chord
bearing S08°45'51"W, a distance of 343.06 feet; (19)
leaving said curve, S79°33'30"E, a distance of 15.00
feet; (20) S10°38'30"W, a distance of 41.01 feet; (21)
N79°09'30"W, a distance of 15.00 feet, to a point of
curve; (22) along the arc of a curve to the right,
concave to the Northwest, radius 5859.58 feet, central
angle 002°23'24", arc length 244.42 feet, chord
bearing S12°02'12"W, a distance of 244.40 feet; (23)
leaving said curve, S55°07'00"E, a distance of 262.77
feet; (24) S09°33'47"W, a distance of 321.22 feet;
(25) S18°38'56"W, a distance of 205.67 feet; (26)
N72°16'01"W, a distance of 267.07 feet, to a point of
curve; (27) along the arc of a curve to the right,
concave to the Northwest, radius 5869.58 feet, central
angle 001°46'19", arc length 181.52 feet, chord
bearing S19°59'52"W, a distance of 181.51 feet, to a
point of tangency; (28) S20°53'01"W, a distance of
525.81 feet; (29) S09°34'25"W, a distance of 101.98
feet; (30) S20°53'01"W, a distance of 1100.00 feet;
(31) S32°11'37"W, a distance of 101.98 feet; (32)
S20°53'01"W, a distance of 984.30 feet to the Point of
Beginning.

Page 47 of 64

HB 1045 2022 Legislature

1176	
1177	PARCEL 11:
1178	
1179	A portion of the grantor's tract, as described in O.R.
1180	2180, Page 1597, Public Records of Sarasota County,
1181	Florida, lying in Section 6, Township 40 South, Range
1182	20 East, being more particularly described as follows:
1183	
1184	Commence at the Southeast corner of Section 6,
1185	Township 40 South, Range 20 East, Sarasota County,
1186	Florida; thence N89°50'37"W, along the South boundary
1187	of the Southeast 1/4 of said Section, a distance of
1188	105.06 feet to the Point of Beginning; thence the
1189	following six (6) courses: (1) continue N89°50'37"W,
1190	along said boundary a distance of 288.69 feet; (2)
1191	N20°53'01"E, a distance of 385.04 feet; (3)
1192	N09°34'25"E, a distance of 101.98 feet; (4)
1193	N20°53'01"E, a distance of 687.10 feet to the East
1194	boundary of said Southeast 1/4; (5) S00°16'50"W, along
1195	said boundary, a distance of 824.11 feet; (6)
1196	\$20°53'01"W, a distance of 298.57 feet to the Point of
1197	Beginning.
1198	
1199	PARCEL 12:
1200	

Page 48 of 64

HB 1045 2022 Legislature

1201	A portion of the grantor's tract, as described in O.R.
1202	2180, Page 1597, Public Records of Sarasota County,
1203	Florida, lying in Section 6, Township 40 South, Range
1204	20 East, being more particularly described as follows:
1205	
1206	Commence at the Southeast corner of Section 6,
1207	Township 40 South, Range 20 East, Sarasota County,
1208	Florida; thence N00°16'50"E, along the East boundary
1209	of the Southeast 1/4 of said Section, a distance of
1210	1168.25 feet to the Point of Beginning; thence the
1211	following four (4) courses: (1) N31°07'04"W, a
1212	distance of 52.24 feet; (2) N01°26'05"W, a distance of
1213	555.62 feet; (3) N62°12'11"E, a distance of 49.70 feet
1214	to said East boundary; (4) S00°16'50"W, along said
1215	boundary, a distance of 623.35 feet to the Point of
1216	Beginning.
1217	
1218	PARCEL 13:
1219	
1220	A portion of the grantor's tract, as described in O.R.
1221	2180, Page 1597, Public Records of Sarasota County,
1222	Florida, lying in Section 32, Township 39 South, Range
1223	20 East, being more particularly described as follows:
1224	
1225	Commence at the Southwest corner of Section 32,

Page 49 of 64

HB 1045 2022 Legislature

1226	Township 39 South, Range 20 East, Sarasota County,
1227	Florida; thence S89°05'35"E, along the South boundary
1228	of the Southwest 1/4 of said Section, a distance of
1229	1186.16 feet to a point on a curve and the Point of
1230	Beginning; thence the following thirty seven (37)
1231	courses: (1) along the arc of a curve to the right,
1232	concave to the Southeast, radius 2999.79 feet, central
1233	angle 012°24'31", arc length 649.67 feet, chord
1234	bearing N19°14'02"E, a distance of 648.40 feet; (2)
1235	leaving said curve, N64°33'42"W, a distance of 15.00
1236	feet; (3) N25°44'18"E, a distance of 31.57 feet; (4)
1237	863°57'42"E, a distance of 10.00 feet, to a point of
1238	curve; (5) along the arc of a curve to the right,
1239	concave to the Southeast, radius 3004.79 feet, central
1240	angle 007°49'22", arc length 410.25 feet, chord
1241	bearing N29°56'59"E, a distance of 409.94 feet, to a
1242	point of tangency; (6) N33°51'40" E, a distance of
1243	472.86 feet; (7) N56°08'20"W, a distance of 465.00
1244	feet; (8) N33°51'40"E, a distance of 343.00 feet; (9)
1245	N57°23'43"E, a distance of 448.29 feet; (10)
1246	856°08'20"E, a distance of 301.00 feet; (11)
1247	N33°51'40"E, a distance of 1735.97 feet, to a point of
1248	curve; (12) along the arc of a curve to the left,
1249	concave to the Northwest, radius 1784.86 feet, central
1250	angle 029°40'15", arc length 924.30 feet, chord

Page 50 of 64

HB 1045 2022 Legislature

1251	bearing N19°01'33"E, a distance of 914.01 feet; (13)
1252	leaving said curve, N15°14'39"W, a distance of 97.39
1253	feet, to a point of curve; (14) along the arc of a
1254	curve to the left, concave to the West, radius 1754.86
1255	feet, central angle 001°11'25", arc length 36.46 feet,
1256	chord bearing N00°35'43"E, a distance of 36.46 feet,
1257	to a point of tangency; (15) N00°00'00"E, a distance
1258	of 58.72 feet; (16) N29°53'17"W, a distance of 310.15
1259	feet; (17) N17°15'42"W, a distance of 371.53 feet;
1260	(18) N89°41'09"W, parallel with and 137.00 feet South
1261	of the North boundary of said Section, a distance of
1262	630.77 feet; (19) N00°18'51"E, a distance of 11.00
1263	feet to the existing Right-of-Way for U.S. Highway 41;
1264	(20) S89°38'39"E, a distance of 486.38 feet; (21)
1265	\$86°12'38"E, a distance of 100.18 feet; (22)
1266	\$89°38'39"E, a distance of 1100.00 feet; (23)
1267	\$78°20'03"E, a distance of 50.99 feet; (24)
1268	\$89°38'39"E, a distance of 50.00 feet; (25)
1269	N67°28'05"E, a distance of 41.14 feet, to a point of
1270	curve; (26) along the arc of a curve to the right,
1271	concave to the South, radius 5603.58 feet, central
1272	angle 004°47'14", arc length 468.19 feet, chord
1273	bearing S87°15'02"E, a distance of 468.05 feet; (27)
1274	leaving said existing Right-of-Way and said curve,
1275	N89°41'09"W, parallel with and 147.22 feet South of

Page 51 of 64

HB 1045 2022 Legislature

1276	North boundary of said Section, a distance of 843.21
1277	feet; (28) S17°30'35"W, a distance of 342.25 feet;
1278	(29) S26°09'49"W, a distance of 306.39 feet; (30)
1279	S00°00'00"W, a distance of 66.32 feet, to a point of
1280	curve; (31) along the arc of a curve to the right,
1281	concave to the West, radius 2069.86 feet, central
1282	angel 011°59'25", arc length 433.16 feet, chord
1283	bearing S05°59'43"W, a distance of 432.37 feet; (32)
1284	leaving said curve, S64°11'45"E, a distance of 392.56
1285	feet; (33) \$35°53'55"W, a distance of 1060.72 feet;
1286	(34) N61°33'21"W, a distance of 233.04 feet; (35)
1287	\$33°51'40"W, a distance of 2706.86 feet, to a point of
1288	curve; (36) along the arc of a curve to the left,
1289	concave to the Southeast, radius 2734.79 feet, central
1290	angle 019°38'10", arc length 937.25 feet, chord
1291	bearing S24°02'35"W, a distance of 932.67 feet to the
1292	South boundary of said Southwest 1/4; (37) leaving
1293	said curve, N89°05'35"W, along said boundary, a
1294	distance of 271.65 feet to the Point of Beginning.
1295	
1296	(4) The territorial limits of the West Villages
1297	Improvement District shall no longer embrace and
1298	include those parcels of land described as follows:
1299	
1300	PARCEL 1:

Page 52 of 64

HB 1045 2022 Legislature

1301 1302 of land in Section 19, Township 1303 Range 20 East, Sarasota County, Florida, 1304 follows: 1305 1306 Commence at the Southeast corner of Section 19, 1307 Township 40 South, Range 20 East, Sarasota County, 1308 Florida; thence N00°52'08"W, along the East line of 1309 the Southeast 1/4 of said Section 19, a distance of 1310 300.13 feet to a point on a line lying 300.00 feet 1311 Northerly of and parallel with the South line of said 1312 Southeast 1/4 of Section 19; thence N89°07'15"W, along 1313 said line lying 300.00 feet northerly of and parallel 1314 with the South line of the Southeast 1/4 of Section 1315 19, a distance of 2716.19 feet; thence N89°12'05"W, 1316 along a line lying 300.00 feet Northerly of and 1317 parallel with the South line of the Southwest 1/4 of 1318 Section 19, a distance of 1382.32 feet to the Point of 1319 1320 line lying 300.00 feet Northerly of and parallel with 1321 the South line of the Southwest 1/4 of Section 19, a 1322 distance of 1168.62 feet to a point lying 200.00 feet 1323 Easterly of and parallel with the West line of said Section 19; thence N00°47'09"E, along said line 1324 200.00 feet Easterly of and parallel with said West 1325

Page 53 of 64

HB 1045 2022 Legislature

1326	line of Section 19, a distance of 2727.62 feet; thence
1327	N86°45'40"E, a distance of 125.62 feet; thence
1328	S88°28'31"E, a distance of 211.61 feet; thence
1329	870°38'32"E, a distance of 189.13 feet; thence
1330	S65°14'22"E, a distance of 167.94 feet; thence
1331	S64°57'23"E, a distance of 166.26 feet; thence
1332	S56°18'11"E, a distance of 190.18 feet; thence
1333	\$49°50'04"E, a distance of 150.71 feet; thence
1334	800°57'35"E, a distance of 2339.31 feet to the Point
1335	of Beginning.
1336	
1337	PARCEL 2:
1338	
1339	A Parcel of land in Section 21, Township 40 South,
1340	Range 20 East, Sarasota County, Florida, described as
1341	follows:
1342	
1343	Commence at the Southwest corner of Section 21,
1344	Township 40 South, Range 20 East, Sarasota County,
1345	Florida; thence S88°46'17"E, along the South Line of
1346	the Southwest 1/4 of said Section 21, a distance of
1347	6.31 feet to a point on the baseline of survey as
1348	shown on the unrecorded Sarasota County Maintained
1349	Right-of-Way Map for River Road; thence N45°58'14"E,
1350	along said baseline of survey, a distance of 3267.20

Page 54 of 64

HB 1045 2022 Legislature

1351	feet; thence S44°01'46"E, perpendicular to said
1352	baseline of survey, a distance of 41.51 feet to the
1353	Point of Beginning; thence N45°56'43"E, a distance of
1354	629.28 feet; thence S43°52'22"E, a distance of 771.45
1355	feet; thence \$46°20'52"W, a distance of 294.90 feet;
1356	thence N43°25'39"W, a distance of 205.68 feet; to a
1357	point on a curve to the left having a radius of 225.00
1358	feet, a central angle of 91°32'43", a chord bearing of
1359	N89°12'00"W, and a chord length of 322.46 feet; thence
1360	along the arc of said curve an arc length of 359.50
1361	feet; thence \$45°01'39"W, a distance of 58.25 feet;
1362	thence N81°29'41"W, a distance of 77.89 feet; thence
1363	N44°03'17"W, a distance of 275.37 feet to the Point of
1364	Beginning.
1365	
1366	PARCEL 3:
1367	
1368	A Parcel of land in Section 15, Township 40 South,
1369	Range 20 East, Sarasota County, Florida, described as
1370	follows:
1371	
1372	Commence at the Southwest Corner of Section 15,
1373	Township 40 South, Range 20 East, Sarasota County,
	53 1 1 1
1374	Florida; thence S89°21'19"E, along the South Line of
13741375	said Section 15, a distance of 49.10 feet, to a point

Page 55 of 64

HB 1045 2022 Legislature

on the baseline of survey as shown on the unrecorded
Sarasota County Maintained Right-of-Way Map for River
Road; thence N45°58'14"E, along said baseline of
survey, a distance of 3284.46 feet, thence
844°01'46"E, perpendicular to said baseline of survey,
a distance of 39.75 feet to the Point of Beginning;
thence N45°58'39"E, a distance of 102.13 feet; to a
point on a curve to the left having a radius of 706.58
feet, a central angle of 45°29'01", a chord bearing of
N23°13'07"E, and a chord length of 546.30 feet; thence
along the are of said curve an are length of 560.91
feet; thence N00°28'37"E, a distance of 615.74 feet;
thence \$89°31'23"E, a distance of 178.13 feet; thence
S60°22'18"E, a distance of 188.25 feet; thence
832°42'31"E, a distance of 144.47 feet; to a point on
a curve to the left having a radius of 150.00 feet, a
central angle of 65°32'10", a chord bearing of
\$12°01'25"E, and a chord length of 162.37 feet; thence
along the arc of said curve an arc length of 171.57
feet; to a point on a curve to the right having a
radius of 50.00 feet, a central angle of 48°24'34", a
chord bearing of S20°35'14"E, and a chord length of
41.00 feet; thence along the arc of said curve an arc
length of 42.25 feet; to a point on a curve to the
left having a radius of 55.00 feet, a central angle of

Page 56 of 64

HB 1045 2022 Legislature

1401	53°04'13", a chord bearing of S22°55'03"E, and a chord
1402	length of 49.14 feet; thence along the are of said
1403	curve an arc length of 50.94 feet; to a point on a
1404	curve to the right having a radius of 50.00 feet, a
1405	central angle of 69°28'55", a chord bearing of
1406	S14°42'42"E, and a chord length of 56.99 feet; thence
1407	along the arc of said curve an arc length of 60.63
1408	feet; thence S20°01'46"W, a distance of 165.04 feet;
1409	thence S09°45'21"E, a distance of 198.48 feet; thence
1410	\$10°32'59"W, a distance of 77.82 feet; thence
1411	S24°01'29"W, a distance of 246.18 feet; thence
1412	S16°16'56"W, a distance of 52.07 feet; thence
1413	835°57'16"E, a distance of 117.85 feet; thence
1414	887°27'37"W, a distance of 86.98 feet; thence
1415	\$45°58'19"W, a distance of 25.22 feet; thence
1416	805°31'58"W, a distance of 149.54 feet; thence
1417	\$45°58'39"W, a distance of 223.39 feet; thence
1418	N44°01'21"W, a distance of 622.74 feet; to the Point
1419	of Beginning.
1420	
1421	PARCEL 4:
1422	
1423	A Parcel of land lying in Section 34, Township 39
1424	South, Range 20 East, Sarasota County, Florida,
1425	described as follows:

Page 57 of 64

1426

1427

1428

1429 1430

1431

1432

1433

1434

1435

14361437

1438

1439

1440

1441

14421443

1444

1445

1446

1447

1448

1449

1450

HB 1045 2022 Legislature

Southeast Corner of the 34, Township 39 South, Range 20 East, Sarasota County, Florida; thence N89°24'59"W, along the South line of the Southwest 1/4 of said Section 34, a distance of 204.95 feet to a point on the baseline of survey, as shown on the Sarasota County Right-of-Way Map for River Road (Project No. 95790), same being a point on a curve to the left having a radius of 5729.58 feet, a central angle of 05°13'19", a chord bearing of N16°30'08"W, and a chord length of 522.02 feet; thence along said baseline of Survey, and the arc of said curve, an arc length of 522.20 feet; thence S70°53'13"W, perpendicular to said baseline of Survey, a distance of 110.00 feet to the Westerly Right-of-Way Line of South River Road per Official Records Book 2679, Page 2750, Public Records of Sarasota County, Florida, same being a point on a central angle of 15°31'30", a chord bearing of N26°52'28"W, and a chord length of 1517.98 feet; thence along said Westerly Right-of-Way Line the following four (4) courses: (1) along the arc arc length of 1522.64 feet; (2) thence \$55°21'47"W, a distance of 20.00 feet to a point on

Page 58 of 64

HB 1045 2022 Legislature

curve to the left having a radius of 5599.32 feet, a
central angle of 02°00'54", a chord bearing of
N35°38'40"W, and a chord length of 196.90 feet; (3)
thence along the arc of said curve an arc length of
196.91 feet; (4) thence N36°39'07"W, a distance of
71.08 feet to the South line of the Northwest 1/4 of
the Northeast 1/4 of the Southwest 1/4 of Section 34;
thence N89°37'27"W, along the South line of said
Northwest 1/4 of the Northeast 1/4 of the Southwest
1/4 of Section 34, a distance of 4.10 feet to the
Point of Beginning, same being the Southwest corner of
the North 1/2 of the Northwest 1/4 of the Southwest
1/4 of Section 34, Township 39 South, Range 20 East,
Sarasota County, Florida; thence N89°37'27"W, along
the South line of the North 1/2 of the Northwest 1/4
of the Southwest 1/4 of said Section 34, a distance of
108.43 feet; thence N36°45'48"W, a distance of 427.04
feet to the Southerly Right-of-Way Line of U.S.
Highway No. 41 (State Road No.45), per Florida
Department of Transportation Right-of-Way Map Section
17010-2508, same being a point on a curve to the left
having a radius of 3031.73 feet, a central angle of
01°56'33", a chord bearing of N81°26'05"E, and a chord
length of 102.78 feet; thence along said Southerly
Right-of-Way Line of U.S. Highway No. 41 (State Road

Page 59 of 64

HB 1045 2022 Legislature

1476	No. 45) and the arc of said curve an arc length of
1477	102.78 feet to the intersection of said Southerly
1478	Right-of-Way Line of U.S. Highway No. 41 (State Road
1479	No. 45) and the Westerly Right-of-Way Line of South
1480	River Road per Official Records Book 2695, Page 1438,
1481	Public Records of Sarasota County, Florida; thence
1482	836°39'07"E, along said Westerly Right-of-Way Line of
1483	South River Road, a distance of 439.57 feet to a point
1484	on the West line of the Northwest 1/4 of the Northeast
1485	1/4 of the Southwest 1/4 of Section 34; thence
1486	800°09'58"W, along said West line of the Northwest 1/4
1487	of the Northeast 1/4 of the Southwest 1/4 of Section
1488	34, a distance of 5.47 feet to the Point of Beginning.
1489	
1489 1490	PARCEL 5:
	PARCEL 5:
1490	PARCEL 5: A Parcel of land in Section 21, Township 40 South,
1490 1491	
1490 1491 1492	A Parcel of land in Section 21, Township 40 South,
1490 1491 1492 1493	A Parcel of land in Section 21, Township 40 South, Range 20 East, Sarasota County, Florida, described as
1490 1491 1492 1493 1494	A Parcel of land in Section 21, Township 40 South, Range 20 East, Sarasota County, Florida, described as
1490 1491 1492 1493 1494 1495	A Parcel of land in Section 21, Township 40 South, Range 20 East, Sarasota County, Florida, described as follows:
1490 1491 1492 1493 1494 1495	A Parcel of land in Section 21, Township 40 South, Range 20 East, Sarasota County, Florida, described as follows: Commence at the Southwest corner of Section 21,
1490 1491 1492 1493 1494 1495 1496	A Parcel of land in Section 21, Township 40 South, Range 20 East, Sarasota County, Florida, described as follows: Commence at the Southwest corner of Section 21, Township 40 South, Range 20 East, Sarasota County,
1490 1491 1492 1493 1494 1495 1496 1497	A Parcel of land in Section 21, Township 40 South, Range 20 East, Sarasota County, Florida, described as follows: Commence at the Southwest corner of Section 21, Township 40 South, Range 20 East, Sarasota County, Florida; thence \$88°46'17"E, along the said South line

Page 60 of 64

HB 1045 2022 Legislature

1501	South River Road as shown on unrecorded Maintained
1502	Right-of-Way Map of River Road, for a Point of
1503	Beginning, thence along said Southerly Maintained
1504	Right-of-Way Line the following three (3) courses: (1)
1505	N45°55'23"E, a distance of 105.80 feet; (2) thence
1506	N44°19'24"W, a distance of 4.28 feet; (3) thence
1507	N45°58'11"E, a distance of 354.51 feet to the South
1508	line of lands described in Official Records Book 986,
1509	Page 904; thence along said South line of lands
1510	described in Official Records Book 986, Page 904,
1511	888°46'03"E, a distance of 16.74 feet; thence
1512	S45°58'11"W, a distance of 464.61 feet to said South
1513	line of the Southwest 1/4 of Section 21; thence along
1514	said South line of the Southwest 1/4 of Section 21,
1515	N88°46'17"W, a distance of 10.59 feet to the Point of
1516	Beginning.
1517	
1518	PARCEL 6:
1519	
1520	A Parcel of land in Section 20 & 21, Township 40
1521	South, Range 20 East, Sarasota County, Florida,
1522	described as follows:
1523	
1524	Commence at the Southeast corner of Section 20,
1525	Township 40 South, Range 20 East, Sarasota County,

Page 61 of 64

HB 1045 2022 Legislature

1526	Florida; thence N89°12'04"W, along the South line of
1527	said Section 20, a distance of 60.14 feet to the
1528	Northwesterly Maintained Right-of-Way of South River
1529	Road as shown on the unrecorded Sarasota County
1530	Maintained Right-of-Way Map for River Road a Point of
1531	Beginning; thence continue along said South line of
1532	Section 20, N89°12'04"W, a distance of 221.97 feet;
1533	thence N45°58'11"E, a distance of 1634.22 feet; thence
1534	N45°58'06"E, a distance of 1299.84 feet; thence
1535	N45°58'15"E, a distance of 425.82 feet to the boundary
1536	of lands described in Official Records Instrument No.
1537	2000163556; thence S44°02'57"E, along said boundary of
1538	lands described in Official Records Instrument No.
1539	2000163556, a distance of 157.69 feet to said
1540	Maintained Right-of-Way Line; thence along said
1541	Maintained Right-of-Way Line the following six (6)
1542	courses: (1) S45°57'54"W, a distance of 640.66 feet;
1543	(2) thence S45°58'20"W, a distance of 1300.13 feet;
1544	(3) thence N43°57'33"W, a distance of 3.59 feet; (4)
1545	thence S45°57'55"W, a distance of 1185.97 feet; (5)
1546	thence S43°13'15"E, a distance of 2.20 feet; (6)
1547	thence S45°52'56"W, a distance of 75.72 feet to the
1548	Point of Beginning.
1549	
1550	PARCEL 7:

Page 62 of 64

HB 1045 2022 Legislature

1551	
1552	A Parcel of land in Section 21, Township 40 South,
1553	Range 20 East, Sarasota County, Florida, described as
1554	follows:
1555	
1556	Commence at the Southwest corner of Section 21,
1557	Township 40 South, Range 20 East, Sarasota County,
1558	Florida; thence S88°46'17"E, along the South Line of
1559	the Southwest 1/4 of said Section 21, a distance of
1560	6.31 feet to the baseline of survey as shown on the
1561	unrecorded Sarasota County Maintained Right-of-Way Map
1562	for River Road; thence along said baseline,
1563	N45°58'14"E, a distance of 554.56 feet; thence
1564	S44°01'46"E, perpendicular to said baseline, a
1565	distance of 19.73 feet to the Southeasterly Maintained
1566	Right-of-Way Line of South River Road as shown on said
1567	Sarasota County Maintained Right-of-Way Map for a
1568	Point of Beginning; thence along said Maintained
1569	Right-of-Way Line the following three (3) courses: (1)
1570	N45°58'11"E, a distance of 875.08 feet; (2) thence
1571	N45°58'06"E, a distance of 1299.90 feet; (3) thence
1572	N45°58'15"E, a distance of 425.85 feet to the boundary
1573	of lands described in Official Records Instrument No.
1574	2000163556; Public Records of Sarasota County,
1575	Florida; thence along said boundary of lands described

Page 63 of 64

HB 1045 2022 Legislature

in Official Records Instrument No. 2000163556, 844°03'18"E, a distance of 11.89 feet; thence \$45°58'15"W, a distance of 425.86 feet; thence \$45°58'06"W, a distance of 1299.90 feet; thence \$45°58'11"W, a distance of 863.29 feet to the North line of lands described in Official Records Book 986, Page 904, Public Records of Sarasota County, Florida; thence N88°46'03"W, along said North line of lands described in Official Records Book 986, Page 904, a distance of 16.74 feet to the Point of Beginning.

Section 2. In the election provided for in section 3, each assessable acre or fraction thereof present in person or by proxy shall be counted as one vote pursuant to section 5(1) of chapter 2004-456, Laws of Florida.

Section 3. This section and section 2 shall take effect upon becoming a law, and section 1 shall take effect upon approval by a majority vote of the owners of land within the area described in section 1 who are not exempt from ad valorem taxes or non-ad valorem assessments and who are present in person or by proxy at a landowners' meeting to be held within 90 days after the effective date of this act. Such landowners' meeting shall be noticed as provided in section 5(1) of chapter 2004-456, Laws of Florida.

Page 64 of 64