

LEGISLATIVE ACTION		
Senate		House
Comm: WD		
04/24/2023	•	
	•	

The Committee on Fiscal Policy (Thompson) recommended the following:

Senate Amendment

2 3

5

6

7

8

9

10

1

Delete lines 155 - 215

4 and insert:

> verify the integrity of all components that are recommended or specified by the manufacturer or metal fatigue at least annually. The nondestructive testing for metal fatigue must be conducted more often than annually if required by any rule adopted under this section, by the manufacturer of the amusement ride, or by the professional engineer or qualified inspector

11

12

13 14

15 16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39



executing the affidavit of nondestructive testing. The nondestructive testing for metal fatigue must consist at least of visual nondestructive testing, as well as nonvisual nondestructive testing for metal fatigue, which must be conducted on the components of the amusement ride as required by any rule adopted under this section, by the manufacturer of the amusement ride, or by the professional engineer or qualified inspector executing the affidavit of nondestructive testing.

- (b) When specified by the manufacturer, nonvisual nondestructive testing must be used to verify the integrity of components that, due to their design, location, installation, or a combination thereof, cannot be adequately evaluated by other means.
- (c) (b) Nondestructive testing testings must be performed by a technician who meets the requirements prescribed by department rule.
- (d) (c) An affidavit of nondestructive testing, on a form prescribed by department rule, must state, at a minimum, all of the following:
- 1. That the amusement ride was inspected in person by the affiant.
- 2. That all of the manufacturer's nondestructive testing requirements and recommendations are current.
- 3. That the nondestructive testing was performed by a qualified nondestructive testing technician.
- 4. The components of the amusement ride for which the manufacturer has recommended or required nondestructive testing.
- 5. The type of nondestructive testing required or recommended by the manufacturer.

40

41

42

43

44

45

46

47

48 49

50

51

52

53

54

55

56

57

58 59

60

61

62

6.3 64

65

66

67

68



- 6. The frequency of the nondestructive testing required or recommended by the manufacturer.
- 7. The components of the amusement ride for which the affiant, in addition to the manufacturer's requirements and recommendations, has recommended or required nondestructive testing.
- 8. The type of nondestructive testing required or recommended by the affiant in addition to the manufacturer's requirements and recommendations. If the affiant does not require or recommend additional nondestructive testing, the affiant must affirm that the manufacturer's requirements are sufficient for the safe operation of the amusement ride.
- 9. The frequency of the nondestructive testing as required or recommended by the affiant.
- 10. That visual nondestructive testing is adequate for the amusement ride to be in general conformance with the requirements of this section and all applicable rules, only if only visual nondestructive testing is required or recommended by the manufacturer or the affiant.
- 11. That the amusement ride is in conformance with the requirements of this section and all applicable department rules.
- 12. Whether the amusement ride has undergone a major modification and, if so, the name of the manager, owner, or operator who authorized the modification and the date the modification took place.
- 13. That the amusement ride and its components are in conformance with the service life, if the manufacturer has provided a service life for such ride and its components.