



The Florida Senate

Local Funding Initiative Request

Fiscal Year 2022-2023

LFIR # 1752

1. Project Title Winter Park- Nicolet Pond Storm Water Treatment Project

2. Senate Sponsor Linda Stewart

3. Date of Request 12/10/2021

4. Project/Program Description

The City of Winter Park purchased \$550,000+ in land over the past 10 years to facilitate the Nicolet Pond Storm water treatment project.

The goal is Storm water treatment of a large Warehouse / Light industrial area drainage basin flowing to Lake Killarney, part of the Howell Creek basin and BMAP.

5. State Agency to receive requested funds Department of Environmental Protection

State Agency contacted? No

6. Amount of the Nonrecurring Request for Fiscal Year 2022-2023

Type of Funding	Amount
Operations	0
Fixed Capital Outlay	150,000
Total State Funds Requested	150,000

7. Total Project Cost for Fiscal Year 2022-2023 (including matching funds available for this project)

Type of Funding	Amount	Percentage
Total State Funds Requested (from question #6)	150,000	50%
Matching Funds		
Federal	0	0%
State (excluding the amount of this request)	0	0%
Local	150,000	50%
Other	0	0%
Total Project Costs for Fiscal Year 2022-2023	300,000	100%

8. Has this project previously received state funding? No

Fiscal Year (yyyy-yy)	Amount		Specific Appropriation #	Vetoed
	Recurring	Nonrecurring		

9. Is future funding likely to be requested? No

a. If yes, indicate nonrecurring amount per year.

b. Describe the source of funding that can be used in lieu of state funding.

10. Has the entity requesting this project received any federal assistance related to the COVID-19 pandemic?

Yes



The Florida Senate

Local Funding Initiative Request

Fiscal Year 2022-2023

LFIR # 1752

If yes, indicate the amount of funds received and what the funds were used for.

\$1,383,941. Feeding programs, personal protective equipment, additional cleaning of facilities, expanding wi-fi public access, decontamination showers, and adding hardware and software to facilitate remote access for employees for work and participation in public meetings.

11. Details on how the requested state funds will be expended

Spending Category	Description	Amount
Administrative Costs:		
Executive Director/Project Head Salary and Benefits		0
Other Salary and Benefits		0
Expense/Equipment/Travel/Supplies/Other		0
Consultants/Contracted Services/Study		0
Operational Costs: Other		
Salary and Benefits		0
Expense/Equipment/Travel/Supplies/Other		0
Consultants/Contracted Services/Study	Study, design and contract document preparation.	50,000
Fixed Capital Construction/Major Renovation:		
Construction/Renovation/Land/Planning Engineering	Construction of needed piping, excavation of ponds, soil and sediment control and restoration.	100,000
Total State Funds Requested (must equal total from question #6)		150,000

12. Program Performance

a. What specific purpose or goal will be achieved by the funds requested?

The goal is Storm water treatment of a large Warehouse / Light industrial area drainage basin flowing to Lake Killarney, part of the Howell Creek basin and BMAP.

b. What activities and services will be provided to meet the intended purpose of these funds?

Construction of needed piping, excavation of ponds, soil and sediment control and restoration.

c. What direct services will be provided to citizens by the appropriation project?

An effective storm water treatment system for this area will benefit both the businesses in the area and the public utilizing the receiving Lake.

d. Who is the target population served by this project? How many individuals are expected to be served?

An effective storm water treatment system for this area will benefit both the businesses in the area and the public utilizing the receiving Lake.

e. What is the expected benefit or outcome of this project? What is the methodology by which this outcome will be measured?

The improvement of drainage collection and treatment will remove and/or address many waterborne contaminants currently staging in roads and rights of way in this untreated drainage basin. This will be measured by assessing the water quality trends and reduction of storm water trash and debris.

f. What are the suggested penalties that the contracting agency may consider in addition to its standard penalties for failing to meet deliverables or performance measures provided for the contract?



The Florida Senate

Local Funding Initiative Request

Fiscal Year 2022-2023

LFIR # 1752

The City of Winter Park will be responsible for costs in excess of appropriated funds to accomplish construction of the viable storm water treatment system.

13. The owners of the facility to receive, directly or indirectly, any fixed capital outlay funding. Include the relationship between the owners of the facility and the entity.

City of Winter Park



The Florida Senate

Local Funding Initiative Request

Fiscal Year 2022-2023

LFIR # 1752

14. Requestor Contact Information

a. First Name Last Name
b. Organization
c. E-mail Address
d. Phone Number Ext.

15. Recipient Contact Information

a. Organization
b. Municipality and County

c. Organization Type

- ☐ For Profit Entity
☐ Non Profit 501(c)(3)
☐ Non Profit 501(c)(4)
☒ Local Entity
☐ University or College
☐ Other (please specify)

d. First Name Last Name
e. E-mail Address
f. Phone Number

16. Lobbyist Contact Information

a. Name
b. Firm Name
c. E-mail Address
d. Phone Number



The Florida Senate

Local Funding Initiative Request

Fiscal Year 2022-2023

LFIR # 1752

Please complete the questions below for Water Projects only.

17. Have you applied for alternative state funding?

- ☐ Waste Water Revolving Loan
- ☐ Drinking Water Revolving Loan
- ☐ Small Community Wastewater Treatment Grant
- ☐ Other (please specify)
- ☒ N/A

18. What is the population economic status?

- ☐ Financially Disadvantaged Community (ch. 62-552, F.A.C)
- ☐ Financially Disadvantaged Municipality (ch. 62-552, F.A.C)
- ☐ Rural Area of Economic Concern
- ☐ Rural Area of Opportunity (s. 288.0656, Florida Statutes)
- ☒ N/A

19. What is the status of construction?

Not Ready

20. What percentage of the construction has been completed?

0%

21. What is the estimated completion date of construction?

12/31/2022