

Bill No. CS for CS for CS for SB 1214

Amendment No. ____ Barcode 163832

CHAMBER ACTION

Senate

House

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

3/AD/2R
04/21/2004 02:51 PM

.
. .
. .
. .
. .
. .

Senator Constantine moved the following amendment:

Senate Amendment

On page 16, lines 17-31, delete all those lines

and insert:

reuse of stormwater on a site basis for development over a size threshold to be determined by the local government or on a jurisdiction-wide basis to minimize pumpage of groundwater for nonpotable usage.

369.320 Wastewater facility plan.--

(1) Local governments within the Wekiva Study Area shall develop a wastewater facility plan for joint planning areas and utility service areas where central wastewater systems are not readily available. The facility plan shall include: the delineation of areas within the utility service area that are to be served by central facilities within 5 years; a financially feasible schedule of improvements; an infrastructure work plan to build the facilities needed to implement the facility plan, including those needed to meet

Bill No. CS for CS for CS for SB 1214

Amendment No. ____ Barcode 163832

1 enhanced treatment standards adopted by the Department of
2 Environmental Protection; and a phase-out of existing onsite
3 septic tank systems where central facilities are available.
4 The term available shall be interpreted consistent with the
5 definition of s. 381.0065(2)(a).

6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31