### **HOUSE OF REPRESENTATIVES STAFF ANALYSIS**

BILL #: HB 1073 Immunizations

SPONSOR(S): Hays

TIED BILLS: IDEN./SIM. BILLS: SB 1696

REFERENCE	ACTION	ANALYST	STAFF DIRECTOR
1) Elder & Long-Term Care Committee		Walsh	Liem
2) PreK-12 Committee			
3) Health Care Appropriations Committee			
4) Health & Families Council			
5)		<u> </u>	

### **SUMMARY ANALYSIS**

HB 1073 requires each licensed assisted living facility to implement a program to offer immunizations against influenza viruses to all residents aged 65 or older.

The bill requires district school boards and private school governing authorities to provide every student's parent specified information about meningococcal disease in accordance with the recommendations of the Department of Health (DOH). The bill requires the DOH to adopt rules specifying the age or grade level of students to receive the information consistent with recommendations of the Centers for Disease Control (CDC). It requires DOH to make information about the disease available to district school boards and private school governing authorities, who shall determine the means and methods for providing this information to students' parent.

The effective date is July 1, 2005.

This document does not reflect the intent or official position of the bill sponsor or House of Representatives.

STORAGE NAME: h1073.ELT.doc

DATE: 3/14/2005

### **FULL ANALYSIS**

### I. SUBSTANTIVE ANALYSIS

#### A. HOUSE PRINCIPLES ANALYSIS:

Provide limited government ---

- The bill requires each licensed assisted living facility to implement a program to offer immunizations against influenza viruses to all residents aged 65 or older.
- The bill requires DOH to adopt rules specifying the age or grade level of students to receive
  information about meningococcal disease consistent with recommendations of the CDC. It
  requires DOH to make information about the disease available to district school boards and
  private school governing authorities, who shall determine the means and methods for providing
  this information to students' parents.

## B. EFFECT OF PROPOSED CHANGES:

# Immunizations in Assisted Living Facilities

Assisted living facilities (ALF) are licensed under Part III of Chapter 400, F.S.<sup>1</sup> Currently, there is no requirement that ALF offer immunizations against the influenza virus to their residents.

Influenza, commonly called the "flu," is caused by the influenza virus that infects the respiratory tract. The virus is typically spread from person to person when an infected person coughs or sneezes the virus into the air. Influenza can cause severe illness and lead to serious and life-threatening complications in all age groups. Complications such as bacterial pneumonia, dehydration, and worsening of underlying chronic conditions (such as congestive heart disease and asthma) occur most often in persons who are particularly vulnerable, such as elderly persons and persons with chronic conditions.<sup>2</sup>

Flu is a major cause of illness and death in the United States and leads to over 200,000 hospitalizations and approximately 36,000 deaths each year, according to the Centers for Disease Control and Prevention (CDC).<sup>3</sup>

Vaccines are effective in protecting individuals against illness or serious complications of flu, particularly those who are at high risk for developing serious complications from the disease. The Advisory Committee on Immunization Practices of CDC (ACIP) recommends that, when vaccine is available, persons in high-risk groups including individuals aged 65 or older, and people with chronic diseases of the heart, lung, or kidneys, diabetes, immunosuppression, or severe forms of anemia, should be vaccinated against the flu. ACIP also recommends that residents of nursing homes and other chronic-care facilities, children receiving long-term aspirin therapy, and any person who is in close or frequent contact with anyone in the high-risk group, such as health care personnel and volunteers, be vaccinated.<sup>4</sup> The CDC recommends that the optimal time to be vaccinated against flu is the fall.<sup>5</sup> .

STORAGE NAME: h1073.ELT.doc DATE: 3/14/2005

<sup>&</sup>lt;sup>1</sup> The Assisted Living Facilities Act, ss. 400.401 – 400.454, F.S.

<sup>&</sup>lt;sup>2</sup> See Fact Sheet Influenza (Flu) Key Facts about the Flu, November 10, 2004, Department of Health and Human Services Centers for Disease Control and Prevention; Flu, January 2005, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Department of Health and Human Services, available at http://www.niaid.nih.gov/factsheets/flu.htm

<sup>&</sup>lt;sup>3</sup> *Influenza: The Disease*, November 15, 2004, Department of Health and Human Services Centers for Disease Control and Prevention, available at http://www.cdc.gov/flu/about/disease.htm

<sup>&</sup>lt;sup>4</sup> Because of the influenza vaccine shortage during the 2004-2005 flu season, the CDC twice revised its recommendations regarding who should receive the vaccine. Persons age 65 and older and residents of nursing homes and long-term care facilities were always in the highest priority groups. See fn.2, Recommended Adult Immunization Schedule United States October 2004-September 2005, Summary of Recommendation Published by the Advisory STORAGE NAME: h1073.ELT.doc PAGE: 2

Medicare coverage for flu shots for the elderly began in 1993. Flu shots are available at no cost to individuals enrolled in Medicare Part B from physicians or providers who bill Medicare. If patients receive their flu vaccines from physicians or providers who do not bill Medicare, they may be reimbursed (about \$18) by Medicare. The Medicaid program covers costs for flu vaccine and administration for Medicaid patients who are residents of nursing homes and long-term care facilities who are not the recipients of Medicare benefits.

HB 1073 requires each licensed ALF to implement a program to offer immunizations against influenza viruses to all residents aged 65 or older in accordance with recommendations of ACIP of the CDC. This program is to be carried out between October 1 (earlier if the vaccine is available) and February 1 of each year, subject to adequate vaccine supplies and subject to the clinical judgment of the responsible practitioner.

## **Meningococcal Disease and Immunization**

The *meningococcus* bacterium can cause a life-threatening infection of the bloodstream, meningitis (infection of the brain and spinal cord coverings), or both. Sometimes referred to as spinal meningitis, bacterial meningitis can be quite severe and may result in brain damage, hearing loss, or learning disability. Death occurs in 10 to 15 percent of the 2,600 cases of meningococcal meningitis that are reported in the U.S. each year.

The largest incidence of the disease is in children under age 5, with a second peak in children and young adults between the ages.15 and 24.7

Before the 1990s, *Haemophilus influenzae* type b (Hib) was the leading cause of bacterial meningitis, but new vaccines being given to all children as part of their routine immunizations have reduced the occurrence of invasive disease due to *H. influenzae*.<sup>8</sup>

There are five subtypes (or Serogroups) of the bacterium that cause meningococcal meningitis (Serogroups A, B, C, Y, and W-135). Two vaccines are available to immunize against Serogroups A, C, Y and W-135: Menomune, licensed in 1981, and Menactra (also known as MCV-4), licensed in 2005.

With FDA's approval of MCV4, ACIP and CDC on February 10, 2005, recommended routine vaccination of children ages 11-14 or before high school entry

as the most effective strategy towards reducing meningococcal disease incidence in adolescence and young adulthood. Within 3 years, the goal is routine vaccination with MCV4 of all adolescents beginning at 11 years of age. ACIP recognizes that vaccine supply may be an issue in the first few years after licensure of MCV4. Other

Committee on Immunization Practices, Department of Health and Human Services Centers for Disease Control and Prevention, available at http://www.immunizationed.org/downloads/adult-schedule.pdf

<sup>7</sup> Vaccine Information Meningococcal Disease, updated March 11, 2005, National Network for Immunization Information, available at http://www.immunizationinfo.org/vaccineInfo/vaccine\_detail.cfv?id=15

<sup>9</sup> There is no licensed vaccine for Serogroup B in the U.S. Vaccine Information Meningococcal Disease.

STORAGE NAME: h1073.ELT.doc DATE: 3/14/2005

<sup>&</sup>lt;sup>5</sup> Fact Sheet Influenza (Flu) Key Facts about the Flu Vaccine, January 27, 2005, Department of Health and Human Services Centers for Disease Control and Prevention, available at http://www.cdc.gov/flu/protect/pdf/vaccinekeyfacts.pdf <sup>6</sup> Important Information About Medicare Payment for Flu Shots, available at http://medicare.gov/health/flupayments.asp

<sup>&</sup>lt;sup>8</sup> Division of Bacterial and Mycotic Disease, Disease Information, Meningococcal Disease, Department of Health and Human Services Centers for Disease Control and Prevention, available at http://www.cdc.gov/ncidod/dbmd/diseaseinfo/meningococcal\_g.htm

adolescents who wish to decrease their risk of meningococcal disease may elect to receive vaccine. 10

In Florida, the following immunizations are required by age and school grade: 11

Immunizations Required for Preschool Entry (age-appropriate doses as are medically indicated):

Diphtheria-Tetanus-Pertussis Series Haemophilus influenzae type b (Hib) Hepatitis B ·

Measles-Mumps-Rubella (MMR)

Polio Series

Varicella

## Immunizations Required for Kindergarten Entry:

Diphtheria-Tetanus-Pertussis Series

**Hepatitis B Series** 

Measles-Mumps-Rubella (two doses of Measles vaccine, preferably as MMR)

Polio Series

Varicella

## Immunizations Required for 7th Grade Entry:

Hepatitis B Series

Second Dose of Measles Vaccine (preferably MMR vaccine)

Tetanus-Diphtheria Booster

## Immunizations required for college/university students:

MR, M2 (All freshman and new enrollees in public universities)

Meningococcal (All college/university students who live in dorms, or must sign waiver)

Immunizations Required for Child Care and/or Family Day Care (up-to-date for age):

Diphtheria-Tetanus-Pertussis Haemophilus influenzae type b Measles-Mumps-Rubella

Polio

Varicella

All Florida postsecondary educational institutions must provide detailed information concerning the risks associated with meningococcal meningitis and its associated vaccines to every student or to the student's parent if the student is a minor. As noted above, all Florida college and university students who live in campus dormitories are required to be immunized against meningococcal disease or decline the immunization by signing a waiver. 12

HB 1073 requires each district school board and private school governing body to provide every student's parent with detailed information about the causes, symptoms and transmission of meningococcal disease, and about the availability, effectiveness, and contraindications associated with recommended vaccines. The information is to be provided in accordance with DOH recommendations.

<sup>12</sup> S. 1006.69, F.S.

STORAGE NAME:

h1073.ELT.doc 3/14/2005

<sup>&</sup>lt;sup>10</sup> Meningococcal Conjugate Vaccine, ACIP Recommends Meningococcal Vaccine for Adolescents and College Freshman, National Immunization Program Centers for Disease Control and Prevention, available at http://www.cdc.gov/nip/vaccine/meningitis/mcs4/mcv4 acip.htm

<sup>&</sup>lt;sup>11</sup> Vaccine Information Florida Vaccine Requirements, National Network for Immunization Information, available at http://www.immunizationinfo.org/vaccineInfo/disease stateinfo.cfv; Immunization and Record Requirements, available at http://www.doh.state.fl.us/disease ctrl/immune/school.pdf

DOH is to adopt rules that specify the age or grade level of students for whom such information shall be provided. These rules are to be consistent with recommendations of ACIP concerning the appropriate age for vaccine administration.

DOH shall make available to school districts and private school governing authorities information concerning the causes, symptoms, and transmission of meningococcal disease; the risks associated with the disease; and the availability, effectiveness and contraindications of its associated vaccines.

Each school district and private school governing body shall determine the means and methods of providing this information to the student's parent.

The bill is effective July 1, 2005.

#### C. SECTION DIRECTORY:

Section 1: Amends s. 400.426, F.S., relating to assisted living facilities; creates new subsection (13); requires each licensed ALF to implement a program to offer immunizations against influenza viruses to all residents aged 65 or older in accordance with certain recommendations.

Section 2: Amends s. 1003.22(10), F.S., relating to school-entry health examinations; creates new paragraph (c); requires district school board and private school governing authorities to provide every student's parent specified information about meningococcal disease in accordance with DOH recommendations; requires DOH to adopt rules consistent with recommendations of ACIP; requires district school boards and private school governing authorities to determine means and methods for providing information to students' parent.

Section 3: Provides an effective date of July 1, 2005.

### **II. FISCAL ANALYSIS & ECONOMIC IMPACT STATEMENT**

### A. FISCAL IMPACT ON STATE GOVERNMENT:

1. Revenues:

None.

2. Expenditures:

### B. FISCAL IMPACT ON LOCAL GOVERNMENTS:

1. Revenues:

None.

2. Expenditures:

## **Meningococcal Disease and Immunization**

School districts may incur costs related to the provision of information about meningococcal disease to students' parents.

### C. DIRECT ECONOMIC IMPACT ON PRIVATE SECTOR:

STORAGE NAME: h1073.ELT.doc PAGE: 5 3/14/2005

### **Immunizations in Assisted Living Facilities**

Assisted living facilities will incur additional costs to design and implement the program required by the bill.

## **Meningococcal Disease and Immunization**

Private school governing authorities may incur costs related to the provision of information about meningococcal disease to students' parents.

### D. FISCAL COMMENTS:

None

### III. COMMENTS

### A. CONSTITUTIONAL ISSUES:

1. Applicability of Municipality/County Mandates Provision:

The bill does not appear to require a city or county to expend funds or to take any action requiring the expenditure of funds.

2. Other:

None.

### **B. RULE-MAKING AUTHORITY:**

### **Meningococcal Disease and Immunization**

The bill requires DOH to adopt rules specifying the age or grade level of students to receive the information regarding meningococcal disease consistent with recommendations of the CDC.

### C. DRAFTING ISSUES OR OTHER COMMENTS:

## Immunizations in Assisted Living Facilities

It is suggested that Section 1 of the bill relating to immunizations in ALF be amended to clarify the following points:

- Is the program to offer immunizations voluntary on the part of the ALF?
- Is participation in the program voluntary on the part of the ALF resident?
- May each ALF develop its own program?
- Is the Agency for Health Care Administration (AHCA), the agency which regulates ALF, required to: put in place standards for the programs; make any determination about the programs put in place by the ALF; determine compliance with the statutory requirements; or take disciplinary action for failure to comply with the requirement?
- Is the "responsible practitioner" [line 32] intended to refer to the person running the program for the ALF or the resident's personal physician?

## **Meningococcal Disease and Immunization**

Lines 54-65: It is unclear whether DOH is required to adopt rules addressing the causes, symptoms. etc. of meningococcal disease and its associated vaccine, or merely to make that information available to schools outside of rulemaking.

STORAGE NAME: h1073.ELT.doc PAGE: 6 3/14/2005

# IV. AMENDMENTS/COMMITTEE SUBSTITUTE & COMBINED BILL CHANGES

 STORAGE NAME:
 h1073.ELT.doc
 PAGE: 7

 DATE:
 3/14/2005