

Bill No. CS for CS for CS for SB 442

Barcode 842538

CHAMBER ACTION

Senate

House

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31

.
. .
. .
. .
. .
. .

The Committee on Government Efficiency Appropriations
(Haridopolos) recommended the following **amendment to amendment**
(155634):

Senate Amendment (with title amendment)

On page 75, between lines 26 and 27,

insert:

Section 49. The Florida Building Commission shall
amend the Florida Building Code, 2004 edition, to allow use of
enclosed and unenclosed areas under mezzanines for the purpose
of calculating the permissible size of mezzanines in
sprinklered S2 occupancies of Type III construction. The
permissible use, as conditioned in this section, of enclosed
and unenclosed space under mezzanines for the purpose of
calculating mezzanine size shall be retroactive to the
effective date of the 2001 Florida Building Code.

(Redesignate subsequent sections.)

Bill No. CS for CS for CS for SB 442

Barcode 842538

1 ===== T I T L E A M E N D M E N T =====

2 And the title is amended as follows:

3 On page 83, line 9, after the semicolon,

4

5 insert:

6 providing that the Florida Building Commission

7 amend certain provisions of the Florida

8 Building Code relating to mezzanine size and

9 use;

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31