21-770-05

1	A bill to be entitled
2	An act relating to electrical and alarm system
3	contracting; amending s. 489.503, F.S.;
4	requiring certain contractors to be certified
5	pursuant to part II of ch. 489, F.S.; providing
6	that an employee of the producer or
7	manufacturer of a personal emergency response
8	system is exempt from part II of ch. 489, F.S.;
9	amending s. 489.505, F.S.; revising
10	definitions; amending s. 489.513, F.S.;
11	providing eligibility requirements for
12	registering with the Department of Business and
13	Professional Regulation as an electrical
14	contractor or alarm system contractor; amending
15	s. 489.529, F.S.; requiring a central
16	monitoring station to employ call-verification
17	methods under certain circumstances; amending
18	s. 489.530, F.S.; exempting a fire alarm system
19	from the requirement that it have a device that
20	automatically terminates its audible signal
21	after a certain period; amending s. 489.537,
22	F.S.; providing that certain alarm system
23	contractors and electrical contractors may not
24	be required by a municipality or county to
25	obtain additional certification or meet
26	additional licensure requirements; providing an
27	effective date.
28	
29	Be It Enacted by the Legislature of the State of Florida:
30	
31	

Section 1. Sections (14) and (15) of section 489.503, 2 Florida Statutes, are amended to read: 3 489.503 Exemptions. -- This part does not apply to: 4 (14)(a) The installation of, repair of, alteration of, addition to, or design of electrical wiring, fixtures, 5 appliances, thermostats, apparatus, raceways, and conduit, or any part thereof, when those items are for the purpose of 8 transmitting data, voice communications, or commands as part of a cable television, community antenna television, or radio 9 distribution system. The scope of this exemption is limited to 10 electrical circuits and equipment governed by the applicable 11 12 provisions of Articles 725 (Classes 2 and 3 circuits only), 13 770, 800, 810, and 820 of the National Electrical Code, current edition, or 47 C.F.R. part 68. 14 (b) The installation of, repair of, alteration of, 15 addition to, or design of electrical wiring, fixtures, 16 appliances, thermostats, apparatus, raceways, and conduit, or any part thereof, when those items are for the purpose of 18 transmitting data, voice communications, or commands as part 19 of a system of telecommunications, including computers, 20 21 telephone customer premises equipment, or premises wiring. The 22 scope of this exemption is limited to electrical circuits and 23 equipment governed by the applicable provisions of Articles 725 (Classes 2 and 3 circuits only), 770, 800, 810, and 820 of 2.4 the National Electrical Code, current edition, or 47 C.F.R. 25 part 68. A company certified under chapter 364 is not 26 27 subject to any local ordinance that requires a permit for work performed by its employees related to low voltage electrical 29 work, including related technical codes and regulations. 30 exemption in this paragraph shall apply only if such work is requested by the company's customer, is required in order to

13

14

15

16

18

19

2021

22

23

2.4

complete phone service, is incidental to provision of 2 telecommunication service as required by chapter 364, and is not the subject of a competitive bid. The definition of 3 "employee" established in subsection (1) applies to this 4 exemption and does not include subcontractors. Contractors 5 performing work in accordance with the applicable provisions 7 of Articles 725 (Classes 2 and 3 circuits only), 770, 800, 810, and 820 of the National Electrical Code, current edition, 8 or 47 C.F.R. part 68 who are not certified under chapter 364 9 10 must be certified pursuant to this part.

- (15) The provision, installation, testing, routine maintenance, factory-servicing, or monitoring of a personal emergency response system, as defined in s. 489.505, by an authorized person who:
- (a) Is an employee of, or a volunteer supervised by an employee of, a health care facility licensed by the Agency for Health Care Administration;
- (b) Performs services for the Department of Elderly Affairs;
- (c) Performs services for the Department of Children and Family Services under chapter 410; or
- (d) Is an employee of or an authorized representative or distributor for the producer or manufacturer of the personal emergency response system being monitored.
- 25 Section 2. Subsections (2), (7), (25), (27), and (28) 26 of section 489.505, Florida Statutes, are amended to read:
- 27 489.505 Definitions.--As used in this part:
- (2) "Alarm system contractor" means a person whose business includes the execution of contracts requiring the ability, experience, science, knowledge, and skill to lay out, fabricate, install, maintain, alter, repair, monitor, inspect,

11 12

13

14

15

16 17

18

19

2021

22

23

2.4

2526

27

2.8

29

30

- replace, or service alarm systems for compensation, including, but not limited to, all types of alarm systems for all purposes. This term also means any person, firm, or 3 corporation that engages in the business of alarm contracting 4 under an expressed or implied contract; that undertakes, 5 6 offers to undertake, purports to have the capacity to 7 undertake, or submits a bid to engage in the business of alarm 8 contracting; or that does itself or by or through others engage in the business of alarm contracting. 9
 - (a) "Alarm system contractor I" means an alarm system contractor whose business includes all types of alarm systems for all purposes.
 - (b) "Alarm system contractor II" means an alarm system contractor whose business includes all types of alarm systems other than fire, for all purposes, except as herein provided.
 - (7) "Certified alarm system contractor" means an alarm system contractor who possesses a certificate of competency issued by the department. The scope of certification is limited to alarm circuits originating in the alarm control panel and equipment governed by the applicable provisions of Articles 725, 760, 770, 800, and 810 of the National Electrical Code, Current Edition, and National Fire Protection Association Standard 72, Current Edition. The scope of certification for alarm system contractors also includes the installation, repair, fabrication, erection, alteration, addition, inspection, monitoring, or design of electrical wiring, fixtures, appliances, thermostats, apparatus, raceways, and conduit, or any part thereof not to exceed 98 volts (RMS) 77 volts, when those items are for the purpose of transmitting data or proprietary video (satellite systems that are not part of a community antenna television or radio

3

4

5

6

7

8

9

10

11 12

13

14

15

16 17

18

19

2021

22

23

2.4

2.5

2627

distribution system) or providing central vacuum capability or electric locks; however, this provision governing the scope of certification does not create any mandatory licensure requirement.

- (25) "Burglar alarm system agent" means a person:
- (a) Who is employed by a licensed alarm system contractor or licensed electrical contractor;
- (b) Who is performing duties which are an element of an activity which constitutes alarm system contracting requiring licensure under this part; and
- (c) Whose specific duties include any of the following: altering, installing, maintaining, moving, repairing, replacing, servicing, inspecting, selling onsite, or monitoring an intrusion or burglar alarm system for compensation.
- electronic signals, originating from any structure building within the state or outside the state, regardless of whether those signals are relayed through a jurisdiction outside the state, where such signals are, produced by any security, medical, fire, or burglar alarm, closed circuit television camera, access-control system, or related or similar protective system and are intended by design to initiate a response thereto. A person shall not have committed the act of monitoring if:
- (a) The person is an occupant of, or an employee working within, protected premises;
- 28 (b) The person initiates emergency action in response 29 to hearing or observing an alarm signal;
- 30 (c) The person's action is incidental to his or her 31 primary responsibilities; and

1	(d) The person is not employed in a proprietary
2	monitoring facility, as defined by the National Fire
3	Protection Association pursuant to rule adopted under chapter
4	633.
5	(28) "Fire alarm system agent" means a person:
6	(a) Who is employed by a licensed fire alarm
7	contractor or certified unlimited electrical contractor;
8	(b) Who is performing duties which are an element of
9	an activity that constitutes fire alarm system contracting
10	requiring certification under this part; and
11	(c) Whose specific duties include any of the
12	following: altering, installing, maintaining, moving,
13	repairing, replacing, servicing, selling onsite, or monitoring
14	a fire alarm system for compensation.
15	Section 3. Subsection (1) of section 489.513, Florida
16	Statutes, is amended to read:
17	489.513 Registration; application; requirements
18	(1) Any person engaged in the business of contracting
19	in the state shall be registered in the proper classification $\overline{}$
20	unless he or she is certified. Any person desiring to be a
21	registered contractor shall apply to the department for
22	registration and must:-
23	(a) Be at least 18 years old;
24	(b) Be of good moral character; and
25	(c) Meet eligibility requirements according to the
26	following criteria:
27	1. As used in this subsection, the term "good moral
28	character" means a personal history of honesty, fairness, and
29	respect for the rights of others and for state and federal
3.0	law

1	2. The board may determine that an individual applying
2	for registration is ineligible due to failure to satisfy the
3	requirement of good moral character only if:
4	a. There is a substantial connection between the lack
5	of good moral character of the individual and the professional
6	responsibilities of a registered contractor; and
7	b. The finding by the board of lack of good moral
8	character is supported by clear and convincing evidence.
9	3. When an individual is found to be unqualified
10	because of lack of good moral character, the board must
11	furnish such individual a statement containing the findings of
12	the board, a complete record of evidence upon which the
13	determination was based, and a notice of the rights of the
14	individual to a rehearing and an appeal.
15	Section 4. Section 489.529, Florida Statutes, is
16	amended to read:
17	489.529 Alarm verification calls requiredAll
18	residential or commercial intrusion/burglary alarms that have
19	central monitoring must have a central monitoring verification
20	call made to the premises generating the alarm signal, prior
21	to alarm monitor personnel contacting a law enforcement agency
22	for alarm dispatch. The central monitoring station must employ
23	call-verification methods for the premises generating the
24	alarm signal if the first call is not answered. However, if
25	the intrusion/burglary alarms have properly operating visual
26	or auditory sensors that enable the monitoring personnel to
27	verify the alarm signal, verification calling is not required.
28	Section 5. Section 489.530, Florida Statutes, is
29	amended to read:
30	489.530 Audible alarmsEvery audible alarm system
31	installed by a licensed contractor shall have a device to

automatically terminate the audible signal within 15 minutes 2 of activation. A fire alarm system, whether installed voluntarily or as a requirement of an adopted code, which 3 employs an audible fire signal, is exempt as required by such 4 5 code. 6 Section 6. Paragraph (a) of subsection (3) of section 489.537, Florida Statutes, is amended to read: 8 489.537 Application of this part.--9 (3) Nothing in this act limits the power of a municipality or county: 10 (a) To regulate the quality and character of work 11 12 performed by contractors through a system of permits, fees, 13 and inspections which is designed to secure compliance with, and aid in the implementation of, state and local building 14 laws or to enforce other local laws for the protection of the 15 16 public health and safety. However, a certified alarm system contractor or certified electrical contractor is not subject 18 to any additional certification or licensure requirements that are not required by this part. 19 2.0 Section 7. This act shall take effect July 1, 2005. 21 22 23 SENATE SUMMARY 2.4 Requires certain contractors to be certified. Provides that an employee of a producer or manufacturer of a 25 personal emergency response system is exempt from certification requirements. Provides eligibility requirements for registering with the Department of 26 Business and Professional Regulation as an electrical contractor or alarm system contractor. Requires a central monitoring station to employ call-verification methods 27 2.8 under certain circumstances. Exempts a fire alarm system from the requirement that it have a device that 29 automatically terminates its audible alarm signal after a certain amount of time. Provides that certain alarm system contractors and electrical contractors are not 30 subject to additional local licensure requirements.