CS for CS for SB 1946, 2nd Engrossed

ENROLLED 2008 Legislature

20081946er

1 2 An act relating to motor vehicles; amending s. 316.515, 3 F.S.; revising restrictions on use of certain agriculturerelated vehicles; providing for exemptions from width and 4 5 height limitations for certain farming or agricultural 6 equipment; providing conditions for use of such equipment; 7 authorizing certain movements without an overwidth permit 8 from the Department of Transportation; providing lighting 9 requirements for certain overwidth equipment; providing an 10 effective date. 11 12 Be It Enacted by the Legislature of the State of Florida: 13 14 Section 1. Subsection (5) of section 316.515, Florida Statutes, is amended to read: 15 Maximum width, height, length.--16 316.515 17 IMPLEMENTS OF HUSBANDRY AND FARM EQUIPMENT; (5)AGRICULTURAL TRAILERS; FORESTRY EQUIPMENT; SAFETY REQUIREMENTS.--18 19 Notwithstanding any other provisions of law, straight (a) trucks, agricultural tractors, and cotton module movers, not 20 21 exceeding 50 feet in length, or any combination of up to and 22 including three implements of husbandry, including the towing 23 power unit, and any single agricultural trailer with a load 24 thereon or any agricultural implements attached to a towing power 25 unit not exceeding 130 inches in width, or a self-propelled 26 agricultural implement or an agricultural tractor not exceeding 130 inches in width, is authorized for the purpose of 27 28 transporting peanuts, grains, soybeans, cotton, hay, straw, or 29 other perishable farm products from their point of production to

Page 1 of 3

CODING: Words stricken are deletions; words underlined are additions.

CS for CS for SB 1946, 2nd Engrossed

20081946er

the first point of change of custody or of long-term storage, and 30 31 for the purpose of returning to such point of production, or for 32 the purpose of moving such tractors, movers, and implements from one point of agricultural production to another, by a person 33 34 engaged in the production of any such product or custom hauler, if such vehicle or combination of vehicles otherwise complies 35 with this section. The Department of Transportation may issue 36 37 overwidth permits for implements of husbandry greater than 130 38 inches, but not more than 170 inches, in width. The Department of 39 Transportation may issue overlength permits for cotton module movers greater than 50 feet but not more than 55 feet in overall 40 41 length. Such vehicles shall be operated in accordance with all 42 safety requirements prescribed by law and rules of the Department 43 of Transportation.

44 Notwithstanding any other provision of law, equipment (b) 45 not exceeding 136 inches in width and not capable of speeds 46 exceeding 20 miles per hour which is used exclusively for 47 harvesting forestry products is authorized for the purpose of transporting equipment from one point of harvest to another point 48 49 of harvest, not to exceed 10 miles, by a person engaged in the 50 harvesting of forestry products. Such vehicles must be operated 51 during daylight hours only, in accordance with all safety requirements prescribed by s. 316.2295(5) and (6). 52

53 (c) The width and height limitations of this section do not 54 apply to farming or agricultural equipment, whether self-55 propelled, pulled, or hauled, when temporarily operated during 56 daylight hours upon a public road that is not a limited access 57 facility as defined in s. 334.03(13), and the width and height 58 limitations may be exceeded by such equipment without a permit.

Page 2 of 3

CODING: Words stricken are deletions; words underlined are additions.

20081946er

59	To be eligible for this exemption, the equipment shall be
60	operated within a radius of 50 miles of the real property owned,
61	rented, or leased by the equipment owner. However, equipment
62	being delivered by a dealer to a purchaser is not subject to the
63	50-mile limitation. Farming or agricultural equipment greater
64	than 174 inches in width must have one warning lamp mounted on
65	each side of the equipment to denote the width and must have a
66	slow-moving vehicle sign. Warning lamps required by this
67	paragraph must be visible from the front and rear of the vehicle
68	and must be visible from a distance of at least 1,000 feet.
69	(d) The operator of equipment operated under this
70	subsection is responsible for verifying that the route used has
71	adequate clearance for the equipment.
72	Section 2. This act shall take effect July 1, 2008.