Florida Senate - 2008

Bill No. CS for CS for CS for SB 2016



CHAMBER ACTION

| Senate | | House | |
|-------------------|---|-------|--|
| | | | |
| | | | |
| Floor: 2/AD/2R | | | |
| 4/23/2008 4:37 PM | • | | |

| Senator | Aronberg | moved | the | following | substitute | for | amendment |
|----------|----------|-------|-----|-----------|------------|-----|-----------|
| (256358) | : | | | | | | |

Senate Amendment (with title amendment)

Between line(s) 321 and 322

insert:

1 2

3

4

5

6

| 7 | (c) Each toilet facility located on the premises of the |
|----|---|
| 8 | public food service establishment must be completely enclosed and |
| 9 | provided with a tight-fitting, self-closing door or have |
| 10 | entrances and exits constructed in such a manner as to ensure the |
| 11 | privacy of occupants. Such door may not be left open except |
| 12 | during cleaning or maintenance. |
| 13 | (d) Toilet facilities that are used by patrons must be |
| 14 | situated so that a patron does not pass through food-preparation |
| 15 | or utensil-washing areas. |
| 16 | (e) Toilet fixtures must be cleanable. |

(e) Toilet fixtures must be cleanable.

Bill No. CS for CS for CS for SB 2016



| 17 | (f) Toilet facilities, including rooms and fixtures, must |
|----|---|
| 18 | be kept clean and in good repair. |
| 19 | (g) The floors must be made of a nonabsorbent material and |
| 20 | be kept clean. |
| 21 | (h) Receptacles must be provided for waste material and |
| 22 | such receptacles must contain a trash-can liner and must be |
| 23 | covered. Receptacles must be emptied as necessary to prevent |
| 24 | excessive accumulation of waste material. |
| 25 | (i) A supply of hand-cleansing, antibacterial soap or |
| 26 | detergent must be available in each toilet facility, and running |
| 27 | water must be available at each hand-washing sink within a toilet |
| 28 | facility. A supply of sanitary towels or a hand-drying device |
| 29 | providing heated air must be located in each toilet facility. |
| 30 | Running water must be available at each hand-washing sink within |
| 31 | a toilet facility, and hand-washing sinks that have an automatic |
| 32 | shut-off must run for a minimum of 15 seconds. Hand-washing |
| 33 | sinks, soap dispensers, hand-drying devices, and all related |
| 34 | fixtures must be kept clean and in good repair. |
| 35 | (j) A supply of toilet tissue must be provided in each |
| 36 | toilet stall. |
| 37 | (k) Each toilet facility must be lighted and ventilated. |
| 38 | (1) A sign or poster that notifies food service employees |
| 39 | to wash their hands must be provided at each hand-washing sink |
| 40 | used by public food service employees and must be clearly visible |
| 41 | to the food service employees. |
| 42 | |
| 43 | ====================================== |
| 44 | And the title is amended as follows: |
| 45 | On line(s) 33, after the semicolon, |
| 46 | insert: |
| I | Page 2 of 3 |
| | 4/23/2008 4:38:00 PM 27-08488-08 |

Florida Senate - 2008

SENATOR AMENDMENT

Bill No. CS for CS for CS for SB 2016



47 providing the minimum sanitation standards for toilet 48 facilities in food service establishments;