Florida Senate - 2012 Bill No. CS for SB 1316

143642

LEGISLATIVE ACTION

Senate	•	House
Comm: RCS	•	
02/29/2012		
	•	
	•	

•

The Committee on Budget Subcommittee on Health and Human Services Appropriations (Gaetz) recommended the following:

Senate Amendment

Delete lines 1453 - 1484

and insert:

1 2 3

4

5

6

7

12

(3) In addition to the formulary of topical ocular

pharmaceutical agents in subsection (2), a statutory formulary of oral pharmaceutical agents is established, which includes the

8 <u>following agents:</u>

9 (a) The following analgesics, or their generic or 10 therapeutic equivalents, which may not be administered or

11 prescribed for more than 72 hours:

1. Tramadol hydrochloride.

Page 1 of 3

Florida Senate - 2012 Bill No. CS for SB 1316



are administered or prescribed, the certified optometrists must immediately notify the patient's primary care physician or a physician licensed under chapter 458 or chapter 459 who is skilled in diseases of the eye. (b) The following antibiotics, or their generic or therapeutic equivalents: 1. Amoxicillin. 2. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 (b) The following antivirals, or their generic or 11 therapeutic equivalents: 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or 11 Acyclovir. 33 3. Valacyclovir. 34 3. Valacyclovir. 35 9. Valacyclovir. 36 9. Valacyclovir. 37 1. Acetazolamide.	13	2. Acetaminophen 300 mg with No. 3 codeine phosphate 30 mg.
are administered or prescribed, the certified optometrists must immediately notify the patient's primary care physician or a physician licensed under chapter 458 or chapter 459 who is skilled in diseases of the eye. (b) The following antibiotics, or their generic or therapeutic equivalents: 1 2 1. Amoxicillin. 23 24. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 7. Minocycline. 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or therapeutic equivalents: 31 1. Acyclovir. 32 23. Valacyclovir. 33 34. Valacyclovir. 35. Question or therapeutic equivalents, which may not be 36. administered or prescribed for more than 72 hours: 37 1. Acetazolamide.	14	
<pre>immediately notify the patient's primary care physician or a physician licensed under chapter 458 or chapter 459 who is skilled in diseases of the eye. (b) The following antibiotics, or their generic or therapeutic equivalents: 1 Amoxicillin. 2 1. Amoxicillin. 2 2. Azithromycin. 2 3. Ciproflaxacin. 2 4. Dicloxacillin. 2 5. Doxycycline. 2 6. Keflex. 2 7. Minocycline. 2 9. (c) The following antivirals, or their generic or 2 1. Acyclovir. 3 3. Valacyclovir. 3 4. (d) The following oral anti-glaucoma agents, or their 3 5. generic or therapeutic equivalents, which may not be 3 6. administered or prescribed for more than 72 hours: 3 1. Acetazolamide.</pre>	15	If any of the oral analgesic agents set forth in this paragraph
18 physician licensed under chapter 458 or chapter 459 who is 19 skilled in diseases of the eye. 20 (b) The following antibiotics, or their generic or 21 therapeutic equivalents: 22 1. Amoxicillin. 23 2. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 5. Doxycycline. 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or 30 therapeutic equivalents: 31 1. Acyclovir. 32 2. Famciclovir. 33 3. Valacyclovir. 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 1. Acetazolamide.	16	are administered or prescribed, the certified optometrists must
19 skilled in diseases of the eye. 20 (b) The following antibiotics, or their generic or 21 therapeutic equivalents: 22 1. Amoxicillin. 23 2. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 5. Doxycycline. 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or 30 therapeutic equivalents: 31 1. Acyclovir. 32 2. Famciclovir. 33 3. Valacyclovir. 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 1. Acetazolamide.	17	immediately notify the patient's primary care physician or a
20(b) The following antibiotics, or their generic or21therapeutic equivalents:221. Amoxicillin.232. Azithromycin.243. Ciproflaxacin.254. Dicloxacillin.265. Doxycycline.276. Keflex.287. Minocycline.29(c) The following antivirals, or their generic or30therapeutic equivalents:311. Acyclovir.322. Famciclovir.333. Valacyclovir.34(d) The following oral anti-glaucoma agents, or their35generic or therapeutic equivalents, which may not be36administered or prescribed for more than 72 hours:371. Acetazolamide.	18	physician licensed under chapter 458 or chapter 459 who is
1 therapeutic equivalents: 1 Amoxicillin. 2 1. Amoxicillin. 2 2. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 5. Doxycycline. 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or 30 therapeutic equivalents: 31 1. Acyclovir. 32 2. Famciclovir. 33 3. Valacyclovir. 34 (d) The following oral anti-glaucoma agents, or their 36 administered or prescribed for more than 72 hours: 37 1. Acetazolamide.	19	skilled in diseases of the eye.
22 1. Amoxicillin. 23 2. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 5. Doxycycline. 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or 30 therapeutic equivalents: 31 1. Acyclovir. 32 2. Famciclovir. 33 3. Valacyclovir. 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 1. Acetazolamide.	20	(b) The following antibiotics, or their generic or
 23 2. Azithromycin. 24 3. Ciproflaxacin. 25 4. Dicloxacillin. 26 5. Doxycycline. 27 6. Keflex. 28 7. Minocycline. 29 (c) The following antivirals, or their generic or 30 therapeutic equivalents: 31 1. Acyclovir. 32 2. Famciclovir. 33 3. Valacyclovir. 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 1. Acetazolamide. 	21	therapeutic equivalents:
 24 <u>3. Ciproflaxacin.</u> 25 <u>4. Dicloxacillin.</u> 26 <u>5. Doxycycline.</u> 27 <u>6. Keflex.</u> 28 <u>7. Minocycline.</u> 29 (c) The following antivirals, or their generic or 30 <u>therapeutic equivalents:</u> 31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u> 	22	1. Amoxicillin.
 4. Dicloxacillin. 5. Doxycycline. 6. Keflex. 7. Minocycline. (c) The following antivirals, or their generic or (c) The following antivirals, or their generic or (c) The following antivirals. 1. Acyclovir. 2. Famciclovir. 3. Valacyclovir. (d) The following oral anti-glaucoma agents, or their generic or therapeutic equivalents, which may not be administered or prescribed for more than 72 hours: 1. Acetazolamide. 	23	2. Azithromycin.
26 <u>5. Doxycycline.</u> 27 <u>6. Keflex.</u> 28 <u>7. Minocycline.</u> 29 (c) The following antivirals, or their generic or 30 <u>therapeutic equivalents:</u> 31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 (d) The following oral anti-glaucoma agents, or their 35 <u>generic or therapeutic equivalents, which may not be</u> 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u>	24	3. Ciproflaxacin.
 27 <u>6. Keflex.</u> 28 <u>7. Minocycline.</u> 29 <u>(c) The following antivirals, or their generic or</u> 30 <u>therapeutic equivalents:</u> 31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 <u>(d) The following oral anti-glaucoma agents, or their</u> 35 <u>generic or therapeutic equivalents, which may not be</u> 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u> 	25	4. Dicloxacillin.
28 7. Minocycline. (c) The following antivirals, or their generic or therapeutic equivalents: 30 <u>therapeutic equivalents:</u> 31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 (d) The following oral anti-glaucoma agents, or their 35 <u>generic or therapeutic equivalents, which may not be</u> 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u>	26	5. Doxycycline.
29 (c) The following antivirals, or their generic or 30 therapeutic equivalents: 31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 <u>1. Acetazolamide.</u>	27	6. Keflex.
<pre>30 <u>therapeutic equivalents:</u> 31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 <u>(d) The following oral anti-glaucoma agents, or their</u> 35 <u>generic or therapeutic equivalents, which may not be</u> 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u></pre>	28	7. Minocycline.
31 <u>1. Acyclovir.</u> 32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 <u>(d) The following oral anti-glaucoma agents, or their</u> 35 <u>generic or therapeutic equivalents, which may not be</u> 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u>	29	(c) The following antivirals, or their generic or
32 <u>2. Famciclovir.</u> 33 <u>3. Valacyclovir.</u> 34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 <u>1. Acetazolamide.</u>	30	therapeutic equivalents:
33 <u>3. Valacyclovir.</u> 34 <u>(d) The following oral anti-glaucoma agents, or their</u> 35 <u>generic or therapeutic equivalents, which may not be</u> 36 <u>administered or prescribed for more than 72 hours:</u> 37 <u>1. Acetazolamide.</u>	31	1. Acyclovir.
34 (d) The following oral anti-glaucoma agents, or their 35 generic or therapeutic equivalents, which may not be 36 administered or prescribed for more than 72 hours: 37 <u>1. Acetazolamide.</u>	32	2. Famciclovir.
35 generic or therapeutic equivalents, which may not be administered or prescribed for more than 72 hours: 1. Acetazolamide.	33	3. Valacyclovir.
<pre>36 administered or prescribed for more than 72 hours: 37 <u>1. Acetazolamide.</u></pre>	34	(d) The following oral anti-glaucoma agents, or their
37 <u>1. Acetazolamide.</u>	35	generic or therapeutic equivalents, which may not be
	36	administered or prescribed for more than 72 hours:
38 2. Methazolamide.	37	1. Acetazolamide.
	38	2. Methazolamide.
39	39	
40 If any of the oral anti-glaucoma agents set forth in this	40	If any of the oral anti-glaucoma agents set forth in this
41 paragraph are administered or prescribed, the certified	41	paragraph are administered or prescribed, the certified

Florida Senate - 2012 Bill No. CS for SB 1316



- 42 optometrist must immediately notify the patient's primary care
- 43 physician or a physician licensed under chapter 458 or chapter
- 44 459 who is skilled in diseases of the eye.