

Amendment No. 6

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	<u> </u>	(Y/N)
ADOPTED AS AMENDED	<u> </u>	(Y/N)
ADOPTED W/O OBJECTION	<u> </u>	(Y/N)
FAILED TO ADOPT	<u> </u>	(Y/N)
WITHDRAWN	<u> </u>	(Y/N)
OTHER	<u> </u>	

1 Committee/Subcommittee hearing bill: Regulatory Affairs
 2 Committee

3 Representative Eagle offered the following:

4
 5 **Amendment (with title amendment)**

6 Between lines 159 and 160, insert:

7 Section 6. Subsection (15) of section 553.73, Florida
 8 Statutes, is amended to read:

9 553.73 Florida Building Code.—

10 (15) An agency or local government may not require that
 11 existing mechanical equipment located on or above the surface of
 12 a roof be installed in compliance with the requirements of the
 13 Florida Building Code except when ~~until~~ the equipment is being
 14 replaced or moved during reroofing, and the equipment is not in
 15 compliance with the provisions of the Florida Building Code
 16 pertaining to roof mounted mechanical units ~~required to be~~
 17 removed or replaced.

Amendment No. 6

18
19
20
21
22
23
24
25
26
27
28
29
30

T I T L E A M E N D M E N T

Remove line 14 and insert:

obsolete language; amending s.553.73, F.S.; providing
circumstances for requiring existing mechanical equipment to be
installed in compliance with the provisions of the Florida
Building Code; amending s. 553.775, F.S.;