

Amendment No. 10

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	—	(Y/N)
ADOPTED AS AMENDED	—	(Y/N)
ADOPTED W/O OBJECTION	—	(Y/N)
FAILED TO ADOPT	—	(Y/N)
WITHDRAWN	—	(Y/N)
OTHER	—	

1 Committee/Subcommittee hearing bill: Regulatory Affairs
 2 Committee

3 Representative Eagle offered the following:
 4

5 **Amendment (with title amendment)**

6 Between lines 478 and 479, insert:

7 Section 11. Subsection (1) of section 633.212, Florida
 8 Statutes, is amended to read:

9 633.212 Legislative intent; informal interpretations of
 10 the Florida Fire Prevention Code.—It is the intent of the
 11 Legislature that the Florida Fire Prevention Code be interpreted
 12 by fire officials and local enforcement agencies in a manner
 13 that reasonably and cost-effectively protects the public safety,
 14 health, and welfare; ensures uniform interpretations throughout
 15 this state; and provides just and expeditious processes for
 16 resolving disputes regarding such interpretations. It is the
 17 further intent of the Legislature that such processes provide

Amendment No. 10

18 for the expeditious resolution of the issues presented and that
19 the resulting interpretation of such issues be published on the
20 website of the division.

21 (1) The division shall by rule establish an informal
22 process of rendering nonbinding interpretations of the Florida
23 Fire Prevention Code. The division may contract with and refer
24 interpretive issues to a third party, selected based upon cost
25 effectiveness, quality of services to be performed, and other
26 performance-based criteria, which has experience in interpreting
27 and enforcing the Florida Fire Prevention Code. It is the intent
28 of the Legislature that the division establish a Fire Code
29 Interpretation Committee composed of seven persons and seven
30 alternates, equally representing each area of the state, to
31 which a party can pose questions regarding the interpretation of
32 the Florida Fire Prevention Code provisions. The alternate
33 member may respond to a nonbinding interpretation if the member
34 ~~notifies the Fire Code Interpretation Committee that he or she~~
35 is unable to respond.

36

37

38

39

40

41

T I T L E A M E N D M E N T

Remove line 38 and insert:

COMMITTEE/SUBCOMMITTEE AMENDMENT

Bill No. CS/CS/HB 593 (2014)

Amendment No. 10

42 construction; providing for oversight; amending s. 633.212,
43 F.S.; deleting a requirement for notification to the Fire Code
44 Interpretation Committee; providing an