

Amendment No. 5

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	<u> </u>	(Y/N)
ADOPTED AS AMENDED	<u> </u>	(Y/N)
ADOPTED W/O OBJECTION	<u> </u>	(Y/N)
FAILED TO ADOPT	<u> </u>	(Y/N)
WITHDRAWN	<u> </u>	(Y/N)
OTHER	<u> </u>	

1 Committee/Subcommittee hearing bill: Regulatory Affairs
 2 Committee

3 Representative Eagle offered the following:

4
 5 **Amendment (with title amendment)**

6 Between lines 159 and 160, insert:

7 Section 6. Subsections (12), (13), (14), (15), (16), and
 8 (17) of section 553.73, Florida Statutes, are renumbered as
 9 subsections (13), (14), (15), (16), (17), and (18),
 10 respectively, and subsection (12) is added to that section, to
 11 read:

12 553.73 Florida Building Code.—

13 (12) For range hood exhaust systems in a single-family
 14 dwelling, makeup air shall only be required for range hood
 15 exhaust systems capable of exhausting in excess of 800 cubic
 16 feet per minute (cfm).
 17

Amendment No. 5

18
19
20
21
22
23
24
25
26
27

T I T L E A M E N D M E N T

Remove line 14 and insert:

obsolete language; amending s. 553.73, F.S.; providing for
makeup air requirements for a single-family dwelling under
certain circumstances; amending s. 553.775, F.S.;