1 A bill to be entitled 2 An act relating to the Village of Estero, Lee County; 3 amending chapter 2014-249, Laws of Florida; revising 4 district boundaries; revising boundaries of district 5 1; providing an effective date. 6 7 Be It Enacted by the Legislature of the State of Florida: 8 9 Section 1. Section 3 of chapter 2014-249, Laws of Florida, 10 is amended to read: 11 Section 3. Corporate boundaries.—The territorial 12 boundaries of the Village of Estero upon the date of 13 incorporation shall include the following areas situated in Lee 14 County: 15 In Township 46 South, Range 24 East, those portions of Sections 25 and 36 lying east of the 16 17 waters of Estero Bay. In Township 46 South, Range 25 East, those 18 19 portions of Section 31 lying east of the waters of 20 Estero Bay. 21 In Township 46 South, Range 25 East, the Southwest 22 Quarter (SW-1/4) of Section 22 and All of Sections 21, 25, 26, 27, 28, 29, 30, 32, 33, 34, 35 and 36. 23 24 In Township 46 South, Range 26 East, those 25 portions of Sections 19 and 20 lying south of the

Page 1 of 52

26	south right-of-way line of Corkscrew Road and all of
27	Sections 29, 30, 31 and 32.
28	E. In Township 47 South, Range 25 East, those
29	portions of Sections 2 and 11 lying west of the west
30	right-of-way line of Interstate 75 (State Road No. 93)
31	and all of Sections 3, 4, 9 and 10.
32	F. In Township 47 South, Range 25 East, the Northwest
33	Quarter of (NW-1/4) of Section 5, the Northeast
34	Quarter of (NE-1/4) of Section 5 and a parcel of land
35	lying in the Southeast Quarter (SE- $1/4$) of Section 5
36	as described in Deed Book 244, page 138, public
37	records of Lee County, Florida.
38	G. That portion of Section 6, Township 47 South,
39	Range 25 East lying within a parcel of land as
40	described in Official Records Book 1924, page 2148,
41	public records of Lee County, Florida and the plat of
42	West Bay Club as recorded in Plat Book 62, page 79,
43	public records of Lee County, Florida.
44	H. That portion of Section 7, Township 47 South,
45	Range 25 East lying within a parcel of land as
46	described in Instrument Number 2013000044684, public
47	records of Lee County, Florida.
48	I. In Township 47 South, Range 25 East, All of
49	Section 8.
50	LESS AND EXCEPT:
1	

Page 2 of 52

51 The East Half (E-1/2) of the Northwest Quarter (NW-52 1/4) and the West Half (W-1/2) of the West Half (W-53 1/2) of the Northeast Quarter (NE-1/4) of Section 8, 54 Township 47 South, Range 25 East, less the south 40 55 feet for the Coconut Road Right-of-way. 56 ALSO LESS AND EXCEPT: The West Half (W-1/2) of the Northwest Quarter (NW-57 58 1/4) of Section 8, Township 47 South, Range 25 East. ALSO LESS AND EXCEPT: 59 60 That portion of Coconut Road lying in the West Half (W-1/2) of the Southwest Quarter (SW-1/4) of Section 61 62 8, Township 47 South, Range 25 East. 63 ALSO LESS AND EXCEPT: 64 The following parcel located within the corporate 65 limits of the City of Bonita Springs: Being a portion of land located in Section 8, Township 66 67 47 South, Range 25 East, Lee County, Florida, more particularly described as follows: 68 69 Commence at the southwest corner of the Coconut Road 70 Right-of-way as shown on the specific purpose survey 71 prepared by Johnson Engineering, inc. dated December 72 15, 1999 with a project number of 19991898; thence run 73 along the south line of said right-of-way South 74 89°43'06" East, for a distance of 45.84 feet, to the 75 Point of Beginning of the parcel of land herein 76 described; thence continue along said south line South

Page 3 of 52

77	89°43'06" East, for a distance of 904.21 feet to the
78	intersection of the extension of the west line of Via
79	Veneto right-of-way as recorded in Official Records
80	Book 4408, page 470 of the public records of Lee
81	County, Florida and said south line of Coconut Road;
82	thence run along the westerly line of said right-of-
83	way and extension thereof for the following four (4)
84	courses and distances:
85	1. South 00°17'49" West, for a distance of 47.01
86	feet;
87	2. thence run South 74°36'33" East, for a distance of
88	58.19 feet;
89	3. thence run South 50°54'15" East, for a distance of
90	143.04 feet;
91	4. thence run South 00°11'43" West, for a distance of
92	82.19 feet to a point on the Westerly line of parcel 5
93	of those lands recorded in Instrument Number
94	2009000192836 of said public records; thence run along
95	said westerly line for the following eight (8) courses
96	and distances:
97	1. North 89°47'57" West, for a distance of 34.12
98	feet;
99	2. thence run South 63°30'43" West, for a distance of
100	230.57 feet;
101	3. thence run South 47°26'14" West, for a distance of

Page 4 of 52

CODING: Words stricken are deletions; words underlined are additions.

466.86 feet;

102

thence run South 41°35'17" West, for a distance of 103 104 46.90 feet to a point on a circular curve concave 105 northwest, whose radius point bears North 48°24'38" West, a distance of 100.00 feet therefrom; 106 5. thence run southwesterly along the arc of said 107 108 curve to the right, having a radius of 100.00 feet, through a central angle of 28°01'16", subtended by a 109 110 chord of 48.42 feet at a bearing of South 55°36'00" West, for an arc length of 48.91 feet to a point on a 111 112 circular curve concave southeast, whose radius point bears South 20°23'12" East, a distance of 105.00 feet 113 therefrom; 114 115 thence run southwesterly along the arc of said 116 curve to the left, having a radius of 105.00 feet, through a central angle of 54°28'46", subtended by a 117 chord of 96.12 feet at a bearing of South 42°22'25" 118 119 West, for an arc length of 99.84 feet to a point on a 120 circular curve concave northwest, whose radius point bears North 74°51'54" West, a distance of 100.00 feet 121 122 therefrom; 123 7. thence run southwesterly along the arc of said 124 curve to the right, having a radius of 100.00 feet, through a central angle of 14°44'34", subtended by a 125 126 chord of 25.66 feet at a bearing of South 22°30'23" West, for an arc length of 25.73 feet to the end of 127 128 said curve;

Page 5 of 52

129	8. thence run South 29°52'39" West, for a distance of
130	22.93 feet; thence run North 34°45'41" West, for a
131	distance of 134.67 feet; thence run North 53°03'31"
132	West, for a distance of 119.51 feet; thence run North
133	19°08'07" West, for a distance of 117.09 feet; thence
134	run North 41°42'16" West, for a distance of 86.54
135	feet; thence run North 00°49'46" West, for a distance
136	of 150.18 feet; thence run North 50°28'56" West, for a
137	distance of 47.03 feet; thence run North 20°07'09"
138	West, for a distance of 19.34 feet; thence run North
139	34°54'03" West, for a distance of 30.82 feet; thence
140	run North 23°07'05" East, for a distance of 44.14
141	feet; thence run North 28°21'44" West, for a distance
142	of 88.04 feet; thence run North 39°18'43" East, for a
143	distance of 25.46 feet; thence run North 07°41'43"
144	East, for a distance of 98.70 feet; thence run North
145	10°04'01" West, for a distance of 18.32 feet to the
146	Point of Beginning.
147	Containing 12.26 acres, more or less.
148	ALSO LESS AND EXCEPT:
149	The following parcel located within the corporate
150	limits of the City of Bonita Springs:
151	A parcel of land located in Section 7 and 8, Township
152	47 South, Range 25 East, Lee County, Florida being
153	more particularly described as follows:

Page 6 of 52

154

155

156

157

158

159

160

161

162

163

164

165

166

167168

169

170

171

172

173

174

175

176

177

178

179

Commence at the East Quarter corner of Section 7, Township 47 South, Range 25 East, Lee county, Florida; thence along the east line of said Section 7, South 00°50'02" East, a distance of 25.00 feet to a point on the south right-of-way line of Coconut Road, the same being the Point of Beginning of the parcel of land herein described; thence run along said south line, South 89°43'21" East, a distance of 45.84 feet; thence South 10°04'01" East, a distance of 18.32 feet; thence South 07°41'43" West, a distance of 98.70 feet; thence South 39°18'43" West, a distance of 25.46 feet; thence South 28°21'44" East, a distance of 88.04 feet; thence South 23°07'05" West, a distance of 44.14 feet; thence South 34°54'03" East, a distance of 30.82 feet; thence South 20°07'09" East, a distance of 19.34 feet; thence South 50°28'56" East, a distance of 47.03 feet; thence South 00°49'46" East, a distance of 150.18 feet; thence South 41°42'16" East, a distance of 86.54 feet to a point on the boundary line of Conservation Easement Number 14, recorded in Official Records Book 3094, page 3234, public records of Lee County, Florida; thence along said boundary, South 75°38'07" West, a distance of 112.79 feet to a point on the boundary of a Conservation Easement recorded in Official Records Book 4283, page 3774, public records of Lee County, Florida; thence follow along the

Page 7 of 52

```
180
          boundary of said Conservation Easement to the
181
          intersection of the south line of Section 8, Township
182
          47 South, Range 25 East, Lee County, Florida, for the
          following courses and distances, South 13°27'24" West,
183
          a distance of 68.12 feet; thence South 38°25'26" West,
184
185
          a distance of 13.31 feet; thence South 22°41'02" East,
          a distance of 9.38 feet; thence South 14°12'53" West,
186
          a distance of 28.04 feet; thence North 83°09'35" East,
187
          a distance of 75.71 feet; thence South 17°31'04" West,
188
          a distance of 24.03 feet; thence South 01°58'43" West,
189
          a distance of 35.44 feet; thence South 80°03'12" East,
190
          a distance of 25.81 feet; thence South 76°58'32" East,
191
192
          a distance of 32.43 feet; thence South 58°26'34" East,
          a distance of 32.79 feet; thence South 50°42'32" East,
193
194
          a distance of 25.83 feet; thence South 06°30'32" West,
          a distance of 20.53 feet; thence South 34°00'38" West,
195
196
          a distance of 22.57 feet; thence South 86°51'04" West,
          a distance of 39.79 feet; thence North 71°44'14" West,
197
          a distance of 18.15 feet; thence North 79°21'50" West,
198
          a distance of 24.88 feet; thence North 54°46'17" West,
199
          a distance of 19.72 feet; thence North 70°05'51" West,
200
201
          a distance of 36.50 feet; thence South 14°42'48" West,
          a distance of 28.87 feet; thence South 31°00'38" West,
202
203
          a distance of 25.53 feet; thence South 46°04'37" West,
          a distance of 27.43 feet; thence South 79°48'07" East,
204
          a distance of 48.50 feet; thence South 41°58'46" East,
205
```

Page 8 of 52

```
a distance of 40.98 feet; thence South 42°24'51" East,
206
          a distance of 36.16 feet; thence South 83°34'30" East,
207
208
          a distance of 24.52 feet; thence South 15°52'35" West,
          a distance of 34.51 feet; thence South 59°45'12"
209
210
          a distance of 25.96 feet; thence South 60°07'55" East,
          a distance of 30.22 feet; thence South 28°14'30" East,
211
          a distance of 18.56 feet; thence South 12°04'44"
212
          a distance of 31.95 feet; thence North 82°28'58"
213
            distance of 22.54 feet; thence North 78°36'49" West,
214
          a distance of 29.64 feet; thence North 60°50'08" West,
215
            distance of 22.14 feet; thence South 14°57'51" West,
216
            distance of 38.06 feet; thence South 11°26'36" West,
217
218
            distance of 19.74 feet; thence South 58°07'12" East,
            distance of 25.45 feet; thence South 12°12'57"
219
220
            distance of 22.75 feet; thence South 86°12'55"
            distance of 20.51 feet; thence South 56°23'00"
221
          a distance of 28.55 feet; thence South 41°44'09"
222
223
          a distance of 15.79 feet; thence North 71°14'30"
224
          a distance of 22.95 feet; thence North 67°33'53"
225
          a distance of 23.50 feet; thence South 54°36'26"
          a distance of 44.61 feet; thence North 53°20'16"
226
227
          a distance of 28.47 feet; thence North 35°50'04"
            distance of 42.22 feet; thence North 41°43'16"
228
229
            distance of 24.56 feet; thence North 82°15'02"
            distance of 13.75 feet; thence South 58°55'16"
230
          a distance of 31.96 feet; thence South 22°08'04" West,
231
```

Page 9 of 52

```
a distance of 21.15 feet; thence South 40°59'54" East,
232
          a distance of 20.68 feet; thence South 47°19'30" East,
233
234
          a distance of 50.06 feet; thence South 03°17'09" East,
          a distance of 19.29 feet; thence South 39°41'04"
235
          a distance of 35.54 feet; thence South 00°32'00" West,
236
237
          a distance of 23.73 feet; thence South 36°13'51" West,
          a distance of 33.30 feet; thence South 26°54'16" West,
238
          a distance of 22.25 feet; thence South 21°50'28"
239
            distance of 36.79 feet; thence South 63°28'06" West,
240
            distance of 28.23 feet; thence South 25°24'38" West,
241
            distance of 13.47 feet; thence South 42°37'08" West,
242
            distance of 36.84 feet; thence South 19°49'02"
243
244
            distance of 36.20 feet; thence South 48°17'57"
            distance of 25.07 feet; thence South 48°46'20"
245
246
            distance of 23.96 feet; thence South 07°18'24"
            distance of 39.41 feet; thence South 61°42'17"
247
248
          a distance of 63.96 feet; thence South 19°30'39"
          a distance of 37.00 feet; thence South 07°11'44"
249
250
          a distance of 30.87 feet; thence South 57°48'34"
251
          a distance of 26.54 feet; thence South 39°49'37"
          a distance of 51.91 feet; thence South 33°12'43"
252
253
          a distance of 21.35 feet; thence South 09°34'48"
            distance of 44.74 feet; thence South 20°48'56"
254
255
            distance of 48.32 feet; thence South 24°55'57"
            distance of 41.90 feet; thence South 02°45'31" East,
256
257
          a distance of 35.63 feet; thence South 33°18'17" East,
```

Page 10 of 52

```
a distance of 34.45 feet; thence South 08°14'15" West,
258
          a distance of 43.31 feet; thence South 19°59'58" East,
259
          a distance of 78.22 feet; thence South 27°23'35" East,
260
          a distance of 37.53 feet; thence South 37°39'35" West,
261
          a distance of 40.08 feet; thence South 01°14'30" East,
262
          a distance of 20.37 feet; thence South 71°18'06" West,
263
          a distance of 15.08 feet; thence South 57°59'14" West,
264
          a distance of 26.21 feet; thence South 27°10'02"
265
            distance of 44.00 feet; thence South 34°26'29"
266
            distance of 51.64 feet; thence South 12°11'33" East,
267
          a distance of 38.89 feet; thence South 31°00'48" East,
268
            distance of 40.10 feet; thence South 05°32'22"
269
270
            distance of 52.47 feet; thence South 14°06'44" West,
            distance of 27.92 feet; thence South 18°32'06" West,
271
272
            distance of 38.27 feet; thence North 86°57'32"
            distance of 15.90 feet; thence North 67°34'27"
273
          a distance of 25.47 feet; thence South 12°39'01"
274
          a distance of 39.36 feet; thence South 84°33'25"
275
276
          a distance of 27.45 feet; thence South 47°36'58"
277
          a distance of 27.94 feet; thence South 34°56'23"
          a distance of 26.07 feet; thence North 89°13'57"
278
279
          a distance of 45.10 feet; thence South 16°15'58"
            distance of 49.58 feet; thence South 12°23'09"
280
281
            distance of 35.75 feet; thence South 05°37'35"
            distance of 67.77 feet; thence South 17°34'05" West,
282
          a distance of 40.65 feet; thence South 45°08'32"
283
```

Page 11 of 52

284

285

286

287

288289

290

291

292

293294

295

296

297

298

299

300 301

302

303

304

305

306

307

308

309

a distance of 43.24 feet; thence South 07°58'04" East, a distance of 16.70 feet to a point on the south line of aforementioned Section 8; thence along said south line, North 89°52'21" West, a distance of 34.61 feet to a the southeast corner of said Section 7; thence along the south line of said Section 7, North 89°52'21" West, a distance of 2,276 feet more of less to the water of the Estero Bay; thence northerly along said waters, a distance of 4,498 feet, more or less; thence North 89°13'27" East, a distance of 742 feet more or less to a point on the boundary of the lands described in Official Records Book 3052, page 1859, public records of Lee County, Florida; thence along the boundary of said lands for the following three (3) calls: 1) South 00°46'33" East, a distance of 650.00 feet; 2) thence North 89°13'27" East, a distance of 1,107.21 feet; 3) thence North 00°50'02" West, a distance of 625.00 feet to the Point of Beginning. Containing 110.89 acres, more or less. AND INCLUDING: J.A. In Township 46 South, Range 25 East, that portion of the Southwest Quarter (SW-1/4) of Section 23 lying west of the west right-of-way line of Interstate 75 (State Road No. 93). K.B. In Township 46 South, Range 25 East, that portion of the Southeast Quarter (SE-1/4) of Section 20 lying

Page 12 of 52

310 south of the north line of a parcel of land described in Instrument Number 2012000146389, public records of 311 312 Lee County, Florida and northeast of the northeast 313 right-of-way line of US 41 - Tamiami Trail (State Road 314 No. 45). 315 L.C. That portion of a Tract or Parcel of land lying in Sections 20, Township 46, South, Range 25 East, 316 317 which Tract or Parcel is more particularly described 318 as follows: 319 Beginning at the Southeast corner of said Section 20 320 and run Westerly along the south line of said Section 321 20 for 660 feet to the Easterly boundary of lands 322 described in deed recorded in Deed Book 217, at Page 323 367, of the Public Records of Lee County; thence run 324 Northerly along said Easterly boundary, parallel with the East line of said Section 21 for 995.91 feet to 325 326 the Southwesterly corner of lands described in deed 327 recorded in Deed Book 295, at Page 505 of said Public 328 Records, thence run Easterly along the Southerly 329 boundary of said lands and an Easterly prolongation 330 thereof, parallel with the south line of said Section 331 21 for 498.56 feet; thence deflect 35°25'00" left and 332 run Northeasterly, perpendicular to the centerline of 333 the Tamiami Trail (State Road 45) for 126.84 feet to a 334 Point on the Southwesterly line (68 feet from said 335 centerline) of said Tamiami Trail thence run

Page 13 of 52

Southeasterly along said Southwesterly line for 100.00

336

337

338

339

340341

342

343

344

345

346

347348

349350

351

352353

354

355

356

357

358

359

360

361

feet to a concrete monument on the line common to said sections 20 and 21, thence continue Southeasterly along said Southwesterly line of said Tamiami Trail for 315.24 feet to a concrete monument; thence deflect 126°13' to the right and run Westerly, perpendicular to said line common to said Sections 20 and 21 for 186.26 feet to a point on said section line; thence run Southerly along said section line for 733.59 feet to the Point of Beginning. AND INCLUDING: M. A tract or parcel of land lying in the Southeast quarter of the Southeast quarter of Section 20, Township 46, Range 25 East, Lee County, Florida, which Tract or Parcel is described as follows: From the concrete monument marking the Southeast corner of said Section 20, run S 88°30'00" W, along the South line of said Section for 660.0 feet to a concrete monument; thence run N 0°42'00" W, parallel with the East line of said Section 995.91 feet to a concrete monument; thence run N 88°30'00" E, parallel with said South line for 498.56 feet to a concrete monument, thence run N 53°05'00" E, for 23.96 feet to concrete monument and the point of beginning. From said point of beginning run N 38°56'00" W for 286.25 feet to a steel pin, thence run N 17°25'50" E, for

Page 14 of 52

362	62.04 feet to a concrete monument marking the
363	intersection with the southerly line of Pine Road,
364	thence run N 88°39'20" E, along southerly line,
365	parallel with and 25 feet (as measured on a
366	perpendicular) Southerly from the North line of said
367	fraction of a Section for 76.95 feet to an
368	intersection with the southwesterly line (68 feet from
369	the center line) of the Tamiami Trail (State Road No.
370	45); thence run S 36°55'00" E., along said
371	Southwesterly line for 277.49 feet to a concrete
372	monument, thence run S 53°05'00" W, perpendicular to
373	said southwesterly line for 102.88 feet to the Point
374	of Beginning.
375	ALSO LESS AND EXCEPT:
376	Lot 5, PELICAN LANDING UNIT TWENTY-SEVEN, as recorded
377	at Plat Book 61, pages 8 and 9 of the Public Records
378	of Lee County.
379	Lot 1 and 2, PELICAN LANDING UNIT TWENTY-FIVE, as
380	recorded at Plat Book 58, pages 83 and 84 of the
381	Public Records of Lee County.
382	LOTS 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 20,
383	21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33 <u>,</u>
384	37, 38, 39, 40, 41, 44, 45, 46, 47, 48, 50, and 51 of
385	the Plat of The Sanctuary at Pelican Landing as
386	recorded in Plat Book 60 pages 20-22 of the Official
387	Records of Lee County.

Page 15 of 52

388	LOTS 1, 2, 3, 4, 9, 10, 11, 12, 13, 14, 16, 30, 31,
389	32, 33, 34, and 35 of The Plat of Pelican Landing Unit
390	22 as Recorded in Plat Book 58, Pages 17-21 of the
391	Official Records of Lee County, Florida.
392	Tracts "B" and "C" (including vacated road right-of-
393	way) shown in the plat of PELICAN LANDING UNIT TWENTY-
394	FOUR, as recorded at Plat Book 58, page 71, the Public
395	Records of Lee County, Florida, along with a parcel of
396	land located in the Southeast 4 corner of Section 9,
397	Township 47 South, Range 25 East, Lee County, Florida,
398	more particularly described on Exhibit A-1, attached
399	to Lee County Official Records Instrument Number
400	201000058343.
401	LOTS 1, 2, 3, 18, 19, 20, 21 and 22 OF THE PLAT OF
402	HERON COVE AT PELICAN LANDING AS RECORDED IN PLAT BOOK
403	57, PAGE 59 OF THE OFFICIAL RECORDS OF LEE COUNTY,
404	FLORIDA;
405	LOTS 1, 2, and 13, OF THE PLAT OF HERON GLEN AT
406	PELICAN LANDING AS RECORDED IN PLAT BOOK 59, PAGE 52
407	OF THE OFFICIAL RECORDS OF LEE COUNTY, FLORIDA;
408	LOT 1, 3, and 4, BLOCK B OF THE PLAT OF PELICAN
409	LANDING UNIT TEN AS RECORDED IN PLAT BOOK 53, PAGE 30
410	OF THE OFFICIAL RECORDS OF LEE COUNTY, FLORIDA;
411	Pelican Landing Landscape Buffer Site as described in
412	instrument #2010000058343 of the Official Records of
413	Lee County.

Page 16 of 52

CODING: Words $\frac{\text{stricken}}{\text{stricken}}$ are deletions; words $\frac{\text{underlined}}{\text{ore}}$ are additions.

414 Section 2. Paragraph (a) of subsection (3) of section 9 of chapter 2014-249, Laws of Florida, is amended to read: 415 416 Section 9. Nominations and elections.-417 COUNCIL DISTRICTS; REDISTRICTING.-There shall be seven village council districts. The 418 419 districts shall be as roughly equal in permanent population as 420 practicable according to the population figures available from 421 the most recent Lee County population estimate determined by the 422 decennial United States Census. Legal descriptions for the 423 village council districts located within the boundary of the 424 Village of Estero are as follows: 425 DISTRICT 1 426 Commencing at the Northwest section corner of Section 427 29, Township 46 South, Range 25 East, also being the 428 Point of Beginning (State Plane Coordinate X=709367.49 429 Y = 768888.62);thence run North 88°50'15" East, for a distance of 430 431 2641.85 feet; thence run North 88°24'49" East, for a distance of 432 433 1988.08 feet; 434 thence run North 89°51'10" East, for a distance of 435 30.25 feet to the approximate center line of 436 Breckenridge Drive; 437 thence run southwesterly along the arc a curve to the 438 right having a radius of 247 feet, through a central

Page 17 of 52

439	angle of 44°53'57" with a chord bearing of South
440	22°4'49" West;
441	thence run southwesterly along the arc a curve to the
442	left having a radius of 2583.18 feet, through a
443	central angle of $4°3'41"$ with a chord bearing of South
444	45°15′53″ West;
445	thence run southeasterly along the arc a curve to the
446	left having a radius of 253.24 feet, through a central
447	angle of 92°49'6" with a chord bearing of South
448	5°54'52" East;
449	thence run southeasterly along the arc a curve to the
450	right having a radius of 285.56 feet, through a
451	central angle of 90°12′56″ with a chord bearing of
452	South 17°41'1" East;
453	thence run South 34°18'15" West, for a distance of
454	119.36
455	thence run southwesterly along the arc a curve to the
456	left having a radius of 398.15 feet, through a central
457	angle of 53°44'15" with a chord bearing of South
458	3°40'29" West;
459	thence run southeasterly along the arc a curve to the
460	right having a radius of 268.84 feet, through a
461	central angle of 59°51'35" with a chord bearing of
462	South 0°50'50" East;
463	thence run southwesterly along the arc a curve to the
464	left having a radius of 1447.11 feet, through a

Page 18 of 52

465	central angle of 7°18'53" with a chord bearing of
466	South 23°38'42" West;
467	thence run southeasterly along the arc a curve to the
468	left having a radius of 377.67 feet, through a central
469	angle of 79°49'18" with a chord bearing of South
470	23°55′38″ East;
471	thence run southeasterly along the arc a curve to the
472	right having a radius of 119.37 feet, through a
473	central angle of 67°28'31" with a chord bearing of
474	South 27°35'15" East;
475	thence run South 0°59'11" East, for a distance of
476	115.22 feet to the approximate centerline of Boadway
477	Way also being the north line of the south half of
478	Section 29, Township 46 South, Range 25 East;
479	thence run South 89°1'50" West, for a distance of
480	3551.72 feet to the approximate centerline of the FPL
481	ROW;
482	thence run South 21°36'8" East, for a distance of
483	2384.1 feet to the approximate centerline of the
484	Estero River;
485	thence following the approximate center line of the
486	Estero River for 1599.59 feet to a point lying 1328.56
487	feet South 76°37'13" West of the point of intersection
488	of the FPL ROW and the Estero River to the
489	approximate center line of Halfway Creek;

Page 19 of 52

490 thence following the approximate center line of the 491 Halfway Creek for 9365.33 feet to a point lying 492 5640.75 feet South 15°19'02" East of the point of intersection of the center lines of the Estero River 493 and Halfway Creek to the approximate centerline of 494 495 Williams Road also being the north line of Section 05, 496 Township 45 South, Range 25 East; thence run North 88°32'36" East, for a distance of 497 3052.76 feet to the approximate centerline of 498 499 Tropicana Avenue; thence run South 0°15'48" East, for a distance of 500 501 2675.32 feet to the approximate centerline of an FPL 502 easement; thence run South 21°9'37" East, for a distance of 503 504 5754.36 feet to the approximately centerline of 505 Coconut Road also being the north line of the south 506 half of Section 09, Township 47 South, Range 25 East; thence run North 89°54'43" East, for a distance of 507 508 1415.44 feet to the approximate center line of US 41; 509 thence run South 0°37'40" East, for a distance of 642.06 feet; 510 511 Thence run southeasterly along the arc a curve to the 512 left having a radius of 4625.18 feet, through a 513 central angle of 12°3'37" with a chord bearing of South 5°7'30 " East; 514

Page 20 of 52

015	thence run South 9°39'59" East, for a distance of
516	1007.52 feet to the south line of Section 09, Township
517	47 South, Range 25 East also being the north boundary
518	of the City of Bonita Springs;
519	thence following said municipal boundary, run South
520	88°56'15" West, for a distance of 802.51 feet;
521	thence run South 89°0'41" West, for a distance of
522	2677.09 feet;
523	thence run North 89°52'21" West, for a distance of
524	2558.77 feet;
525	thence run North 89°52'22" West, for a distance of
526	2524.15 feet to a point on the east line of a
527	conservation easement recorded in Official Records
528	Book 4283 Page 3774, Public Records of Lee County
529	Florida;
530	thence following said boundary for the following 102
531	courses and distances:
532	1. run North 7°58'04" West, for a distance of 16.70
533	feet;
534	2. thence run North 45°8'32" West, for a distance of
535	43.24 feet;
536	3. thence run North 17°34'5" East, for a distance of
537	40.65 feet;
538	4. thence run North 5°37'35" West, for a distance of
539	67.77 feet;

Page 21 of 52

540	5. thence run North 12°23′9″ East, for a distance of
541	35.75 feet;
542	6. thence run North 16°15′58″ West, for a distance of
543	49.58 feet;
544	7. thence run South 89°13′57″ West, for a distance of
545	45.10 feet;
546	8. thence run North 34°56′23″ West, for a distance of
547	26.07 feet;
548	9. thence run North 47°36′58″ East, for a distance of
549	27.94 feet;
550	10. thence run North 84°33′25″ East, for a distance
551	of 27.45 feet;
552	11. thence run North 12°39'1" West, for a distance of
553	39.36 feet;
554	12. thence run South 67°34′27″ West, for a distance
555	of 25.47 feet;
556	13. thence run South 86°57′32″ West, for a distance
557	of 15.9 feet;
558	14. thence run North 18°32′6″ East, for a distance of
559	38.27 feet;
560	15. thence run North 14°6′44″ East, for a distance of
561	27.92 feet;
562	16. thence run North 5°32′22″ West, for a distance of
563	52.47 feet;
564	17. thence run North 31°0'48" West, for a distance of
565	40.1 feet;

Page 22 of 52

566	18. thence run North 12°11'33" West, for a distance
567	of 38.89 feet;
568	19. thence run North 34°26'29" West, for a distance
569	of 51.64 feet;
570	20. thence run North 27°10'2" East, for a distance of
571	44 feet;
572	21. thence run North 57°59'14" East, for a distance
573	of 26.21 feet;
574	22. thence run North 71°18′6″ East, for a distance of
575	15.08 feet;
576	23. thence run North 1°14′30″ West, for a distance of
577	20.37 feet;
578	24. thence run North 37°39′36″ East, for a distance
579	of 40.08 feet;
580	25. thence run North 27°23′35″ West, for a distance
581	of 37.53 feet;
582	26. thence run North 19°59′58″ West, for a distance
583	of 78.22 feet;
584	27. thence run North 8°14'15" East, for a distance of
585	43.31 feet;
586	28. thence run North 33°18'17" West, for a distance
587	of 34.45 feet;
588	29. thence run North 2°45'31" West, for a distance of
589	35.63 feet;
590	30. thence run North 24°55′57″ East, for a distance
591	of 41.9 feet;

Page 23 of 52

592	31. thence run North 20°48′56″ West, for a distance
593	of 48.32 feet;
594	32. thence run North 9°34'48" East, for a distance of
595	44.74 feet;
596	33. thence run North 33°12′43″ East, for a distance
597	of 21.35 feet;
598	34. thence run North 39°49'37" East, for a distance
599	of 51.91 feet;
600	35. thence run North 57°48′34″ East, for a distance
601	of 26.54 feet;
602	36. thence run North 7°11'44" West, for a distance of
603	30.87 feet;
604	37. thence run North 19°30'39" West, for a distance
605	of 37 feet;
606	38. thence run North 61°42'17" West, for a distance
607	of 63.96 feet;
608	39. thence run North 7°18'24" West, for a distance of
609	39.41 feet;
610	40. thence run North 48°46'20" West, for a distance
611	of 23.96 feet;
612	41. thence run North 48°17'57" East, for a distance
613	of 25.07 feet;
614	42. thence run North 19°49'2" East, for a distance of
615	36.2 feet;
616	43. thence run North 42°37'8" East, for a distance of
617	36.84 feet;

Page 24 of 52

618	44. thence run North 25°24'38" East, for a distance
619	of 13.47 feet;
620	45. thence run North 63°28'6" East, for a distance of
621	28.23 feet;
622	46. thence run North 21°50'28" East, for a distance
623	of 36.79 feet;
624	47. thence run North 26°54'16" East, for a distance
625	of 22.25 feet;
626	48. thence run North 36°13'51" East, for a distance
627	of 33.3 feet;
628	49. thence run North $0^{\circ}32'0"$ East, for a distance of
629	23.73 feet;
630	50. thence run North 39°41'4" West, for a distance of
631	35.54 feet;
632	51. thence run North 3°17'09" West, for a distance of
633	19.29 feet;
634	52. thence run North 47°19'30" West, for a distance
635	of 50.06 feet;
636	53. thence run North 40°59'54" West, for a distance
637	of 20.68 feet;
638	54. thence run North 22°8'4" East, for a distance of
639	21.15 feet;
640	55. thence run North 58°55'16" East, for a distance
641	of 31.96 feet;
642	56. thence run South 82°15'2" East, for a distance of
643	13.75 feet;

Page 25 of 52

644	57. thence run South 41°43'16" West, for a distance
645	of 24.56 feet;
646	58. thence run South 35°50'4" East, for a distance of
647	42.22 feet;
648	59. thence run South 53°20'16" East, for a distance
649	of 28.47 feet;
650	60. thence run North 54°36'26" East, for a distance
651	of 44.61 feet;
652	61. thence run South 67°33′53″ East, for a distance
653	of 23.5 feet;
654	62. thence run South 71°14′30″ East, for a distance
655	of 22.95 feet;
656	63. thence run North 41°44'9" East, for a distance of
657	15.79 feet;
658	64. thence run North 56°23'0" West, for a distance of
659	28.55 feet;
660	65. thence run North 86°12′55″ West, for a distance
661	of 20.51 feet;
662	66. thence run North 12°12'57" West, for a distance
663	of 22.75 feet;
664	67. thence run North 58°7'12" West, for a distance of
665	25.45 feet;
666	68. thence run North 11°26'36" East, for a distance
667	of 19.74 feet;
668	69. thence run North 14°57'51" East, for a distance
669	of 38.06 feet;

Page 26 of 52

670	70. thence run South 60°50'8" East, for a distance of
671	22.14 feet;
672	71. thence run South 78°36'49" East, for a distance
673	of 29.64 feet;
674	72. thence run South 82°28′58″ East, for a distance
675	of 22.54 feet;
676	73. thence run North 12°4'44" East, for a distance of
677	31.95 feet;
678	74. thence run North 28°14′30″ West, for a distance
679	of 18.56 feet;
680	75. thence run North 60°7'55" West, for a distance of
681	30.22 feet;
682	76. thence run North 59°45'12" West, for a distance
683	of 25.96 feet;
684	77. thence run North 15°52'35" East, for a distance
685	of 34.51 feet;
686	78. thence run North 83°34′30″ West, for a distance
687	of 24.52 feet;
688	79. thence run North 42°24'51" West, for a distance
689	of 36.16 feet;
690	80. thence run North 41°58'46" West, for a distance
691	of 40.98 feet;
692	81. thence run North 79°48′7″ West, for a distance of
693	48.5 feet;
694	82. thence run North 46°4'37" East, for a distance of
695	27.43 feet;

Page 27 of 52

696	83. thence run North 31°0'38" East, for a distance of
697	25.53 feet;
698	84. thence run North 14°42'48" East, for a distance
699	of 28.87 feet;
700	85. thence run South $70°5'51"$ East, for a distance of
701	36.5 feet;
702	86. thence run South 54°46'17" East, for a distance
703	of 19.72 feet;
704	87. thence run South 79°21′50″ East, for a distance
705	of 24.88 feet;
706	88. thence run South 71°44′14″ East, for a distance
707	of 18.15 feet;
708	89. thence run North 86°51'4" East, for a distance of
709	39.79 feet;
710	90. thence run North 34°0'38" East, for a distance of
711	22.57 feet;
712	91. thence run North 6°30'32" East, for a distance of
713	20.53 feet;
714	92. thence run North 50°42'32" West, for a distance
715	of 25.83 feet;
716	93. thence run North 58°26'34" West, for a distance
717	of 32.79 feet;
718	94. thence run South 76°58'32" West, for a distance
719	of 32.43 feet;
720	95. thence run North 80°3'12" West, for a distance of
721	25.81 feet;
1	

Page 28 of 52

722	96. thence run North 1°58'43" East, for a distance of
723	35.44 feet;
724	97. thence run North 17°31'4" East, for a distance of
725	24.03 feet;
726	98. thence run South 83°9'35" West, for a distance of
727	75.71 feet;
728	99. thence run North 14°12′53″ East, for a distance
729	of 28.04 feet;
730	100. thence run North 22°41'2" West, for a distance
731	of 9.38 feet;
732	101. thence run North 38°25'26" East, for a distance
733	of 13.31 feet;
734	102. thence run North 13°27'24" East, for a distance
735	of 68.12 feet to the northwest corner of Conservation
736	Easement number 14, recorded in Official Records Book
737	3094, Page 3234, Public Records of Lee County Florida;
738	thence along said boundary for the following four (4)
739	courses and distances:
740	1. run North 75°38'7" East, for a distance of 112.79
741	feet;
742	2. thence run South 19°8'7" East, for a distance of
743	117.08 feet;
744	3. thence run South 53°3'31" East, for a distance of
745	119.51 feet;
746	4. thence run South 34°45'41" East, for a distance of
747	134.67 feet;

Page 29 of 52

CODING: Words $\underline{\text{stricken}}$ are deletions; words $\underline{\text{underlined}}$ are additions.

748	thence run North 29°52'39" East, for a distance of
749	22.93 feet;
750	Thence run northeasterly along the arc a curve to the
751	left having a radius of 99.98 feet, through a central
752	angle of 14°44'42" with a chord bearing of North
753	22°30'22" East;
754	Thence run northeasterly along the arc a curve to the
755	right having a radius of 104.66 feet, through a
756	central angle of $54^{\circ}40'21''$ with a chord bearing of
757	North 42°22'25" East;
758	Thence run northeasterly along the arc a curve to the
759	left having a radius of 99.92 feet, through a central
760	angle of 28°2'33" with a chord bearing of North
761	55°36'0" East;
762	thence run North 41°35'17" East, for a distance of
763	46.9 feet;
764	thence run North 47°26'14" East, for a distance of
765	466.86 feet;
766	thence run North 63°30'43" East, for a distance of
767	230.57 feet;
768	thence run South 89°48'2" East, for a distance of
769	34.12 feet;
770	thence run North 0°11'43" East, for a distance of
771	82.19 feet;
772	thence run North 50°54'15" West, for a distance of
773	143.04 feet;
1	

Page 30 of 52

CODING: Words $\frac{\text{stricken}}{\text{stricken}}$ are deletions; words $\frac{\text{underlined}}{\text{ore}}$ are additions.

774	thence run North 74°36′32″ West, for a distance of
775	58.19 feet;
776	thence run North 0°17′51″ East, for a distance of
777	47.01 feet;
778	thence run North 89°43'6" West, for a distance of
779	904.21 feet;
780	thence run North 89°43'19" West, for a distance of
781	45.84 feet;
782	thence run South 0°50'2" East, for a distance of 625
783	feet;
784	thence run South 89°13'27" West, for a distance of
785	1107.21 feet;
786	thence run North $0^{\circ}46'33"$ West, for a distance of 650
787	feet;
788	thence run South 89°13'28" West, for a distance of
789	9.44 feet;
790	thence run North 0°16′13″ East, for a distance of
791	219.3 feet;
792	thence run North 3°47′55″ West, for a distance of 202
793	feet;
794	thence run South 89°13'6" West, for a distance of
795	75.49 feet;
796	thence run South 81°53'4" West, for a distance of
797	115.98 feet;
798	thence run North 0°54'46" West, for a distance of
799	42.12 feet;

Page 31 of 52

800	thence run North 78°19'31" East, for a distance of
801	121.8 feet;
802	thence run North 9°17'44" West, for a distance of
803	199.5 feet;
804	thence run South $89^{\circ}5'16"$ West, for a distance of 549
805	feet to the intersection with the water of the Estero
806	Bay;
807	thence following the waters of the Estero Bay for
808	50,680.08 feet to a point lying 20,165.26 feet North
809	19°37'46" West of the point of intersection of the
810	waters of the Estero Bay and the north section line of
811	Section 25, Township 46 South, Range 24 East to the
812	north line of Section 25, Township 46 South, Range 24
	-
813	East;
813	thence run along the north section lines of Section
814	thence run along the north section lines of Section
814 815	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30,
814 815 816	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following
814 815 816 817	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following courses; North 89°32'47" East, for a distance of
814 815 816 817 818	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following courses; North 89°32'47" East, for a distance of 2719.61 feet;
814 815 816 817 818 819	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following courses; North 89°32'47" East, for a distance of 2719.61 feet; thence run South 68°7'41" East, for a distance of
814 815 816 817 818 819	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following courses; North 89°32'47" East, for a distance of 2719.61 feet; thence run South 68°7'41" East, for a distance of 182.45 feet;
814 815 816 817 818 819 820	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following courses; North 89°32'47" East, for a distance of 2719.61 feet; thence run South 68°7'41" East, for a distance of 182.45 feet; thence run South 66°45'23" East, for a distance of
814 815 816 817 818 819 820 821	thence run along the north section lines of Section 25, Township 46 South, Range 24 East and Section 30, Township 46 South, Range 25 East the following courses; North 89°32'47" East, for a distance of 2719.61 feet; thence run South 68°7'41" East, for a distance of 182.45 feet; thence run South 66°45'23" East, for a distance of 2831.06 feet;

Page 32 of 52

CODING: Words $\frac{\text{stricken}}{\text{stricken}}$ are deletions; words $\frac{\text{underlined}}{\text{ore}}$ are additions.

825	LESS AND EXCEPT the properties excluded in section 3
826	and listed as being located within the corporate
827	limits of the City of Bonita Springs, Florida.
828	ALSO LESS AND EXCEPT:
829	The East Half (E-1/2) of the Northwest Quarter (NW-
830	1/4) and the West Half (W $1/2$) of the West Half (W-
831	1/2) of the Northeast Quarter (NE-1/4) of Section 8,
832	Township 47 South, Range 25 East, less the south 40
833	feet for the Coconut Road Right-of-way.
834	District Contains <u>4,080.3</u> 4 ,128.3 Acres More Or Less
835	DISTRICT 2
836	Commencing at the west quarter corner of Section 28,
837	Township 46 South, Range 25 East, also being the Point
838	of Beginning (state plane coordinates X= 714693.75
839	Y=766374.94)
840	thence run North 89°49'35" East, for a distance of
841	3330.54 feet to the approximate center line of US 41;
842	thence run South 1°50'8" East, for a distance of
843	3921.45
844	thence run southwesterly along the arc a curve to the
845	right having a radius of 14466.75 feet, through a
846	central angle of 3°33'47" with a chord bearing of
847	South 3°44'45" West;
848	thence run South 5°9'37" West, for a distance of
849	3075.17 feet;

Page 33 of 52

850	thence run South 4°39'27" West, for a distance of
851	1352.53
852	thence run southeasterly along the arc a curve to the
853	left having a radius of 7063.4 feet, through a central
854	angle of 15°6'59" with a chord bearing of South
855	1°20'18" East;
856	thence run South 6°55'41" East, for a distance of
857	2662.67
858	thence run southeasterly along the arc a curve to the
859	right having a radius of 8613.59 feet, through a
860	central angle of 8°51'44" with a chord bearing of
861	South 3°44'22" East;
862	thence run South 0°37'40" East, for a distance of
863	942.23 feet to the approximately centerline of Coconut
864	Road also being the north line of the south half of
865	Section 09, Township 47 South, Range 25 East;
866	thence run South 89°54'43" West, for a distance of
867	1415.44 feet to the approximate centerline of an FPL
868	easement;
869	thence run North 21°9'37" West, for a distance of
870	5754.36 feet to the approximate centerline of
871	Tropicana Avenue;
872	thence run North 0°15′48″ West, for a distance of
873	2675.32 feet to the approximate centerline of Williams
874	Road also being the north line of Section 05, Township
875	45 South, Range 25 East;

Page 34 of 52

876	thence run South 88°32'36" West, for a distance of
877	3052.76 feet to the approximate center line of Halfway
878	Creek;
879	thence following the approximate center line of the
880	Halfway Creek for 9365.33 feet to a point lying
881	5640.75 feet North 15°19'02" West of the point of
882	intersection of the center lines of the Williams Road
883	and Halfway Creek to the approximate centerline of the
884	Estero River;
885	thence following the approximate center line of the
886	Estero River for 1599.59 feet to a point lying 1328.56
887	feet North 76°37'13" East of the point of intersection
888	of Halfway Creek and the Estero River to the FPL ROW;
889	thence run North 21°36'8" West, for a distance of
890	2384.1 feet to the approximate centerline of Boadway
891	Way also being the north line of the south half of
892	Section 29, Township 46 South, Range 25 East;
893	thence run North 88°55'55" East, for a distance of
894	3183.58 feet;
895	thence run North 89°48'50" East, for a distance of
896	368.19 feet;
897	thence run North 89°48'50" East, for a distance of
898	608.14 feet to the point of beginning.
899	District Contains 1,769.65 Acres More Or Less
900	DISTRICT 3

Page 35 of 52

CODING: Words $\frac{\text{stricken}}{\text{stricken}}$ are deletions; words $\frac{\text{underlined}}{\text{ore}}$ are additions.

901	Commencing at the northeast corner of Section 21,
902	Township 46 South, Range 25 East, also being the Point
903	of Beginning (state plane coordinates X= 714583.39
904	Y=774315.45);
905	thence run along the north section line of Section 21,
906	Township 46 South, Range 25 East, South 88°49'16"
907	East, for a distance of 2649.92 feet;
908	thence run South 89°29'33" East, for a distance of
909	2628.25 feet;
910	thence run South 0°53'55" East, for a distance of
911	2646.15 feet to the north line of the southwest
912	quarter of Section 21, Township 46 South, Range 25
913	East;
914	thence run North 89°15′56″ East, for a distance of
915	2658.71 feet;
916	thence run South 0°38'38" East, for a distance of
917	2574.91 feet;
918	thence run North 88°38'34" East, for a distance of
919	2590.9 feet;
920	thence run North 0°52'40" East, for a distance of
921	2547.76 feet to the north line of the southwest
922	quarter of Section 22, Township 46 South, Range 25
923	East;
924	thence run North 89°16'11" East, for a distance of
925	664.59 feet to the west ROW line of INTERSTATE 75;

Page 36 of 52

926	thence run South 16°27'23" East, for a distance of
927	2671.61 feet to the north line of Section 26, Township
928	46 South, Range 25 East;
929	thence run South 89°44'7" East, for a distance of
930	230.64 feet to the approximate centerline of
931	INTERSTATE 75;
932	thence run South 18°17'40" East, for a distance of
933	1432.27 feet;
934	thence run South 89°51'10" West, for a distance of
935	2038.08 feet to the approximate centerline of Three
936	Oaks Parkway;
937	thence run South 1°18'28" East, for a distance of
938	1272.84 feet to the north line of the south half of
939	Section 26, Township 46 South, Range 25 East;
940	thence run South 89°11'8" West, for a distance of
941	71.58 feet;
942	thence run South 89°11'9" West, for a distance of
943	5263.51 feet;
944	thence run South 89°49'3" West, for a distance of
945	599.42 feet to the approximately centerline of the
946	Seaboard Coast Line Railroad ROW;
947	thence run northwesterly along the arc a curve to the
948	left having a radius of 2968.18 feet, through a
949	central angle of 34°4'42" with a chord bearing of
950	North 17°54'8" West;

Page 37 of 52

951	thence run North 32°1'23" West, for a distance of
952	1191.76 feet to the approximate centerline of Estero
953	Parkway;
954	thence run North 85°53'31" West, for a distance of
955	1260.18 feet;
956	thence run southwesterly along the arc a curve to the
957	left having a radius of 1124.38 feet, through a
958	central angle of 42°53'44" with a chord bearing of
959	South 74°19'14" West;
960	thence run South 52°16'30" West, for a distance of
961	465.33 feet to the approximate centerline of US 41;
962	thence run North 36°48′36″ West, for a distance of
963	1926.3 feet to the west line of Section 21, Township
964	46 South, 25 East;
965	thence run North 0°46'18" West, for a distance of
966	162.01 feet to the east ROW line of US41;
967	thence run North 36°55'0" West, for a distance of
968	806.81 feet;
969	thence run North 89°15′26″ East, for a distance of
970	475.88 feet to the east line of Section 21, Township
971	46 South, 25 East;
972	thence run North 0°46'16" West, for a distance of
973	659.7 feet;
974	thence run North 0°47'43" West, for a distance of
975	2661.71 feet to the point of beginning.
976	District Contains 1286.59 Acres More Or Less

Page 38 of 52

977	DISTRICT 4
978	Commencing at the west quarter corner of Section 28,
979	Township 46 South, Range 25 East, also being the Point
980	of Beginning (state plane coordinates X=714693.75
981	Y=766374.94 feet);
982	thence run North 89°49'35" East, for a distance of
983	3330.54 feet to the approximate center line of US 41;
984	thence run South 1°50'8" East, for a distance of
985	3921.45 feet to the approximate centerline of
986	Corkscrew Road;
987	thence run North 89°46'44" East, for a distance of
988	9317.45
989	thence run northeasterly along the arc a curve to the
990	left having a radius of 3230.33 feet, through a
991	central angle of 26°59'33" with a chord bearing of
992	North 73°48'1" East to the approximate centerline of
993	the INTERSTATE 75 ROW;
994	thence run North 18°17'40" West, for a distance of
995	5079.82 feet;
996	thence run South 89°51'16" West, for a distance of
997	2038.1 feet to the approximate centerline of the Three
998	Oaks Parkway ROW;
999	thence run South 1°18'28" East, for a distance of
1000	1272.84 feet to the north line of the south half of
1001	Section 26, Township 46 South, Range 25 East;

Page 39 of 52

1002	thence run South 89°11'8" West, for a distance of
1003	71.58 feet;
1004	thence run South 89°11'9" West, for a distance of
1005	5263.51 feet;
1006	thence run South 89°49'3" West, for a distance of
1007	599.42 feet to the approximately centerline of the
1008	Seaboard Coast Line Railroad ROW;
1009	thence run northwesterly along the arc a curve to the
1010	left having a radius of 2968.18 feet, through a
1011	central angle of 34°4'42" with a chord bearing of
1012	North 17°54'8" West;
1013	thence run North 32°1'23" West, for a distance of
1014	1191.76 feet to the approximate centerline of Estero
1015	Parkway;
1016	thence run North 85°53'31" West, for a distance of
1017	1260.18 feet;
1018	thence run southwesterly along the arc a curve to the
1019	left having a radius of 1124.38 feet, through a
1020	central angle of 42°53'44" with a chord bearing of
1021	South 74°19'14" West;
1022	thence run South 52°16'30" West, for a distance of
1023	465.33 feet to the approximate centerline of US 41;
1024	thence run North 36°48'36" West, for a distance of
1025	1926.3 feet to the west line of Section 21, Township
1026	46 South, 25 East;

Page 40 of 52

1027	thence run South 0°46'28" East, for a distance of
1028	177.04 feet to the intersection of said section line
1029	the northeast boundary of the Breckenridge
1030	Professional Center;
1031	thence run North 36°54'58" West, for a distance of
1032	97.87 feet;
1033	thence run North 36°55'10" West, for a distance of
1034	277.55 feet;
1035	thence run South 88°39'22" West, for a distance of
1036	76.95 feet;
1037	thence run South 17°23'50" West, for a distance of
1038	62.04 feet;
1039	thence run South 38°56'0" East, for a distance of
1040	286.25 feet;
1041	thence run South 52°56'45" West, for a distance of
1042	23.92 feet;
1043	thence run South 88°30'1" West, for a distance of
1044	498.56 feet;
1045	thence run South 0°41'56" East, for a distance of
1046	995.94 feet;
1047	thence run North 89°50'17" East, for a distance of
1048	30.24 feet to the approximately centerline of
1049	Breckenridge Drive;
1050	thence run southwesterly along the arc a curve to the
1051	right having a radius of 247 feet, through a central

Page 41 of 52

1052	angle of 44°53'57" with a chord bearing of South
1053	22°4'49" West;
1054	thence run southwesterly along the arc a curve to the
1055	left having a radius of 2583.18 feet, through a
1056	central angle of 4°3'41" with a chord bearing of South
1057	45°15′53″ West;
1058	thence run southeasterly along the arc a curve to the
1059	left having a radius of 253.24 feet, through a central
1060	angle of 92°49'6" with a chord bearing of South
1061	5°54'52" East;
1062	thence run southeasterly along the arc a curve to the
1063	right having a radius of 285.56 feet, through a
1064	central angle of 90°12′56″ with a chord bearing of
1065	South 17°41'1" East;
1066	thence run South 34°18'15" West, for a distance of
1067	119.36
1068	thence run southwesterly along the arc a curve to the
1069	left having a radius of 398.15 feet, through a central
1070	angle of 53°44'15" with a chord bearing of South
1071	3°40'29" West;
1072	thence run southeasterly along the arc a curve to the
1073	right having a radius of 268.84 feet, through a
1074	central angle of 59°51'35" with a chord bearing of
1075	South 0°50'50" East;
1076	thence run southwesterly along the arc a curve to the
1077	loft having a radius of 1447 11 foot through a
1077	left having a radius of 1447.11 feet, through a

Page 42 of 52

1078	central angle of $7^{\circ}18'53''$ with a chord bearing of
1079	South 23°38'42" West;
1080	thence run southeasterly along the arc a curve to the
1081	left having a radius of 377.67 feet, through a central
1082	angle of 79°49'18" with a chord bearing of South
1083	23°55'38" East;
1084	thence run southeasterly along the arc a curve to the
1085	right having a radius of 119.37 feet, through a
1086	central angle of $67^{\circ}28'31''$ with a chord bearing of
1087	South 27°35'15" East;
1088	thence run South 0°59'11" East, for a distance of
1089	114.77 feet to the approximate centerline of Boadway
1090	Way also being the north line of the south half of
1091	Section 29, Township 46 South, Range 25 East;
1092	thence run North 89°48'50" East, for a distance of
1093	608.13 feet to the point of beginning.
1094	District Contains 1327.54 Acres More Or Less
1095	DISTRICT 5
1096	Commencing at the southwest corner of Section 36,
1097	Township 46 South, Range 25 East, also being the Point
1098	of Beginning (state plane coordinates X=735937.6
1099	Y=758567.2);
1100	thence following the south section lines of Sections
1101	36, 35, 34, and 33, Township 46 South Range 25 East
1102	for 7 courses: run South 89°21'40" West, for a
1103	distance of 2638.23 feet;

Page 43 of 52

1104	thence run North 88°39'21" West, for a distance of
1105	2631.26 feet;
1106	thence run South 89°50'15" West, for a distance of
1107	2639.64 feet;
1108	thence run South 89°50'34" West, for a distance of
1109	2641.62 feet;
1110	thence run South 89°52'7" West, for a distance of
1111	2639.37 feet;
1112	thence run South 89°51'22" West, for a distance of
1113	2647.56 feet;
1114	thence run South 88°19'39" West, for a distance of
1115	2287.28 feet to the approximate centerline of US 41;
1116	thence run North $5^{\circ}9'37"$ East, for a distance of
1117	3075.17
1118	thence run northeasterly along the arc a curve to the
1119	left having a radius of 14466.75 feet, through a
1120	central angle of $3^{\circ}33'47"$ with a chord bearing of
1121	North 3°44'45" East to the approximate centerline of
1122	Corkscrew Road;
1123	thence run North 89°46'44" East, for a distance of
1124	9317.45
1125	thence run northeasterly along the arc a curve to the
1126	left having a radius of 3230.33 feet, through a
1127	central angle of 26°59'33" with a chord bearing of
1128	North 73°48'1" East to the approximated centerline of
1129	the INTERSTATE 75 ROW;
1	

Page 44 of 52

1130	thence run North 18°17'40" West, for a distance of
1131	5079.82 feet;
1132	thence run North 18°17'40" West, for a distance of
1133	1432.34 feet to the north line of Section 26, Township
1134	46 South, Range 25 East;
1135	thence run South 89°45'8" East, for a distance of
1136	997.08 feet;
1137	thence run South 89°44'35" East, for a distance of
1138	2107.98 feet to the approximate centerline of Ben Hill
1139	Griffin Parkway;
1140	thence run South 0°0'19" West, for a distance of
1141	1064.21
1142	thence run southeasterly along the arc a curve to the
1143	left having a radius of 2214.94 feet, through a
1144	central angle of 23°23'51" with a chord bearing of
1145	South 16°20'0" East;
1146	thence run South 31°40'32" East, for a distance of
1147	719.1
1148	thence run southeasterly along the arc a curve to the
1149	right having a radius of 2223.22 feet, through a
1150	central angle of 26°27'22" with a chord bearing of
1151	South 22°6'3" East;
1152	thence run South 6°27′32″ East, for a distance of
1153	416.71 feet;
1154	thence run South 7°40'1" East, for a distance of
1155	136.64

Page 45 of 52

1156	thence run southeasterly along the arc a curve to the
1157	left having a radius of 1451.88 feet, through a
1158	central angle of 21°34'34" with a chord bearing of
1159	South 18°26'6" East;
1160	thence run South 29°39'33" East, for a distance of
1161	302.71 feet to the approximate centerline of Corkscrew
1162	Road;
1163	thence run North 62°15'53" East, for a distance of
1164	5042.42 feet to the west line of Section 25, Township
1165	46 South, Range 25 East;
1166	thence run South 1°2'2" East, for a distance of 135.83
1167	feet;
1168	thence run South 1°4'45" East, for a distance of
1169	2642.78 feet;
1170	thence run South 0°33'4" East, for a distance of
1171	2640.43 feet;
1172	thence run South 0°27'27" East, for a distance of
1173	2643.53 feet to the point of beginning.
1174	District Contains 2348.31 Acres More Or Less
1175	DISTRICT 6
1176	Commencing at the southwest corner of Section 09,
1177	Township 47 South, Range 25 East, also being the Point
1178	of Beginning (state plane coordinates X=718429.44
1179	Y=747782.96);
1180	Thence run South 88°56'16" West, for a distance of
1181	1847.35 feet to the approximate centerline of US 41;
J	1

Page 46 of 52

1182	thence run North 9°39'59" West, for a distance of
1183	1007.52 feet;
1184	thence run northwesterly along the arc a curve to the
1185	right having a radius of 4625.18 feet, through a
1186	central angle of 12°3'37" with a chord bearing of
1187	North 5°7'30" West;
1188	thence run North 0°37'53" West, for a distance of
1189	642.06 feet;
1190	thence run North 0°37'40" West, for a distance of
1191	923.23 feet;
1192	thence run northwesterly along the arc a curve to the
1193	left having a radius of 8613.59 feet, through a
1194	central angle of 8°51'44" with a chord bearing of
1195	North 3°44'22" West;
1196	thence run North 6°55'41" West, for a distance of
1197	2662.67 feet;
1198	thence run northwesterly along the arc a curve to the
1199	right having a radius of 7063.40 feet, through a
1200	central angle of 15°6'59" with a chord bearing of
1201	North 1°20'18" West to the north line of Section 04,
1202	Township 47 South, Range 25 East;
1203	thence run North 4°39'27" East, for a distance of
1204	1352.53 feet;
1205	thence run North 88°19'39" East, for a distance of
1206	2287.28 feet;

Page 47 of 52

1207	thence run North 89°51'22" East, for a distance of
1208	2647.56 feet;
1209	thence run North 89°52'7" East, for a distance of
1210	2639.37 feet;
1211	thence run North 89°50'34" East, for a distance of
1212	2641.62 feet;
1213	thence run North 89°50'15" East, for a distance of
1214	2639.65 feet to the northeast corner of Section 02,
1215	Township 47 South, Range 25 East;
1216	thence run South 1°13'18" East, for a distance of
1217	2678.29 feet;
1218	thence run South 1°13'32" East, for a distance of
1219	2655.29 feet;
1220	thence run South 0°55'29" East, for a distance of
1221	3018.01 feet;
1222	thence run South 0°55'30" East, for a distance of
1223	3018.02 feet to the southeast corner of Section 11,
1224	Township 47 South, Range 25 East;
1225	thence run North 82°32'47" West, for a distance of
1226	2623.46 feet;
1227	thence run North 82°29'22" West, for a distance of
1228	2698.35 feet;
1229	thence run South 88°50'21" West, for a distance of
1230	2665.25 feet;
1231	thence run South 88°50'38" West, for a distance of
1232	2663.15 feet to the point of beginning.

Page 48 of 52

1233	District Contains 4388 Acres More Or Less
1234	DISTRICT 7
1235	Commencing at the southwest corner of Section 31,
1236	Township 46 South, Range 26 East, also being the Point
1237	of Beginning (state plane coordinates X=735937.47
1238	Y=758567.08 feet;
1239	thence run North 89°40'8" East, for a distance of
1240	2638.47 feet;
1241	thence run North 89°15'55" East, for a distance of
1242	2632.21 feet;
1243	thence run North 89°7'38" East, for a distance of
1244	2643.33 feet;
1245	thence run North 89°6'9" East, for a distance of
1246	2641.82 feet to the southeast corner of Section 32,
1247	Township 46 South, Range 26 East;
1248	thence run North 0°20'14" East, for a distance of
1249	2637.31 feet;
1250	thence run North 0°21'15" East, for a distance of
1251	2630.02 feet;
1252	thence run North 2°7'56" West, for a distance of
1253	2645.68 feet;
1254	thence run North 2°7'47" West, for a distance of
1255	2646.39 feet;
1256	thence run North 1°9'40" West, for a distance of
1257	825.71 feet to the approximate centerline of Corkscrew
1258	Road;

Page 49 of 52

1259	thence run South 86°34'11" West, for a distance of
1260	4481.93 feet;
1261	thence run southwesterly along the arc a curve to the
1262	left having a radius of 893.4 feet, through a central
1263	angle of 21°54'30" with a chord bearing of South
1264	75°0'11" West;
1265	thence run South 61°50'19" West, for a distance of
1266	1130.65 feet to the north line of Section 30, Township
1267	46 South, Range 26 East;
1268	thence run South 89°21'59" West, for a distance of
1269	2100.77 feet;
1270	thence run South 89°21'54" West, for a distance of
1271	2607.66 feet;
1272	thence run South 89°28'25" West, for a distance of
1273	2624.95 feet;
1274	thence run South 89°28'10" West, for a distance of
1275	2624.89 feet;
1276	thence run North 89°44'35" West, for a distance of
1277	578.31 feet to the approximate centerline of Ben Hill
1278	Griffin Parkway;
1279	thence run South 0°0'19" West, for a distance of
1280	1064.21
1281	thence run northwesterly along the arc a curve to the
1282	left having a radius of 2214.94 feet, through a
1283	central angle of 23°23'51" with a chord bearing of
1284	South 16°20'0" East;
1	

Page 50 of 52

1285	thence run South 31°40'32" East, for a distance of
1286	719.1
1287	thence run northwesterly along the arc a curve to the
1288	right having a radius of 2223.22 feet, through a
1289	central angle of $26^{\circ}27'22''$ with a chord bearing of
1290	South 22°6'3" East;
1291	thence run South $6^{\circ}27'32"$ East, for a distance of
1292	416.71 feet;
1293	thence run South 7°40'1" East, for a distance of
1294	136.64
1295	thence run northwesterly along the arc a curve to the
1296	left having a radius of 1451.88 feet, through a
1297	central angle of 21°34′34″ with a chord bearing of
1298	South 18°26'6" East;
1299	thence run South 29°39'33" East, for a distance of
1300	302.71 feet to the approximate centerline of Corkscrew
1301	Road;
1302	thence run North 62°15'53" East, for a distance of
1303	5042.42 feet to the east line of Section 30, Township
1304	46 South, Range 26 East;
1305	thence run South 1°2'2" East, for a distance of 135.83
1306	feet;
1307	thence run South 1°4'45" East, for a distance of
1308	2642.78 feet;
1309	thence run South $0°33'4"$ East, for a distance of
1310	2640.43 feet;

Page 51 of 52

1311	thence run South 0°27'27" East, for a distance of
1312	2643.53 feet to the point of beginning.
1313	District Contains 2683 Acres More Or Less
1314	Population figures are from 2010 United States Census
1315	using census block level data. The bearings and
1316	distances are based on the State Plane Coordinates
1317	System Florida Zone West NAD 83 (CORS).
1318	Section 3. This act shall take effect upon becoming a law.

Page 52 of 52