

Amendment No. 9

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	<u> </u>	(Y/N)
ADOPTED AS AMENDED	<u> </u>	(Y/N)
ADOPTED W/O OBJECTION	<u> </u>	(Y/N)
FAILED TO ADOPT	<u> </u>	(Y/N)
WITHDRAWN	<u> </u>	(Y/N)
OTHER	<u> </u>	

1 Committee/Subcommittee hearing bill: Business & Professions
2 Subcommittee

3 Representative Eagle offered the following:

Amendment (with title amendment)

6 Between lines 1441 and 1442, insert:

7 Section 35. The Florida Building Commission shall provide
8 for the following in Florida Building Code Residential:

9 Openings and roof overhang projections shall be permitted
10 on the exterior wall of a building located on a zero lot line
11 when the building exterior wall is separated from an adjacent
12 building exterior wall by a distance of 6 feet or more, and the
13 roof overhang projection is separated from an adjacent building
14 projection by a distance of 4 feet or more, with 1 hour fire
15 resistive construction on the underside of the overhang
16 required, unless the separation between projections is 6 feet or
17 more.

Amendment No. 9

18
19
20
21
22
23
24

T I T L E A M E N D M E N T

Remove line 153 and insert:

future repeal of the task force; requiring that the Florida
Building Commission amend the Florida Building Code to provide
openings and roof overhang projection requirements; providing an