

Amendment No. 7

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	<u> </u>	(Y/N)
ADOPTED AS AMENDED	<u> </u>	(Y/N)
ADOPTED W/O OBJECTION	<u> </u>	(Y/N)
FAILED TO ADOPT	<u> </u>	(Y/N)
WITHDRAWN	<u> </u>	(Y/N)
OTHER	<u> </u>	

1 Committee/Subcommittee hearing bill: Business & Professions
 2 Subcommittee
 3 Representative Eagle offered the following:

Amendment (with title amendment)

Between lines 1441 and 1442, insert:

7 Section 35. The Florida Building Commission shall define
 8 the following term in Florida Building Code Residential
 9 Definitions:

10 FIRE SEPARATION DISTANCE. The distance measured from the
 11 building face to one of the following:

- 12 1. To the closest interior lot line;
- 13 2. To the centerline of a street, an alley or public way;
- 14 3. To an imaginary line between two buildings on the lot;

15 or

16 4. To an imaginary line between two buildings when the
 17 exterior wall of one building is located on a zero lot line.

Amendment No. 7

18 The distance shall be measured at a right angle from the
19 face of the wall.

21 -----

22 **T I T L E A M E N D M E N T**

23 Remove line 153 and insert:
24 future repeal of the task force; requiring that the Florida
25 Building Commission amend the Florida Building Code to provide a
26 definition for Fire Separation Distance; providing an