

Amendment No. 5

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	—	(Y/N)
ADOPTED AS AMENDED	—	(Y/N)
ADOPTED W/O OBJECTION	—	(Y/N)
FAILED TO ADOPT	—	(Y/N)
WITHDRAWN	—	(Y/N)
OTHER	—	

Committee/Subcommittee hearing bill: Business & Professions
Subcommittee

Representative Eagle offered the following:

Amendment (with title amendment)

Between lines 1174 and 1175, insert:

Section 26. Subsection (4) of section 553.844, Florida
Statutes, is amended to read:

553.844 Windstorm loss mitigation; requirements for roofs
and opening protection.—

(4) Notwithstanding the provisions of this section,
exposed mechanical equipment or appliances fastened to a roof or
installed on the ground in compliance with the code using rated
stands, platforms, curbs, slabs, walls, or other means are
deemed to comply with the wind resistance requirements of the
2007 Florida Building Code, as amended. Further support or
enclosure of such mechanical equipment or appliances is not

Amendment No. 5

18 required by a state or local official having authority to
19 enforce the Florida Building Code. ~~This subsection expires on~~
20 ~~the effective date of the 2013 Florida Building Code.~~

21

22

23

24

T I T L E A M E N D M E N T

25

Remove line 107 and insert:

26

approved evaluation entity; amending s. 553.844, F.S.; revising

27

provisions requiring the adoption of certain mitigation

28

techniques by the Florida Building Commission within the Florida

29

Building Code for certain structures; removing the expiration

30

date of the provision; amending s. 553.883, F.S.;