Bill No. HB 761 (2016)

Amendment No. 1

COMMITTEE/SUBCOMMITTEE	ACTION
ADOPTED	(Y/N)
ADOPTED AS AMENDED	(Y/N)
ADOPTED W/O OBJECTION	(Y/N)
FAILED TO ADOPT	(Y/N)
WITHDRAWN	(Y/N)
OTHER	

Committee/Subcommittee hearing bill: Criminal Justice

Subcommittee

Representative Spano offered the following:

4 5

6

1

2

3

Amendment (with title amendment)

Remove lines 43-69 and insert:

Section 2. Subsections (3) and (4) of section 525.07,
Florida Statutes, are amended, and a new subsection (10) is
added to that section, to read:

10 525.07 Powers and duties of department; inspections; 11 unlawful acts.-

(3) <u>Each person who owns or manages</u> All persons who own or operate a petroleum fuel measuring device shall be responsible for ensuring accurate measure by the device within the tolerances defined by the rule. An appropriate security seal shall be placed on all measuring devices found to be giving accurate measure within the tolerances defined by the department 660079 - h0761 line 43.docx

6600/9 = n0/61 line 43.docx

Published On: 1/19/2016 9:42:49 AM

Page 1 of 4

Bill No. HB 761

(2016)

Amendment No. 1

18 in such a way that the metering adjustment cannot be changed 19 without breaking the seal.

(4) <u>A</u> Any measuring device that is found to be operating
outside the tolerances defined by the department shall be deemed
inaccurate and the department, at its discretion, shall either:

(a) Give, in writing, the operator or owner or manager of the measuring device a reasonable time to repair the measuring device; or

(b) Condemn or prohibit the further use of the measuring device by using an appropriate security seal to obstruct the mechanism so that it cannot be operated without breaking the seal. The measuring device shall not be operated in this state again

31 (10) (a) Each person who owns or manages a retail petroleum 32 fuel measuring device shall have affixed to or installed onto 33 the measuring device a security measure to restrict the 34 unauthorized access of customer payment card information. The 35 security measure must include one or more of the following: 1. The placement of pressure-sensitive security tape over 36 37 the panel opening that leads to the scanning device for the 38 retail petroleum fuel measuring device in a manner that will 39 restrict the unauthorized opening of the panel. 40 2. A device or system that will render the retail 41 petroleum fuel measuring device or the scanning device in the

42 measuring device inoperable if there is an unauthorized opening

43 of the panel.

660079 - h0761 line 43.docx Published On: 1/19/2016 9:42:49 AM

Bill No. HB 761 (2016)

Amendment No. 1

	Allendient No. 1
44	3. A device or system that encrypts the customer payment
45	card information in the scanning device.
46	4. Another security measure approved by the department.
47	(b) The owner or manager of a retail petroleum fuel
48	measuring device without a security measure or with an altered
49	or damaged security measure, upon written notice from the
50	department of such noncompliance, shall have 5 calendar days to
51	comply with this subsection. After the fifth day of
52	noncompliance, the department may prohibit further use of the
53	retail petroleum fuel measuring device until a security measure
54	is installed, replaced, or repaired. A repeat violation found on
55	the same retail petroleum fuel measuring device will be cause
56	for the department to immediately take the measuring device out
57	of service.
58	(b) For purposes of this subsection, the terms "scanning
59	device" and "payment card" have the same meanings as defined in
60	<u>s. 817.625.</u>
61	(c) This subsection applies only to retail petroleum fuel
62	measuring devices that have a scanning device.
63	(d) The department
64	
65	
66	
67	TITLE AMENDMENT
68	Remove line 5 and insert:
F	660079 - h0761 line 43.docx
· · · · ·	Published On: 1/19/2016 9:42:49 AM
	Page 3 of 4

Bill No. HB 761 (2016)

Amendment No. 1

- 69 conveyance of fuel; amending s. 525.07, F.S.; specifying
- 70 requirements for managers of petroleum fuel measuring devices
- 71 with respect to accurate measurement; requiring

660079 - h0761 line 43.docx Published On: 1/19/2016 9:42:49 AM

Page 4 of 4