

Amendment No.

COMMITTEE/SUBCOMMITTEE ACTION

ADOPTED	<u>    </u>	(Y/N)
ADOPTED AS AMENDED	<u>    </u>	(Y/N)
ADOPTED W/O OBJECTION	<u>    </u>	(Y/N)
FAILED TO ADOPT	<u>    </u>	(Y/N)
WITHDRAWN	<u>    </u>	(Y/N)
OTHER	<u>      </u>	

1 Committee/Subcommittee hearing bill: Water Quality, Supply &  
 2 Treatment Subcommittee  
 3 Representative Chaney offered the following:

**Amendment (with title amendment)**

Remove line 463 and insert:

7 (a) By December 1, ~~2021,~~ and of each ~~December 1~~ thereafter  
 8 year,

9 Remove line 539 and insert:

10 paragraph (3)(d) or if the existing vulnerability assessment was  
 11 completed utilizing previously compliant statutory requirements.  
 12 Projects identified from this category of vulnerability  
 13 assessments will be eligible for submittal until the prior  
 14 vulnerability assessment has been updated to meet most recent  
 15 statutory requirements. ~~2021; December 1, 2022; and December 1,~~  
 16 ~~2023,~~

Amendment No.

17 Remove line 545 and insert:

18 2. By September 1, ~~2021~~, and of each ~~September 1~~  
19 ~~thereafter year~~,

20 Remove lines 1263-1271 and insert:

21 3. By July 1, 2034, within a nutrient basin management  
22 action plan or reasonable assurance plan area, any wastewater  
23 treatment facility providing reclaimed water that will be used  
24 for commercial or residential irrigation or be otherwise land  
25 applied must meet the advanced waste treatment standards for  
26 total nitrogen and total phosphorous as defined in subsection  
27 (4)(a) or a more stringent treatment standard if the department  
28 determines the more stringent standard is necessary to achieve  
29 the total maximum daily load or applicable water quality  
30 criteria.

31  
32 Remove lines 1272-1332

33  
34  
35 -----

36 **T I T L E A M E N D M E N T**

37 Remove lines 83-90 and insert:  
38 circumstances; amending s. 403.121, F.S.; revising  
39 department