

1 A bill to be entitled
 2 An act relating to elevator accessibility
 3 requirements; amending s. 399.035, F.S.; requiring
 4 elevator car interiors to have at least one support
 5 rail that meets certain specifications; providing an
 6 effective date.

7
 8 Be It Enacted by the Legislature of the State of Florida:

9
 10 **Section 1. Paragraph (b) of subsection (1) of section**
 11 **399.035, Florida Statutes, is amended to read:**

12 399.035 Elevator accessibility requirements for the
 13 physically handicapped.—

14 (1) Each elevator, the installation of which is begun
 15 after October 1, 1990, must be made accessible to physically
 16 handicapped persons with the following requirements:

17 (b) Each elevator car interior must have a support rail on
 18 at least one wall. All support rails must be smooth and have no
 19 sharp edges and must not be more than 1 1/2 inches thick or 2
 20 1/2 inches in diameter. At least one support rail ~~Support rails~~
 21 must be continuous and a minimum length of 42 inches overall.
 22 The inside surface of support rails must be 1 1/2 inches clear
 23 of the car wall. The distance from the top of the support rail
 24 to the finished car floor must be at least 31 inches and not
 25 more than 33 inches. Padded or tufted material or decorative

26 | materials such as wallpaper, vinyl, cloth, or the like may not
27 | be used on support rails.

28 | **Section 2.** This act shall take effect July 1, 2025.