



215232

LEGISLATIVE ACTION

Senate

.

House

.

.

Floor: 1/AD/2R

.

03/09/2026 05:08 PM

.

.

Senator Massullo moved the following:

Senate Amendment (with title amendment)

Delete lines 180 - 190

and insert:

2. By July 1, 2030, any commercial property or any residential property of 10 acres or less with an existing onsite sewage treatment and disposal system located within the Banana River Lagoon Basin Management Action Plan, Central Indian River Lagoon Basin Management Action Plan, North Indian River Lagoon Basin Management Action Plan, and Mosquito Lagoon Reasonable Assurance Plan areas must connect to central sewer if available



12 or upgrade to an enhanced nutrient-reducing onsite sewage
13 treatment and disposal system or other wastewater treatment
14 system that achieves at least 65 percent nitrogen reduction. For
15 all applications submitted before July 1, 2030, to a permitting
16

17 ===== T I T L E A M E N D M E N T =====

18 And the title is amended as follows:

19 Delete lines 16 - 26

20 and insert:

21 project"; amending s. 373.469, F.S.; specifying that
22 commercial and residential properties of a specified
23 size with existing onsite sewage treatment and
24 disposal systems, and located in a certain area, must
25 connect to a central sewer or upgrade to a specified
26 type of nutrient-reducing wastewater treatment system;
27 requiring a permitting agency to notify a property
28 owner of such requirement if the agency, before a
29 certain date, receives an application to repair,
30 modify, or replace a conventional onsite sewage
31 treatment and disposal system on certain property;
32 creating s. 380.0934, F.S.; providing